

CATERPILLAR CATERPILLAR GLOBAL MINING CZECH REPUBLIC, A.S.–

2013



AVAILABLE VIA NEGOTIATED SALE

COMPLETE FACILITY CLOSURE

As Late as 2014–
Surplus CNC Machine
Tools, Fabricating
Machinery, Welding,
Mobile Equipment
& Facility
Support Assets

<
TOS VARNSDORF
WRD150Q FLOOR TYPE
CNC BORING MILL



TOS ROTARY TABLE



TOS CONTROL



OMSG LAUCO 250NS-PR400 SHOT BLAST SYSTEM

2008



VIEW OF MIGATRONIX WELDERS

Sale Closing Date: Tuesday, December 1, 2015 at 9:00 AM GMT

Sale Location: Lihovarská 11/1378, 71600 Ostrava, Radvanice, Czech Republic

Inspection: Strictly By Prior Appointment



PERFECTION
Industrial Sales

+1.847.427.3333
(main office)
+1.847.427.8884 (fax)

www.perfectionindustrial.com

Online Bidding at www.hilcoind.com

Sale is Being Held
in Conjunction With:



www.hilcoind.com
ph +44 (0)8453 130 180

NEGOTIATED SALE

INSTALLED 2013 IMMACULATE CONDITION – LARGE CAPACITY TOS 6" CNC FLOOR TYPE, BORING & MILLING MACHINE

Unique Opportunity to Purchase a Late Model, As New Condition, Large Capacity CNC Floor Type, Boring and Milling Machine w/65 Ton Capacity Demmeler Full B-Axis Table and Right Angle Head Attachment.



2013



TOS CONTROL




TOS ROTARY TABLE



TOS VARNSDORF WRD150Q FLOOR TYPE CNC BORING MILL

CNC FLOOR TYPE BORING MILL

2013 TOS VARNSDORF WRD150Q FLOOR TYPE CNC BORING MILL, s/n 0714, 150mm Spindle Diameter, 9000mm X-Axis Travel, 3500mm Y-Axis Travel, 1000mm Z-Axis Travel, 800mm Z-Axis Travel, 10-2,500 RPM Spindle Speed Range, ISO 50 Spindle Taper, 133 mm/s Max. Working Feed Speed (X, Y, Z, W, V), 333 mm/s X-Axis Rapid, 266 mm/s Y-Axis Rapid, 200 mm/s Z- and W-Axis Rapid, 167 mm/s V-Axis Rapid, 2 RPM B-Axis Rapid, Heidenhain iTNC 530 CNC Control, 65 Ton Demmeler DRLTN 3000 Auxiliary Rotational Working Table (6000mm x 3000mm Table Size, 65,000 kg Workpiece Capacity), 80-ATC, Coolant Thru Spindle, Right Angle Head Attachment, Renishaw Probing



To discuss your requirements for an auction, please call Perfection Industrial **+1.847.427.3333**

CNC FLAME/PLASMA CUTTERS, SHOT BLASTS



2014

PIERCE MAXI 5000G CNC FLAME CUTTING SYSTEM



2008

MGM OMNICUT 5600 CNC PLASMA/FLAME CUTTER



2008

OMSG LAUCO 250NS-PR400 SHOT BLAST SYSTEM

CNC FLAME/PLASMA CUTTERS

2014 PIERCE MAXI 5000G CNC FLAME CUTTING SYSTEM, s/n 01750, 4.2m x 12.3m Table Size, (4) Flame Cutting Heads, Pierce CNC Control, w/ KEMPER System 9000 Exhaust Extraction System, s/n 00126806901, 2014

2008 MGM OMNICUT 5600 CNC PLASMA/FLAME CUTTER, s/n 205602.08/208-062, 4.7m x 12.3m Table Size, (2) Plasma Cutting Heads, (3) Flame Cutting Heads Hypertherm Hyperformance HPR260 Plasma Power Source, Provit 5200 CNC Control, w/MGM MG81130 Exhaust Extraction System, s/n 209050, 2008

2008 PETER HAMACHER PH-RNSW-600 SO ROLL POSITIONER CUTTING TORCH, s/n AT08PH238

SHOT BLASTS

2008 OMSG LAUCO 250NS-PR400 SHOT BLAST SYSTEM, s/n 11453, w/OMSG FAC18/15N Collection Unit, 2500mm x 500mm x 2500mm L Max. Workpiece, (6) Blast Wheels, 25m x 2.6m Infeed and Outfeed Roller Conveyors

2003 TST K2 1200 SHOT BLAST, s/n 201, Machine No. 268, 1115mm Diameter Table, 7.5 Kw Motor, 3564 Hours, w/Reclaim Collection Unit



2003

TST K2 1200 SHOT BLAST

Sale Closing Date:

Tuesday, December 1, 2015
at 9:00 AM GMT

Inspection:

Strictly By Prior Appointment

Sale Location:

Lihovarská 11/1378, 71600
Ostrava, Radvanice,
Czech Republic

To discuss your requirements for an auction, please call Perfection Industrial +1.847.427.3333

CNC TURNING CENTER, CNC LATHES



1990

VOEST-ALPINE WNC500S TURNING CENTER

CNC TURNING CENTER

1990 VOEST-ALPINE STEINEL WNC500S CNC TURNING CENTER, s/n 08527301, 540 Turning Diameter 540mm, 1600mm Turning Length, 540mm Swing Over Bed, 450mm Swing Over Slide Rest, 1250 kg Max. Work piece Weight, 77mm Spindle Bore, 25–4,000 U/Min. Spindle Turning Speed Range, 250–1000mm Max. Torque on Spindle, 5000 mm/Min. Feed Range, 12-Position Turret, 3-Jaw Chuck

CNC LATHES

(2) MAS SPT32NC CNC LATHE, s/n 511 and 223, 320mm Turning Over Bed, 1500mm Turning Length, 31–2,240 Spindle Speed, 6-Position Turret, Tesla NS 660 Controls

(2) MAS SPT16NC CNC LATHE, s/n 99 and 570, 500mm Turning Length, 160mm Turning Diameter, 56mm Spindle Bore, MK6 Tool Taper, 40–4,000 RPM Turning Speed Range, 200mm 3-Jaw Chuck, Tesla NS 660 Controls

Sale Closing Date:

**Tuesday, December 1, 2015
at 9:00 AM GMT**

**Inspection: Strictly By
Prior Appointment**



2 AVAILABLE

MAS SPT32NC CNC LATHE



2 AVAILABLE

MAS SPT16NC CNC LATHE



2 AVAILABLE

MAS SPT32NC CNC LATHE



2 AVAILABLE

MAS SPT16NC CNC LATHE

View our current auction schedule at www.perfectionindustrial.com

HORIZONTAL BORING MILLS



SKODA W160HC FLOOR TYPE BORING MILL



TOS VARNSDORF W100 HORIZONTAL BORING MILL

HORIZONTAL BORING MILLS

1991 SKODA W160HC FLOOR TYPE HORIZONTAL BORING MILL, s/n 0b24254, 160mm Spindle Diameter, ISO 50 Spindle Taper, 15000mm X, 4000mm Y, 1600mm Z, 2m x 8m Floor Type Table, Skoda E-25 2000mm x 2000mm Rotary Table

TOS VARNSDORF W100A HORIZONTAL BORING MILL, s/n 05-64, Rebuilt by TOS in 2000, 100mm Spindle, ISO 50 Spindle Taper, 900mm Axial Movement of Spindle, 2800mm Max. Distance Face Plate to Boring Bar Support, 900mm Max. Diameter of Face Turning, 9-1,120 RPM Spindle Speeds, 1120mm Y, 1600mm X, 1250mm Z, 1250mm x 1250mm Table, Acu-Rite DRO

TOS VARNSDORF W100 HORIZONTAL BORING MILL, s/n 09-09, 100mm Spindle, ISO 50 Spindle Taper, 900mm Axial Movement of Spindle, 2800mm Max. Distance Face Plate to Boring Bar Support, 900mm Max. Diameter of Face Turning, 9-1,120 RPM Spindle Speeds, 1120mm Y, 1600mm X, 1250mm Z, 1250mm x 1250mm Table, Anilam Super Wizard DRO

TOS VARNSDORF WHN 13 HORIZONTAL BORING MILL, s/n 014-08, 130mm Spindle Diameter, ISO 50 Spindle Taper, 800mm W, 3500mm X, 2000mm Y, 1250mm Z, 1800mm x 1800mm Table, Tesla NS250 Controller

TOS VARNSDORF WHN 11 HORIZONTAL BORING MILL, s/n 0510, 1250mm x 1250mm Table, 110mm Spindle Diameter, 1600mm X, 1000mm Y, 630mm Z, 4-900 RPM, Elbo Genius 4X DRO

TOS VARNSDORF WHN 9B HORIZONTAL BORING MILL, s/n 2726, 1000mm x 1100mm Table, 90mm Spindle Diameter, 680mm Spindle Travel, 1250mm X, 900mm Y, 1000mm



TOS VARNSDORF WHN 11 HORIZONTAL BORING MILL



TOS VARNSDORF W100A HORIZONTAL BORING MILL



TOS VARNSDORF WHN 9B HORIZONTAL BORING MILL

AUCTION WILL BE CONDUCTED IN EUROS (€)

JIG BORER, ENGINE LATHES

JIG BORER

MAS VR5N-B JIG BORER, s/n 257, 50mm Drilling Capacity, ISO 40 Spindle Taper, 1600mm x 1000mm Table Dimensions, 1600mm Distance Between Columns, 28–2,500 RPM



MAS VR5N-B JIG BORER

ENGINE LATHES

TOS SN55 GAP BED ENGINE LATHE, s/n 055307302, 560mm Swing, 2.75 M Between Centers, 300mm Chuck, Tool Post, 10–1,000 RPM

TOS LIPNIK SU50A LATHE, s/n 21200894, 500mm Swing, 1650mm Between Centers, 300mm Chuck, Tool Post, 11–1,400 RPM

TOS SR50A LATHE, s/n 21010868, 500mm Swing, 350mm Between Centers, 300mm Chuck, 5-Position Turret, 18–1,400 RPM

TOS CELAKOVICE SUS63 LATHE, s/n 10440994, 760mm Swing, 1780mm Between Centers, 300mm Faceplate, 9–1,120 RPM

TOS TRENCIN SN50B LATHE, s/n 050200860228, 560mm Swing, 1780mm Between Centers, Tool Post, 22–2,000 RPM



TOS TRENCIN SV18RN LATHE, s/n 018129362, 400mm Swing, 1150mm Between Centers, 200mm Chuck, Tool Post, 14–2,000 RPM

TOS CELAKOVICE SUS63 LATHE, s/n 0440919, 765mm Chuck, 6100mm Between Centers, 400mm Chuck, Tool Post, 4–1,800 RPM

FOR FURTHER INFORMATION

For further information contact John Bopp at +1.708.606.3240 or Email: John@PerfectionIndustrial.com Or Simon Halsey at Office: +44 (0)8453 130 180 or Email shalsey@hilcoglobal.eu

< **TOS CELAKOVICE SUS63 LONG BED LATHE**



< **TOS SN55 GAP BED ENGINE LATHE**

> **TOS TRENCIN SN50B LATHE**

View our current auction schedule at www.perfectionindustrial.com



< **TOS LIPNIK SU50A LATHE**

> **TOS TRENCIN SV18RN LATHE**

To discuss your requirements for an auction, please call Perfection Industrial +1.847.427.3333



< **TOS SR50A LATHE**

Inspection: Strictly By Prior Appointment

> **TOS CELAKOVICE SUS63 LATHE**



VERTICAL SHAPER, PLANING MACHINE, FACE & CENTER MACHINE, MILLING MACHINES, SHEAR, SAWS, RADIAL ARM DRILLS

VERTICAL SHAPER

ROMENB 74450 VERTICAL SHAPER, s/n 706, 800mm Table Diameter, 400mm 3-Jaw Chuck, 1665mm Bed Length

PLANING MACHINE

TOS HD12.5/4 PLANING MILL, s/n 57184, 4000mm Max. Planing Length, 1250mm Max. Planing Width, 4000mm x 1100mm Table, 60mm Stroke Knife Holder, 250mm Slide Knife Adjustment, 1270mm Between Columns



ROMENB 74450 VERTICAL SHAPER



TOS HD12.5/4 PLANING MILL



TOS FC63V
VERTICAL
MILLING
MACHINE



TOS KURIM FC50V MILLSTAR
VERTICAL MILLING MACHINE



1999
FORMETAL PIESK CNTA 3150/16A SHEAR



2012
BOMAR TRAVERSE 510.330.DGH
HORIZONTAL BANDSAW



2012
BOMAR ERGONOMI 320.250GH
HORIZONTAL BANDSAW

FACE & CENTER MACHINE

WMW FZWD FACING AND CENTERING MACHINE, s/n 44160, 20/160mm Work piece Diameter, 120/1000mm Work piece Length, 20–10,500 RPM Turning Speed Range, 1–4000mm/Min. Feed Range

MILLING MACHINES

TOS FC63V VERTICAL MILLING MACHINE, s/n 17508, 500mm x 2250mm Table, Tesla NS261 CNC Control

TOS FB40V KNEE MILL, s/n 39753, 400mm x 1600mm Table, 1250mm X, 430mm Y, 475mm Z, SK50 Taper, 28–1,400 RPM

TOS KURIM FC50V MILLSTAR VERTICAL MILLING MACHINE, s/n 17760, 400mm x 1800mm Table, 1250mm X, 500mm Y, 550mm Z, 50 Spindle Taper

SHEAR

1999 FORMETAL PIESK CNTA 3150/16A SHEAR, s/n N200-104, 3.15m Max. Cutting Length, 16 Gauge Max. Capacity, (36) Roller Ball Supports, 3m x 3m Support Area, 2.5m Squaring Arm

SAWS

2012 BOMAR TRAVERSE 510.330.DGH HORIZONTAL BANDSAW, s/n 5315

2012 BOMAR ERGONOMI 320.250GH HORIZONTAL BANDSAW, s/n 516

RADIAL ARM DRILLS

MAS VR6A RADIAL ARM DRILL, s/n 987, MK5 Drilling Spindle, 60/80mm Max. Drilling Capacity, 380mm Max. Drilling Depth, 440mm Min.–2000mm Max. Distance Round Column Drilling Spindle, 16–1,400 RPM

(2) MAS V050 RADIAL ARM DRILLS, s/n 252 and 1985, 50mm Drilling Capacity, 1250mm Radius, MK5 50 Taper, 28–2,500 RPM, (2) 560mm x 560mm Square Tables

CSEPEL RFH 75/1500 RADIAL ARM DRILL, s/n 79013, Morse 5 Taper, 75mm Max. Drilling Diameter, 1200mm Max. Vertical Arm Adjustment, 800mm x 600mm x 450mm H Box Table



MAS V050 RADIAL ARM DRILL



MAS VR6A RADIAL ARM DRILL



MAS V050 RADIAL ARM DRILL



CSEPEL RFH 751500
RADIAL ARM DRILL

AUCTION WILL BE CONDUCTED IN EUROS (€)

To discuss your requirements for an auction, please call Perfection Industrial **+1.847.427.3333**

GRINDING MACHINES, SPLINE GRINDING MACHINE, THREAD ROLLING MACHINE, TOOL PRESETTERS, BEVEL MACHINE, BEVELING ROBOTS, WELDING POSITIONERS

GRINDING MACHINES

1988 TOS HOSTIVAR BHU 40A X 1500MM UNIVERSAL GRINDING MACHINE, s/n 0268239
TOS LV1 DOUBLE END GRINDER, 116537, 180mm Wheel, 240mm Lapping Wheel

TOS HOSTIVAR BNO 17 DOUBLE END GRINDER

TOS BN 102 TOOL CUTTER AND GRINDER, 150mm Diameter Wheel, 280mm Swing Diameter, 500mm Tip Distance from Headstock to Tailstock

TOS HOSTIVAR BN102B TOOL CUTTER AND GRINDER, s/n 049699, 280mm Swing, 760mm Distance Between Tailstock Centers, 200mm Max. Wheel Size

TOS HOSTIVAR BNP800 SAW BLADE SHARPENER GRINDER, s/n 0209756, 100–800mm Max. Blade Diameter, 16mm Max. Blade Width, 100–125mm Grinding Wheel Diameter

TOS BP 12 SAW BLADE SHARPENER GRINDER, s/n 024524319, 260–1200mm Saw Diameter
(2) TOS KURIM BP2 SAW BLADE SHARPENER GRINDER, s/n 40562 and 40568, 20–350mm Diameter Circular Saws, 5–50mm Hole Saw, 23mm Height of Teeth, 0–23mm Pitch



TOS HOSTIVAR BHU 40A UNIVERSAL GRINDER



TOS BN 102 TOOL CUTTER AND GRINDER



TOS HOSTIVAR
BN102B TOOL
CUTTER AND
GRINDER


TOS HOSTIVAR
BNP800 SAW
BLADE
SHARPENER



STANKO IMPORT 3M451B SPLINE GRINDER



WMW UPW 25.1 THREAD ROLLER



SOMET TOOL PRESETTERS



BEVEL MACHINE

SPLINE GRINDING MACHINE

STANKO IMPORT 3M451B SPLINE GRINDER, s/n 161

THREAD ROLLING MACHINE

WMW UPW 25.1 THREAD ROLLER, s/n 3030, 25T Rolling Force, 10–100mm Max. Diameter of Thread, 2000mm Max. Length of Thread, 8mm Lead

TOOL PRESETTERS

SOMET SPS 200U TOOL PRESETTER, 200mm x 350mm Working Area, .005m Accuracy

SOMET SPS 500U TOOL PRESETTER, 350mm x 500mm Working Area, .005m Accuracy

BEVEL MACHINE

UNKNOWN MFR BEVEL MACHINE, 8m Capacity, (9) Clamps, (6) 1.2m Front Supports, (2) Tools Post w/Operator Platform on Track, Hydraulic Unit



ABB IRB4600 BEVELING ROBOT

BEVELING ROBOTS

2010 ABB IRB4600 BEVELING ROBOT, s/n 46-64113, w/IRC5 M2004 Control, (2) 3.5m x 1.2m x 650mm H Tables

2002 ABB IRB2400 BEVELING ROBOT, s/n 24-22731, w/IRB24004 Control, 3.7m x 3.5m U-Shaped Fixture Table

WELDING POSITIONERS

2004 HENSEL RT1 WELDING POSITIONER, s/n 53908-01

(2) 4,500 KG STA SOM 61 WELDING POSITIONERS

4,450 KG STA SOM82 WELDING POSITIONER

2000 KOVACO SP100 WELDING POSITIONER



ABB IRB2400
BEVELING ROBOT



KOVACO WELDING
POSITIONER



4,500 KG STA SOM 61 WELDING POSITIONERS

To discuss your
requirements for
an auction,
please call
Perfection Industrial
+1.847.427.3333

PLATE BENDING ROLL, ROLLING STOCK, AIR COMPRESSORS, AIR EXTRACTION/FILTRATION



PLATE BENDING ROLL

PLATE BENDING ROLL

UNKNOWN MFR PYRAMID TYPE 3-ROLL BENDING ROLL; (3) 250MM DIAMETER ROLLS; 2050mm Max. Width

ROLLING STOCK

2012 CAVIAN BAUMAN GS120.80/25/25/36 SIDE LOADER, s/n 8235, 12,000 Kg Lifting Capacity, 1000mm Load Center, (4) 2.5m Forks, Diesel Fuel

2010 COMBLIFT C4500 SIDE LOADER, s/n 15458, 114 Hours, 4,500 Kg Lifting Capacity, Diesel Fuel

(3) 2012 3,500 KG CATERPILLAR DP35N DIESEL FORKLIFTS

(3) 2010 3,500 KG HYSTER H3.5FT DIESEL FORKLIFTS

2008 TOYOTA 02-2TG20 TOWING TRACTOR, s/n 2TG25-11536, Petrol Fuel, 2060 N Pulling Force

ZETOR 7745 DIESEL TRACTOR, s/n 009688

BAUSER UNC-060 DIESEL SKID STEER

(2) MULTICAR 25.1A FLATBED TRUCK

KVERNELAND FX230 MOWER ATTACHMENT, (2) Bucket Attachments, Plow Attachment, Auger Attachment, Back Hoe Attachment, SIMED SVS 1.0 E Salt Spreader

2012 ISAL PB120D DIESEL FLOOR SWEEPER, s/n 0181001/5796



ZETOR 7745 DIESEL TRACTOR



2 AVAILABLE

MULTICAR 25.1A FLATBED TRUCK



2 AVAILABLE

MULTICAR 25.1A FLATBED TRUCK

AIR COMPRESSORS

2008 ATLAS COPCO GX3FF ROTARY SCREW AIR COMPRESSOR, S/N CA1332581, 10 Bar, 200 Liter Receiver Tank, 4677 Hours, NEDERMAN 12393 Portable Filter Box, s/n 12631463, 2012



2008

ATLAS COPCO GX3FF ROTARY SCREW AIR COMPRESSOR

AIR EXTRACTION/FILTRATION

(4) CIPRES FILTER BRNO FILTRCARM GH15/1/6/15/RP W/EN134452009 TLAKOVA NABODA 1400/15 PRESSURE VESSEL – As new as 2013



COMBLIFT
C4500 SIDE
LOADER

2010



TOYOTA
02-2TG20
TOWING
TRACTOR

2008



PLOW ATTACHMENT



SIMED SVS 1.0 E SALT SPREADER



4 AVAILABLE

CIPRES FILTER SYSTEMS



CAVIAN BAUMAN GS120.80/25/25/36 SIDE LOADER



2012-2010

6 AVAILABLE

VIEW OF FORKLIFTS

AUCTION WILL BE CONDUCTED IN EUROS (€)

View our current auction schedule at www.perfectionindustrial.com

WELDERS, HEAT TREAT, JIB CRANES & LIFTING EQUIPMENT



VIEW OF SIGMA 500 MIG WELDERS



15 AVAILABLE

VIEW OF ESAB WELDERS

WELDERS

(OVER 20) MIGRATRONIC SIGMA 500 AND MIGRATRONIC MIG 505 MIG WELDERS w/MVA-4 AND MWF-11 WIRE FEEDS

(10) FRONIUS TRANSSTEEL 5000 MIG WELDERS w/VR5000 WIRE FEEDS

(10) FRONIUS TRANSYNERGIC 5000 MIG WELDERS w/VC4000 WIRE FEEDS

(15) ESAB ESABMIG C340 PRO, C340, AND C280 MIG WELDERS w/BUILT IN WIRE FEEDS

(15) ESAB LAW 500, ARISTOMIG 500, AND ESABMIG 500 MIG WELDERS w/Various ESAB Wire Feeds

HEAT TREAT

(2) MIWY LIPNIK DV 2500 ELECTRIC FURNACES, s/n 021 and 022, 1,250 Degrees C Max. Temp, 2m x 1m x 1m Furnace Inside Dimensions, Bricked Lined

(2) ZAVODY ELEKTRO TEMPERING FURNACES, 350 Degree C Operating Temp, 1400mm Outside Diameter, 680mm Inside Diameter, 36 KVA

JACKETED OIL QUENCH TANK, 2.5m x 1.5m x 3m Deep, Water Cooled Double Shell

WATER BATH TANK, 2m x 1.3m x 1.85m

ELECTRIC MUFFLE FURNACE, 630mm L x 450mm H x 1100mm Deep, Brick Lines



10 AVAILABLE

VIEW OF FRONIUS TRANSSTEEL 5000 MIG WELDERS



2 AVAILABLE

MIWY LIPNIK DV 2500 ELECTRIC FURNACES



10 AVAILABLE

VIEW OF FRONIUS TRANSYNERGIC 5000 MIG WELDERS



2 AVAILABLE

ZAVODY ELEKTRO TEMPERING FURNACES



LIFTING MAGNETS



15 AVAILABLE

VIEW OF ESAB WELDERS

JIB CRANES & LIFTING EQUIPMENT

OVER 20 JIB CRANES FROM 750 KG TO 1.25 TON, w/Electric Hoist, Pendant Controls

LARGE SELECTION OF LIFTING MAGNETS



20 AVAILABLE

VIEW OF JIB CRANES



View our current auction schedule at www.perfectionindustrial.com

INSPECTION & MORE



VIEW OF INSPECTION ITEMS



SOMET XYZ 643 CMM



CARL ZEISS JENA PROFILE PROJECTOR 600



VIEW OF TOOLING ROOM



WELDING TABLES

INSPECTION

1000's of Micrometers, Micrometer Sets, Vernier Calipers, Radius Gages, Precision Squares, Height Gages, Gage Block Sets, and Much More
SOMET XYZ 643 COORDINATE MEASURING MACHINE

CARL ZEISS JENA PROFILE PROJECTOR 600, s/n 743

ALSO AVAILABLE: Large Selection of Tooling For Each Machine, Angle Plates, Machine Vises, Welding Tables, Rotary Tables, and Much More

TERMS OF SALE: A buyer's premium is applicable to all assets sold by auction. Everything will be sold to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be available on the website. The sale may also be subject to special terms which will also be available on the website. All items will be sold "as is, where is" without any warranties, expressed or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information contained within the brochure. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Removal will be within the time period stated on your invoice. Strictly no items are to be removed until payment is made in full and cleared funds are showing in our account. The auction may also be subject to additions, deletions and prior sale. **Payment:** ALL PURCHASES MUST BE PAID IN FULL BY BANK TRANSFER WITHIN 3 DAYS FROM THE DATE OF THE SALE. All payments must be made by wire transfer. Contact our office for wire transfer instructions. All sales are subject to the VAT. If the item purchased is to be exported outside the Country where the item is located, the necessary export documentation criteria must be met before a VAT Refund/Zero Rating will be considered. **The auction will be conducted in Euros (€).**

REMOVAL: All items removed no later than Friday, January 8th, 2016. Removal hours are Monday through Friday from 8:00 AM–4:00 PM. Extended hours or weekends may be accommodated by prior appointment. No assets may be removed during the auction sale.

FOR FURTHER INFORMATION: Contact John Bopp at +1.708.606.3240 or Email: John@Perfection-Industrial.com Or Simon Halsey at Office: +44 (0) 8453 130 180 or Email shalsey@hilcoglobal.eu

Sale Closing Date: Tuesday, December 1, 2015 at 9:00 AM GMT

Sale Location: Lihovarská 11/1378, 71600 Ostrava, Radvanice, Czech Republic

Inspection: Strictly By Prior Appointment



PERFECTION Industrial Sales

+1.847.427.3333
(main office)
+1.847.427.8884 (fax)

www.perfectionindustrial.com

Online Bidding at www.hilcoind.com

Sale is Being Held
in Conjunction With:



www.hilcoind.com

ph +44 (0)8453 130 180