

**IMMACULATE
FABRICATING
EQUIPMENT**

Available On Behalf of a Leading Dental Products Manufacturer



2006

NORDSON HORIZON 400L POWDER COAT BOOTH

FEATURING:

AMADA FBD8025NT, FBD8025E & RG50 CNC PRESS BRAKES, AMADA LC1212 A3IIT LASER, HAEGER INSERTION MACHINES, TIMESAVER 137 HMW GRINDING MACHINE, 75 KVA SPOT WELDER & LINCOLN WELDING POWER SOURCES, ERCOLINA TUBE BENDER, SMOKE COLLECTORS, 2006 GAT/NORDSON COMPLETE POWDER COAT, OVEN & WASH SYSTEM & PLANT SUPPORT ASSETS



2005

AMADA PULSAR 1212AIII-NT CNC HYBRID LASER



2004

88 TON AMADA FBD-III 8025NT 7- AXIS CNC UP-ACTING PRESS BRAKE

Sale Closing Date: Wednesday, March 16th, 2016, 1PM ET
Sale Location: 1295 Walt Whitman Road, Melville, NY 11747
Inspection: Tuesday, March 15th 2016 from 8 AM - 4 PM ET


2005



AMADA PULSAR 1212AIII-NT CNC HYBRID LASER

CNC LASER

AMADA Pulsar 1212AIII-NT CNC Hybrid Laser, S/N. 35441420, (2005); Fanuc NT CNC Control, 2000 Watt, 49.2" x 49.2" Travel, 49" x 96" Maximum Sheet Size, Fanuc AF2000E Resonator, Koolant Koolers HCV7500PR-NF-FILT Chiller, s/N. 21048; 7.5 hp; Donaldson ADF4 Torit Dust Collector, S/N. 19512591; 7.5 HP; **AMADA** LMP1212-4 Robotic Sheet Load/Unload, S/N. 12005033; Small Parts Conveyor, *** Total Laser Hours 44,318, Turbo Replaced 2014; 16,877 Hours Remaining on Current OEM Fanuc Blower.



Large Assortment of Press Brake Tooling



2004

88 TON AMADA FBD-III 8025NT CNC UP-ACTING PRESS BRAKE



88 TON AMADA FBD8025E 3-AXIS CNC UP-ACTING PRESS BRAKE



55 TON AMADA RG50 3-AXIS CNC UP-ACTING PRESS BRAKE

PRESS BRAKES

88 Ton AMADA FBD-III 8025NT 7-Axis CNC Up-Acting Press Brake, S/N. 80252216, (2004); 98.4" OA Bend Length, 86.6" Between Housings, 5.91" Stroke, 15.75" Throat, **AMADA** AMNC-PC 7-Axis CNC Control, Full Length Foot Treadle, Electric Foot Switch Control

88 Ton AMADA FBD8025E 3-Axis CNC Up-Acting Press Brake, S/N. 8500623, (1992); 98.43" OA Bend Length, 86.61" Between Housings, 3.9" Stroke, 15.75" Throat, **AMADA** NC9EX-II 3-Axis CNC Control, Electric Foot Switch Control, **AMADA** "One Touch" Upper Tool Clamps

55 Ton AMADA RG50 3-Axis CNC Up-Acting Press Brake, S/N. 509552, (1998); 78" OA Bend Length, 60" Between Housings, 3.94" Stroke, 15.76" Throat, **AMADA** NC9EX-II 3-Axis CNC Control, Full Length Foot Treadle, Hand Held Pendant, **AMADA** "One Touch" Upper Tool Clamps

Large Assortment of Press Brake Tooling

FABRICATING EQUIPMENT

TIMESAVERS 137-HDMW Sheet Metal Finishing Machine, S/N. 28086M, 37" Wide Belt, 36" Max. Part Width, Variable Speed Feed 15-45 FPM, 20 HP, E700 PLC Control, Coolant, Air Knife Dryer, Central Lubrication System

6 Ton **HAEGER** 618 Plus L Insertion Press, S/N. 6PL20520, (2002); 18" Throat, 0 - 8" Stroke

6 Ton **HAEGER** 618 Insertion Press, S/N. 878, (1997); 18" Throat, 0 - 8" Stroke

ERCOLINA TB60 "Top Bender" Tube & Pipe Bender, S/N. 6008042, (2008) 2-1/2" Tube, 2" Sch 40 Pipe, Touch Screen PLC Control, 15" Max CLR, Digital Bend Angle Display, Dual Foot Switch



ERCOLINA TB60 "TOP BENDER" TUBE & PIPE BENDER



TIMESAVERS 137-HDMW SHEET METAL FINISHING MACHINE



6 TON HAEGER 618 PLUS L INSERTION PRESS

View our current auction schedule at
www.perfectionindustrial.com



POWDER COAT SYSTEM

2006 GAT / NORDSON Complete Powder Coat Paint System: GAT 3-Stage Wash System 5' x 3' Opening, 36" x 6'8" x 11'5" Height, Stage One Clean for 90 Sec, Stage Two Rinse 45 Sec, Stage Three Seal 45 Sec, Stainless Steel Tanks, PolyPro Extended Like Polypropylene Housing; **GAT 4-Pass Dry Off and Cure Oven**, 29' x 16' x 10 High, 7 Minutes Dry off, 20 Minutes Cure, 350 Degree and 450 Degree, Gas, Floor Mounted, 1,170,000 BTU Cure, 360,000 BTU Dry Off; **NORDSON Horizon 400L Powder Coat Booth**, 35" x 59.5" Opening, (2) Nordson Manual Powder Guns, Dust Collector Recover System, Serial Number: 4024594; **ITW GEMA Optiflex 2 Paint Gun System;** **Enclosed Track Conveyor**, 390' with 8" Centers for Hangers, Variable Speed 2 – 4 FPM

View our current auction schedule at
www.perfectionindustrial.com

ALSO AVAILABLE

SCIAKY PMCO1STK 75-36-5 75 KVA 3-Phase Spot Welder, S/N. 9048; **36" Throat**, 208 Volt/3 Phase, Interlock Model 302A Resistance Weld Controller, Chiller Unit, Electric Foot Switch Control

AIR QUALITY ENGINEERING AQE4000 Overhead Cartridge Type Dust Collector, S/N. 9902F187A; 5 HP Motor, 2500 Total CFM, Dual 11' Arms 1250 CFM Per Arm, Self-Cleaning Reverse Pulse Jet System

GEHRICH 200,000,000 BTU Gas Fired Dry Off Oven, S/N. 8950; 82" x 70" x 60" W Oven Area

FILTER 1 DHYD-2-50-10-4-RF Hydrotron Double Station Wet Type Dust Collector/Downdraft Table, (2) 30" x 48" Tables; 5,000 CFM; 10 HP

LISTA Cabinets; LINCOLN & MILLER Welders; Overhead Cartridge Type Dust Collectors; Drill Presses; 30" x 60" Acorn Table; Work Benches; Cantilever Rack; Rolling Shop Racks / Carts; Shelving Units; Shop Cabinets; and more



Sale Closing Date:

Wednesday, March 16th, 2016, 1PM ET

Sale Location:

1295 Walt Whitman Road, Melville, NY 11747

Inspection:

Tuesday, March 15th 2016 from 8 AM - 4 PM ET

ONLINE AUCTION

REMOVAL

All items must be removed no later than Friday, April 1. Removal times are Monday through Friday from 8:00 AM to 4:00 PM EST or by special appointment.

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied.

Online Bidding at www.perfectionindustrial.com

FOR FURTHER INFORMATION

For further information contact Jennifer Reiner at 847-545-6374 or jennifer@perfectionindustrial.com. For accounting and invoicing questions, contact Inesa Dicipetris at 847-427-3333 or inesa@perfectionindustrial.com.

To discuss your requirements
for an auction, please call Perfection Industrial
847.427.3333

Sale Held in Conjunction With:



Perfection Industrial Sales
ph 847.545.6374 | fax 847.427.8884
www.perfectionindustrial.com



www.prestigeequipment.com
ph 631.249.5566