

LIVE WEBCAST

**ONLINE ONLY
AUCTION**



SURPLUS TO THE ONGOING OPERATIONS OF GREAT STAR INDUSTRIAL USA, LLC - HAND TOOL MANUFACTURER

FEATURING 400+ LOTS INCLUDING: HAAS, FADAL & MATSUURA Machining Centers, STAMTEC & AIDA Presses, Double Disc & Surface Grinders, Horizontal Broaches, ABB Robot, Conventional Machine Tools, Air Compressors, Forklifts & Reach Trucks, DIAMOND PHOENIX Parts Carousel, Factory Support Equipment, Material Handling & More



HAAS EC-400 HORIZONTAL MACHINING CENTER



AIDA C1-20 (2) GAP FRAME PRESS



BESLY DH2 DOUBLE DISC GRINDER

SALE DATE

Wednesday, November 17, at 10:00 AM CT

SALE LOCATION

1600 S. Prairie Drive, Sycamore, Illinois 60178

INSPECTION

Tuesday, November 16, by Appointment Only

**Pre-Auction Offers Invited
on Major Assets**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/greatstar>



**PERFECTION
Industrial Sales**

Perfection Global, LLC IL Firm Lic. #444.000438 & Steve Kleba IL Auctioneer Lic. #441.001778

Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Bidding Available Through
BidSpotter

MACHINING CENTERS, PRESSES



HAAS EC-400 HORIZONTAL MACHINING CENTER



FADAL VMC 4020 VERTICAL MACHINING CENTER



MATSUURA MC-800VF VERTICAL MACHINING CENTER

MACHINING CENTERS

2014 HAAS EC-400 HORIZONTAL MACHINING CENTER, s/n 2054556, w/HAAS Control, (2) 15.75" x 15.75" Pallets, Travels: X-20", Y-20", Z-20", 660 Lb Max. Pallet Load, CT40 Taper, 40-ATC, Through Spindle Coolant, HAAS High Pressure Coolant System

2009 HAAS EC-400 HORIZONTAL MACHINING CENTER, s/n 2053073, w/HAAS Control, (2) 15.75" x 15.75" Pallets, Travels: X-20", Y-20", Z-20", 660 Lb Max. Pallet Load, CT40 Taper, 40-ATC, Through Spindle Coolant

FADAL VMC 4020 VERTICAL MACHINING CENTER, s/n 9501889, w/CNC 88HS Control, 47.94" x 20" Table, Travels: X-40", Y-20", Z-20", 1,500 Lb Table Capacity, CT40 Spindle Taper, 21-ATC

MATSUURA MC-800VF VERTICAL MACHINING CENTER, s/n 94110977, w/YASNAC Control, 45" x 16" Table, 40 Taper, 30-ATC, Turbo Chip Conveyor

PRESSES



STAMTEC G1-110 GAP FRAME PRESS



STAMTEC G1-80 80-TON OBG PRESS



FEDERAL NO 60 60-TON OBI PRESS

AIDA C1-20 (2) 220-TON GAP FRAME PRESS, s/n 00220-0392, w/69.6" x 33" Bed, 33.4" x 25.1" Slide, 17.7" Shut Height, 35 SPM, 9.8" Stroke, 4.3" Adj., NOTE: Refurbished 2020

STAMTEC G1-110 110-TON GAP FRAME PRESS, s/n S80863, w/45.31" x 23.64" Bed, 25.61" x 18.52" Slide, 15.76" Shut Height, 50-100 SPM, 3.15" Stroke, 3.15" Adj., QUIK-LEARN Tonnage and DEVIATION Monitor, NOTE: Refurbished 2020

STAMTEC G1-80 80-TON OBG PRESS, s/n 0400, w/80-120 SPM, 2.75" Stroke, 14.58" Shut Height, 3.152" Adj., NOTE: Refurbished 2020

FEDERAL NO 60 60-TON OBI PRESS, s/n 60115, w/33" x 22" Bed, 13.25" Shut Height, 30-60 SPM, 3.5" Stroke, 2.5" Adj.

JOHNSON 60FWAC 60-TON OBI PRESS, s/n 60050, w/30" x 19.5" Bed, 4" Stroke, 3.5" Adj.

BLISS C-60 60-TON OBI PRESS, s/n H61810, w/32" x 21" Bed, 4.5" Stroke, 13.75" Shut Height, 3" Adj., NOTE: Refurbished 2020

(2) BLISS C-45 45-TON OBI PRESSES, s/n H57131, H71551, NOTE: H57131 Refurbished 2020 and H71551 Missing Ram

BLISS C-35 35-TON OBI PRESS, s/n H71411, w/26.5" x 17" Bed, 3" Stroke, 10.75" Shut Height, 2.5" Adj.

ALSO: HANNIFIN 12-TON HYDRAULIC PRESS, s/n A 46359, w/15" x 22" Table; **HANNIFIN S-100 HYDRAULIC PRESS**, s/n A-58716; **COLONIAL VJI-2-12 PRESS**, s/n M-8612; **DENISON A 1-TON MULTIPRESS**, s/n 2680



JOHNSON 60FWAC 60-TON OBI PRESS



BLISS C-60 60-TON OBI PRESS



(1 OF 2) BLISS C-45 45-TON OBI PRESSES



BLISS C-35 35-TON OBI PRESS



(2) HANNIFIN HYDRAULIC PRESSES

SALE DATE
Wednesday, November 17, at 10:00 AM CT

SALE LOCATION
1600 S. Prairie Drive, Sycamore, Illinois 60178

**Pre-Auction
Offers Invited
on Major Assets**

DOUBLE DISC & SURFACE GRINDERS, BROACHES & PROFILATORS, MISCELLANEOUS MACHINERY



OKAMOTO ACC-1632DX SURFACE GRINDER



(2) 10-TON BOX END HORIZONTAL BROACHES



OHIO 5-TON VERTICAL BROACH



MILES 10-TON VERTICAL BROACH



PELTZER & EHLERS GB4-5 COLD HEADER



ZEISS VISTA 1620-14 CMM



PELTZER & EHLERS GB4-5 COLD HEADER



LEBLOND 15" REGAL SERVO SHIFT 15" X 32" TOOL ROOM LATHE

ACRA AM3VVAC MILLING MACHINE



3 HP



KENT CTL-618EVS 11" X 18" PRECISION LATHE



2011 BARNES MPE-25 FILTRATION SYSTEM

DOUBLE DISC & SURFACE GRINDERS

BESLY DH2 DOUBLE DISC GRINDER, s/n NA, w/RACINE Hydraulic Unit, NOTE: Rebuilt 2015

CINCINNATI NO 2 CENTERLESS GRINDER, s/n 094-99

OKAMOTO ACC-1632DX SURFACE GRINDER, s/n 98197, w/SERIES DX Incremental Downfeed, 32" x 16" Magnetic Chuck, 12" Max. Grinding Wheel Dia., GRAYMILLS Coolant System

OKAMOTO ACC-618DX SURFACE GRINDER, s/n 45114, w/SERIES DX Incremental Downfeed, 18" x 6" Magnetic Chuck, 8" Max. Grinding Wheel Dia.

OKAMOTO PFG-618 HAND FEED SURFACE GRINDER, s/n 8559U, w/18" x 6" Magnetic Chuck

CENTRAL MACHINERY 33732 6" X 12" SURFACE GRINDER, s/n 08615, w/CEN-TECH Magnetic Chuck

BOYAR SCHULTZ 6" X 18" SURFACE GRINDER, s/n S-263

BROACHES & PROFILATORS

MILES 10-TON VERTICAL BROACH, w/Approx. 30" Stroke, QUIK PANEL Control

OHIO 5-TON VERTICAL BROACH, s/n 30331-80, w/Approx. 36" Stroke

(2) 5-TON BOX END HORIZONTAL BROACHES, w/Approx. 30" Stroke

LASCHET PARTNER LP125HV PROFILATOR, s/n 9311104

LASCHET PARTNER PROFILATOR, s/n NA, w/SIEMENS SIMATIC Panel PLC



OKAMOTO ACC-618DX SURFACE GRINDER



OKAMOTO PFG-618 HAND FEED SURFACE GRINDER

MISCELLANEOUS MACHINERY

ZEISS VISTA 1620-14 CMM, s/n CMM990104716

DELTRONIC DH216-6122 OPTICAL COMPARATOR, s/n 399046217

PELTZER & EHLERS GB4-5 COLD HEADER, s/n 5001, 5/8"-1-1/8" Range, 80 Max. SPM, 1.18" Max. Wire Dia.

PELTZER & EHLERS GB35-5 COLD HEADER, s/n 35507, M12-M22 Range, 95 Max. SPM, 0.945" Max. Wire Dia.

WATERBURY FARREL #33 ROD HEADER

LEBLOND 15" REGAL SERVO SHIFT 15" X 32" TOOL ROOM LATHE, s/n 12C-1586

KENT CTL-618EVS 11" X 18" PRECISION LATHE, s/n 99071010, w/FAGOR Innova DRO, 6" 3-Jaw and 6" 4-Jaw Chucks

ACRA AM3VVAC 3 HP MILLING MACHINE, s/n 1101123, w/10" x 54" Power Feed Table, Power Draw Bar, NEWALL DP700 DRO

BRIDGEPORT 2 HP MILLING MACHINE, s/n 214179, w/9" x 48" Power Feed Table, Power Draw Bar, SONY MILLMAN LH51 DRO

BRIDGEPORT 2 HP MILLING MACHINE, s/n 274234, 9" x 48" Power Feed Table, Power Draw Bar, NEWALL DP7 DRO

2011 BARNES MPE-25 FILTRATION SYSTEM, s/n TCSP 10538

MARTIN NO. 12 MARKING MACHINE, s/n NA

GEO T SCHMIDT HI-DUTY 175-0 MARKING MACHINE, s/n 7134

NATIONAL N9614 96" X 14 GA. BOX AND PAN BRAKE, s/n 091-0803

NATIONAL U4812 48" X 12 GA. BOX AND PAN BRAKE, s/n 105-1089

TENNSMITH SN 16 GA. NOTCHER, s/n 16972

ROTEX 18-A ROTARY SHEET METAL PUNCH, s/n 28340



BRIDGEPORT 2 HP MILLING MACHINE



BRIDGEPORT 2 HP MILLING MACHINE



GEO T SCHMIDT HI-DUTY 175-0 MARKING MACHINE



NATIONAL N9614 96" X 14 GA. BOX AND PAN BRAKE

SALE DATE Wednesday, November 17, at 10:00 AM CT
INSPECTION Tuesday, November 16, by Appointment Only

Pre-Auction Offers Invited on Major Assets

MISCELLANEOUS MACHINERY, FACTORY SUPPORT & FORKLIFTS



CLAUSING 2235 DUAL HEAD GANG DRILL



WILTON 8014 VERTICAL BANDSAW



ABB ROBOT



RYMAN 609-12 ROTARY BELT SANDER



RYMAN 609L ROTARY BELT SANDER



RYMAN 609L-18 ROTARY BELT SANDER

2 AVAILABLE

ALSO AVAILABLE: AVEY NO. 2 DRILL PRESS, s/n 32831, w/25" x 34" Bed, 12" Throat, 150–1,800 RPM; CLAUSING 2235 DUAL HEAD GANG DRILL, 21" x 41.5" Table, 150–2,000 RPM Spindle Speed; CENTRAL MACHINERY 13" DRILL PRESS, 3/4 HP, 220–3,600 RPM, 16-Speed, 360 Deg. Table Rotation; ETTCO DUAL TWIN SPINDLE GANG DRILL; (2) CHAS G ALLEN DUAL HEAD GANG DRILLS, 20-3/4" x 51-3/4" Table, 13.5" Throat, 75–1,800 RPM Spindle; (2) RYMAN 609-12 ROTARY WORK HOLDING BELT SANDERS, s/n 16710052, 16610052; RYMAN 609L ROTARY WORK HOLDING BELT SANDER, s/n 1495808; RYMAN 609L-18 ROTARY WORK HOLDING BELT SANDER, s/n 1609355; HAMMOND MACHINERY DUAL END GRINDER, s/n NA; HAMMOND D-6 CARBIDE TOOL GRINDER, s/n 14768, 1/2 HP, 3,600 RPM; BESLY 16" DUAL END GRINDER, w/10 HP; (2) STANDARD DUAL END PEDESTAL GRINDERS; MILWAUKEE 6180-20 14" ABRASIVE CUT OFF MACHINE; (2) BALDOR 8100W DUAL END PEDESTAL GRINDERS; BALDOR 623E DUAL END PEDESTAL GRINDER; BALDOR 333B DUAL END PEDESTAL GRINDER; RANKIN 16-S APEX GRINDER, s/n 4751; WILTON 8014 VERTICAL BANDSAW, s/n 88C1099; PORTER CABLE 8" BELT SANDER; (4) STEPHEN BADER BELT SANDERS; ABB IRB4400/M99 ROBOT, s/n 44-15208, w/Control Cabinet, (No Pendant)



(3) DIAMOND PHOENIX INVENTORY CAROUSEL SYSTEMS



DONALDSON TORIT 2DF8 10 HP DUST COLLECTOR



YALE 8,000 LB LPG FORKLIFT



VIEW OF PEDESTAL GRINDERS



GARDNER DENVER 100 HP AIR COMPRESSOR



KAESER SX6 5 HP AIR COMPRESSOR

FACTORY SUPPORT EQUIPMENT

(3) DIAMOND PHOENIX F-44-1500-73-16-5 DUAL ROW AUTOMATED INVENTORY CAROUSEL SYSTEMS

GARDNER DENVER FPP99D ELECTRA-SAVER III 100 HP ROTARY SCREW TYPE AIR COMPRESSOR, s/n S016135

KAESER SX6 5 HP AIR COMPRESSOR, s/n 1.9693.30021/1620

DONALDSON TORIT 2DF8 10 HP DUST COLLECTOR, s/n IG081591

ALSO AVAILABLE: LISTA AND STANLEY VIDMAR MODULAR TOOL CABINETS, HAND TOOL, POWER TOOLS, WELDING, WORK BENCHES, C-CLAMPS, MAINTENANCE, FLAMMABLE LIQUIDS CABINET, AND MORE

FORKLIFTS

YALE GP080LCJSBE093 8,000 LB LPG FORKLIFT, s/n N401597, w/Side Shift

KALMAR SC ET35 3,000 LB ELECTRIC FORKLIFT, s/n 3015, w/Side Shift, C&D FR Series FR12HK850S 24 Volt Battery Charger, s/n IPIU947402

RAYMOND EASI EL 4,000 LB ELECTRIC REACH FORKLIFT, s/n ET-A-94-00883, w/HOBART ACCU-CHARGER 24 Volt Battery Charger, s/n 388CS06775, (Missing Control Stick)



KALMAR 3,000 LB ELECTRIC FORKLIFT



VIEW OF MODULAR TOOL CABINETS



VIEW OF MODULAR TOOL CABINETS



MRO INVENTORY

View our current auction schedule at www.perfectionindustrial.com

Bidding Available Through
BidSpotter

REMOVAL

All items must be removed no later than Friday, December 10. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FOR FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.

Pre-Auction Offers Invited on Major Assets