

PUBLIC AUCTION



GEMA VORTECH COLOR CHANGE TECHNOLOGY Powder Coat Booth



POLLUTION CONTROL PRODUCTS Burnoff Oven

Surplus to the Ongoing Operations

TWF INDUSTRIES, INC.

415 2nd Street in Barrett, Minnesota 56311

**BIDDING CLOSES THURSDAY,
JULY 9TH AT 10AM**

Inspection: Day Prior to auction from 9AM - 4PM



PROTHERM Infrared Oven



WISCONSIN OVEN 500° Curing Oven



(2) WELL-McLAIN Boilers



DEIMCO Powder Booth



2004 PRECISION QUINCY
3x3x3 500°F Curing Oven



 **MYRON BOWLING**
AUCTIONEERS, INC.
www.myronbowling.com

 **PERFECTION**
Industrial Sales



**GEMA VORTECH COLOR CHANGE TECHNOLOGY
Powder Coat Booth**



DEIMCO Powder Booth



**DEIMCO
Air Operated Reciprocator**



1 OF 2

**(2) GEMA VORTECH Color
Change Technology Modules**



**GEMA BRONCO II
Powder Gun Movers**



PHOSPHATE Dip Tank Line



SILA GEMA Power Units for Powder Guns



**GEMA 8-Gun
PGC1 Powder Control Units**



**SAMES E-Series
Manual Powder Gun Shaker Box Unit**



1 OF 3

(3) GEMA Manual Powder Shaker Box Units



OPTIFLEX F Control Unit



1 OF 2

**(2) GEMA
Powder Transfer Hoppers**



1 OF 2

(2) GEMA 8-Gun Hoppers



40" x 40" x 25" Liquid Spray Booth



Fire Suppression System



Paint Booth Panels, Lights & Exhaust Fan



GRACO Paint Pump w/Gun Parts



NORTECH Vacuum System



JWI Filter Press

PAINT RELATED

**GEMA VORTECH COLOR CHANGE TECHNOLOGY
Powder Coat Booth, 42" x 24" x 60"H Opening, Reclaim
Booth**

**DEIMCO Powder Booth, 32" x 36" Opening, Filter in Back,
1-1/2 HP Motor**

DEIMCO Air Operated Reciprocator

PHOSPHATE Dip Tank Line, (9) 4' x 10' x 4-1/2' Deep, (4)

Tanks are Stainless

(2) GEMA VORTECH COLOR CHANGE TECHNOLOGY

Modules w/Hopper

GEMA BRONCO II Powder Gun Movers

SILA GEMA Power Units for Powder Guns, Model PGC1

GEMA 8-Gun PGC1 Powder Control Units

SAMES E-Series Manual Powder Gun Shaker Box Unit

(3) GEMA Manual Powder Shaker Box Unit, Model PGC1

OPTIFLEX GEMA Shaker Box w/Gun

OPTIFLEX F Control Unit, Model Optistar CGO7

GRACO High Pressure Drum Paint Pump

NORDSON 5-lb. Powder Hopper

(2) GEMA Powder Transfer Hopper

(2) GEMA 8-Gun Hoppers

VAC-U-MAX

40" x 40" x 25" Deep Liquid Spray Booth

Fire Suppression System (for Paint Booth)

GRACO Paint Pump w/Gun Parts • BINKS Paint Pots •

Paint Booth Panels, Lights & Exhaust Fan • 5-Gallon Paint

Shaker • (6) Mixers w/Motors • 4' x 4' Trays w/Cross Bars

Jigs (for paint parts) • Hook Rack

NORTECH Vacuum System

JWI Filter Press, 400 PSI Feed Pressure

OVENS

**2004 PRECISION QUINCY 3x3x3 500°F Curing Oven,
Model 38-500CLA, Gas Fired, S/N 15737, 480/3/60, 7.5**



POLLUTION CONTROL PRODUCTS
Burnoff Oven



PROTHERM Infrared Oven



2004

2004 PRECISION QUINCY
3x3x3 500°F Curing Oven



WISCONSIN OVEN 500° Curing Oven



DESPATCH Gas Fired Curing Oven



TRANE Electric Furnace



REZNOR
Forced Air Propane Heater



MODINE Forced Air Propane Heater



(2) **WELL-McLAIN** Boilers



LANCO WATERLINK ENVIRONMENTAL
PRODUCTS Slant Bed Clarifier



US FILTER Rinse Recirc Aquasaver System &
CULLIGAN RO System



Forklift Cage & Manlift Basket

AMPS (LIKE NEW)
WISCONSIN OVEN 500° Curing Oven,
Batch Type, Gas Fired, 6' x 14' Deep x
8'H Opening w/Exhaust Fan
DESPATCH Gas Fired Curing Oven,
Batch Type, 54" x 107" Deep x 78"H
Opening w/Exhaust Fan
POLLUTION CONTROL PRODUCTS
Burnoff Oven, Model PRC2904866, Pro-
pane, 800,000 BTU, 6' x 10' x 8'H, Spare
Door Gasket
PROTHERM Infrared Oven, 22" Max.
Width, 63" Max. Height, 20' Long, (4) Ele-
ments, Exhaust Fan
1995 TRANE Electric Furnace, Model
TUE031E130AO, S/N K16809587, w/
Filter Ducting & Box of Filters
REZNOR Forced Air Propane Heater,
V3 T Core
MODINE Forced Air Propane Heater,
Model PAH240 A/C, 240,000 BTU, S/N
38082020195

BOILERS

(2) **WELL-McLAIN** Boilers, Model PFG8
PIN, Series 6, Natural Gas, 427000 BTU/
hour, D.O.E. 346000 BTU/hour Heating
Capacity, no ducting

WASTE WATER TREATMENT

ALL-GAS Vaporizer w/Valves (for
propane)

LANCO WATERLINK ENVIRONMENTAL
PRODUCTS Slant Bed Clarifier w/
Plates, Valves, Etc., (2) 18" x 22" Inlet
Openings, Pump, 209P/108084
US FILTER Rinse Recirc Aquasaver
System, Model RRDIRECO3
CULLIGAN Reverse Osmosis System
w/(6) Membranes

MATERIAL HANDLING

KOMATSU 2,370-lb. Propane Forklift,
Model FG155T-15, S/N 364066A, Solid
Tires, 3-Stage Mast, 42" Forks
CM LODESTAR 1-Ton Hoist on Mono-
rail, Underhung, 55' Long (est.), Single
Leg I-Beam Support System, 1-Ton
Electric Hoist w/Pendant Control
Forklift Cage & Forklift Cage for High
Work, Manlift Basket • Pallet Jack & Cart
• Pallet Racking • (2) Hoists, 300-lbs. &
1-Ton
MIGHTY LUBE Conveyor Chain, Oiler
Enclosed Track
350' (est.) Overhead Conveyor System
w/Drive Unit, Boxes of Chain, J-Hooks
(partially removed)
2' x 3' Steel Frame Tray w/Cross Bar
Jigs to Support Parts for Painting

AIR COMPRESSORS & DRYER

QUINCY 30-HP Rotary Screw Air
Compressor, S/N 39458, OSTGANA22k,
Auto Dual Control

QUINCY 30-HP Screw Type Air Com-
pressor, Model QSI-30-W, S/N 67510-2-
2290, Water Cooled
KELLOGG PACEMAKER 2-Stage
Reciprocating Air Compressor, Model
HT42-30, S/N 39468, Air Cooled, Tank
Mounted
AIRCEAL AR250 Refrigerated Air Dryer,
S/N RIM8DJ9931
KING NATIONAL 80/20 Air Make-
up Unit, 2,640,000 BTU, Model
DROC220BHPS, S/N 88-DF-4890

TANKS

(2) 2,500 Gallon (est.) Tanks: (1) Stain-
less Steel, (1) Fiberglass • Plastic Tanks:
(1) 200 Gallon, (1) 250 Gallon, (2) 500
Gallon

MISCELLANEOUS

ADVANCE 26B Walk-Behind Floor
Scrubber
DAYTON 5204L Professional Push
Sweeper
REX WELDRONIC 30-KVA Spot
Welder
RIDGID Pipe Threader
Bander Kit on Cart
FUJI Electric Ring Compressor, Model
VFC409A-7W, Sparger Fan Unit
ISCO Flow Meter 4230, PH Recorder &
Composite Sampler • BGK Electrical
Cabinet w/Disconnect • Electric Panel •
Stainless Steel Heating Coils • (2) 44" x
101" x 12" Infrared Heat Elements • 4" x

4" Box of Disconnects, Fuses, Miscella-
neous Electrical, Skid of Conduit
Chemical Metering Pumps w/Mix Tank
• 1" Diaphragm Pump • Trash Pump w/
Briggs & Stratton Engine • (5) Sump
Pumps • Several Motors to 20-HP • (3)
24" Dampers • 4" Dia. x 24" Air Cylinders
Exhaust Fans • Air Operated Flashing
Safety Enclosure Light • 36" Glass Storm
Door • (12) New 18" to 40" Handicap Bars
• Decorative Exterior Light, 12" x 12" Sink
• Handicap Sink & Urinal
Platform & Digital Scales • 8' Hanging
Fluorescent Lights • Metal Halide Lights
• (8) 36" x 36" x 45" Insulated Duct Work
Pieces w/Roof Hood • HIGHTEMP 4"
Mineral Wool Insulation • (15) Sheets 4" x
5' Plexiglas
Miscellaneous Air Filters & Regulators
Belt Sanders, Belts, Belt Pulleys
HUSQVARNA 5.5-HP Lawn Mower •
TORO 4.5-HP Snow Thrower • Wrapping
Paper Dispenser & Cutter • STA-RITE
58570 Sand Filter • Fire Extinguishers •
Helmets, Eyewash Stations • Parts Racks
• Workbenches • Toolboxes
HYDRO-BIKE Peddle Boat, 8' Pontoons
Office Set w/Desktop, Computer / Printer
Stand, Bookshelves, Credenza, (10)
Chairs • **SOUTHWESTERN BELL** FS900
Telephones & Speakers • 5' x 11' & 4' x
6' Whiteboards • Monitor & Overhead
Projector • Display Cabinet • Metal Desk •
Cabinets • Shelves

TWF INDUSTRIES, INC.

415 2nd Street in Barrett, Minnesota

BIDDING CLOSES
THURSDAY, JULY 9TH at 10AM

Inspection: Day Prior to Auction
From 9AM - 4PM



GEMA VORTECH COLOR CHANGE TECHNOLOGY
Powder Coat Booth



POLLUTION CONTROL PRODUCTS Burnoff Oven

Auction conducted by:

MYRON BOWLING AUCTIONEERS, INC.

P. O. Box 369, Ross, Ohio 45061

BidSpotter.com

FIRST CLASS MAIL

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
CINCINNATI, OH
PERMIT NO. 5714



PROTHERM Infrared Oven

STATE-OF-THE-ART INDUSTRIAL FINISHING COMPANY



DEIMCO Powder Booth



2004 PRECISION QUINCY
3x3x3 500°F Curing Oven



WISCONSIN OVEN 500° Curing Oven



KING NATIONAL 80/20 Air Makeup Unit



LANCO WATERLINK
ENVIRONMENTAL PRODUCTS
Slant Bed Clarifier



SAMES E-Series
Manual Powder Gun Shaker Box Unit



US FILTER Rinse Recirc Aquasaver System
& CULLIGAN RO System

TERMS & CONDITIONS

TERMS OF SALE: We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence.

18% BUYER'S PREMIUM

INSPECTION: THE DAY BEFORE THE AUCTION FROM 9AM TO 4PM

REMOVAL & PAYMENT: Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000,000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state.

SAMPLE BANK LETTER: Dear Sirs, (BANK NAME) irrevocably guarantees payment in full to Myron Bowling Auctioneers by (BUSINESS NAME) drawn on account (NUMBER) up to the amount of \$ (DOLLARS) to purchase items at your (AUCTION NAME). This letter of guarantee is valid until (MONTH, DAY, YEAR). Regards, (BANK REPRESENTATIVE, TITLE, BANK NAME).

COMPLETE TERMS & CONDITIONS

can be found at myronbowling.com, or call 513/738-3311 if you have questions