

LIVE WEBCAST **ONLINE ONLY** AUCTION



ASSETS SURPLUS TO THE ONGOING OPERATIONS OF A WORLD CLASS GLOBAL AEROSPACE ASSEMBLIES & COMPONENTS MANUFACTURER



FLADDER AUT-1000 FINISHING SYSTEM

INCLUDING: 2012 MAZAK Vortex 1400/160-II 5 Axis VMC; (3) MAKINO HMC Cell w/ Pallet Pool System; (6) MAKINO, DOOSAN & OKK VMC's; MAZAK FH-4800 HMC; MAZAK QT 250 UNIV Turning Center; (5) COSEN, HYD-MECH Bandsaws - New as 2018; 2014 FLADDER AUT-1000 Belt Type Finishing System; Press Brakes; Shears; Tool Room Machinery; (1,000+) Pieces of High Quality HSK & CAT Tooling; Factory Support Equipment; Etc.

**Pre-Auction Offers Invited
on Major Assets**

Bidding Available Through
BidSpotter

SALE DATE

Tuesday, January 24, at 10:00 AM CT

SALE LOCATION

4200 W. Harry Street,
Wichita, Kansas 67209

INSPECTION

Monday, January 23, Strictly by
Appointment Only



MAZAK VORTEX 1400/160-II 5-AXIS TWIN PALLET VERTICAL MACHINING CENTER

Complete Catalog & Information Available at <https://perfection.global/5744>



**PERFECTION
Industrial Sales**

ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

In Conjunction with:



STRATEGIC ASSET MONETIZATION
ph+1-251-644-4401 • www.m-epartners.com

MAKINO MACHINING CELL

MAKINO A77E 4-AXIS HORIZONTAL MACHINING CENTER, s/n 127, w/ PROFESSIONAL 3 Control, Dual 19.5" x 19.5" Pallets, Travels: X-47", Y-39", Z-39", 187-Station-ATC, HSK100 Spindle Taper



MAKINO A77E 4-AXIS HORIZONTAL MACHINING CENTER



MAKINO A77E 4-AXIS HORIZONTAL MACHINING CENTER



MAKINO A71 4-AXIS HORIZONTAL MACHINING CENTER

MAKINO A77E 4-AXIS HORIZONTAL MACHINING CENTER, s/n 115, w/ PROFESSIONAL 3 Control, Dual 19.5" x 19.5" Pallets, Travels: X-47", Y-39", Z-39", 187-Station-ATC, HSK100 Spindle Taper

MAKINO A71 4-AXIS HORIZONTAL MACHINING CENTER, s/n 585, w/ PROFESSIONAL 5 Control, Dual 19.5" x 19.5" Pallets, Travels: X-28.7", Y-28.7", Z-31.5", 187-Station-ATC, HSK100 Spindle Taper

MAKINO MMC 2 PALLET POOL SYSTEM, s/n 10490, w/ (18) 19.6" x 19.6" Pallets



MAKINO MMC 2
PALLET POOL
SYSTEM



MAKINO MMC 2
PALLET POOL
SYSTEM



2007 DOOSAN DMV 3016L VERTICAL MACHINING CENTER

(10) CNC MACHINE TOOLS

(10) CNC MACHINE TOOLS

2012 MAZAK VORTEX 1400/160-II 5-AXIS TWIN PALLET VERTICAL MACHINING CENTER, s/n 234180, w/ MAZAK FX Control, 49.25" x 157.5" Table, Travels: X-162.35", Y-55.12", Z-24.02", Table Tilt A-Axis 40 +/- deg., Spindle Tilt B-Axis 40 +/- deg., 50 HP, 10,000 RPM, HSK100 Taper, 120-ATC, MAZAK SuperFlow V8M/1000 Hi-Pressure Through Spindle Coolant System

(2) 2007 DOOSAN DMV 3016L VERTICAL MACHINING CENTERS, s/n NM4100720, NM4100454, w/ FANUC Series 0i-MC Control, 36" x 17.7" Table, Travels: X-30.2", Y-16.1", Z-20.1", 30-ATC, CAT40 Spindle Taper

(2) MAKINO S33 TWIN PALLET VERTICAL MACHINING CENTERS, s/n V7459, V7400, w/ PROFESSIONAL 3 Control, Dual 15.75" x 23.75" Pallets, Travels: X-25.6", Y-19.7", Z-17.7", CAT40 Spindle Taper, 30-ATC

OKK KCV600 VERTICAL MACHINING CENTER, s/n 175, w/ NEOMATIC Control, 25" x 90.5" Table, CAT50 Taper

MORI SEIKI MV-80B/50 VERTICAL MACHINING CENTER, s/n 519, w/ MSC-515 Control, 32" x 90" Table, CAT50 Taper, 40-ATC



MAZAK VORTEX 1400/160-II 5-AXIS TWIN PALLET VERTICAL MACHINING CENTER



MORI SEIKI MV-80B/50 VERTICAL MACHINING CENTER



MAKINO S33 TWIN PALLET VERTICAL MACHINING CENTER



OKK KCV600 VERTICAL MACHINING CENTER

SALE DATE
Tuesday, January 24, at 10:00 AM CT

SALE LOCATION
4200 W. Harry Street,
Wichita, Kansas 67209

INSPECTION
Monday, January 23, Strictly by Appointment
Only

**Pre-auction Offers Invited
on Major Assets**

(10) CNC MACHINE TOOLS , TOOLING ATTACHMENTS & ACCESSORIES, (13) MILLS

(10) CNC MACHINE TOOLS (CONT'D)

MAZAK FH-4800 HORIZONTAL MACHINING CENTER, s/n 157174, w/ MAZATROL 640m Control, 15.75" x 15.75" Pallets, Travels: X-22", Y-24", Z-22", 120-ATC, CAT40 Spindle Taper

2001 MAZAK QUICK TURN 250 UNIV TURNING CENTER, s/n 154630, w/ MAZATROL 640 Control, 24" Max. Swing, 13.78" Max. Machining Dia., 18.73" Max. Machining Length, 8" 3-Jaw Chuck, 12-Position Turret, Tailstock

TOYODA GU4-100 CNC UNIVERSAL CYLINDRICAL GRINDER, s/n RC 7489, w/ GC32 Control, 12.5" Swing Over Table, 39.4" Distance Between Centers, 11.8" Max. Grinding Dia., 8,500 RPM Grinding Wheel Speed, BARNES Coolant Filtration System



MAZAK FH-4800 HORIZONTAL MACHINING CENTER



MAZAK QUICK TURN 250 UNIV TURNING CENTER



2014 ISCAR SHRINK TOOL INDUCTION HEATING UNIT



ZOLLER SMILE 400 TOOL PRESETTER



PARLEC PARSETTER TMM SERIES 2500 TOOL PRESETTER

TOOLING ATTACHMENTS & ACCESSORIES

2016 ZOLLER SMILE 400 TOOL PRESETTER, s/n SMU442M0-00059

2014 ZOLLER VENTURION 450/8 TOOL PRESETTER, s/n V4R8C3-00063

(2) 2014/2007 ISCAR ETM IND SHRINKIN SHRINK TOOL INDUCTION HEATING UNIT, s/n 320384 & 320409

PARLEC PARSETTER TMM SERIES 2500 TOOL PRESETTER, s/n NA

PARLEC PARSETTER TMM SERIES 200 TOOL PRESETTER, s/n P20-1218-XP

OVER 1,000 TOOL HOLDERS INCLUDING HSK100, HSK80, HSK63, CAT50, CAT40, PERISHABLE TOOLING, AND MUCH MORE

(13) MILLS

CLAUSING KONDIA FV-1 3 HP MILLING MACHINE, s/n V-800, w/ 9" x 42" Power Feed Table, 60–4,000 RPM

(4) BRIDGEPORT SERIES I 2 HP MILLING MACHINES, s/n 457461088Y, 214543, 447670488X, 219940, w/ 9" x 48" Servo Power Feed Table, 4,200 Max. RPM, 2-Axis DRO

(2) BRIDGEPORT 2 HP MILLING MACHINES, s/n 275340, 113002, w/ 9" x 48" Servo Power Feed Table, Riser, 4,200 Max. RPM, 2-Axis DRO

BRIDGEPORT MILLING MACHINE, s/n 132594, w/ 9" x 42" Table, Riser, 4,200 Max. RPM


(4) BRIDGEPORT MILLING MACHINES, s/n 114190, 107641, 85548, 63370, w/ 9" x 42" Power Feed Table, 80–2,720 RPM



2014 ZOLLER VENTURION 450/8 TOOL PRESETTER



VIEW OF TOOL HOLDERS



CLAUSING KONDIA FV-1 3 HP MILLING MACHINE



BRIDGEPORT SERIES I 2 HP MILLING MACHINES



BRIDGEPORT 2 HP MILLING MACHINES



BRIDGEPORT MILLING MACHINES

SALE DATE

Tuesday, January 24 at 10:00 AM CT

BANDSAWS & WATERJETS, COLLECTION SYSTEMS & DOWNDRAFT TABLES

BANDSAWS & WATERJETS

2012 COSEN C-620NC DUAL COLUMN AUTOMATIC HORIZONTAL BANDSAW, s/n C10107548, 24.4" Round Capacity, 24.4" x 30" Rectangular Capacity, 23'7" x 2" x .50" Blade Size, Coolant Tank, w/ Bundle Clamp

2017 COSEN C-320NC AUTOMATIC HORIZONTAL BANDSAW, s/n C10628881, 12.6" Round Capacity, 12.6" x 15" Rectangular Capacity, 66-328 FPM Blade Speed, 13'11" x 1.25" x .042" Blade Size, Coolant Tank

HYD-MECH S20-A AUTOMATIC HORIZONTAL BANDSAW, s/n 8w1, 13" Round Capacity, 13" x 18" Rectangular Capacity, 1" x 14'10" Blade Size, 75-350 SFM, Coolant Tank, w/ Bundle Clamp

DOALL 2013-V VERTICAL BANDSAW, s/n 500-95986, 26" x 26" Table, 20" Throat

FLOW 4X2M 710472-1 WATERJET CUTTING MACHINE, s/n 225707, Dual Head, 7' x 14' Table, 100 HP

FLOW R03586301 WATERJET CUTTING MACHINE, s/n 232523, Single Head, 6'6" x 13' Table, 50 HP



HYD-MECH S20-A AUTOMATIC BANDSAW



FLOW 4X2M 710472-1 WATERJET CUTTING MACHINE



COSEN C-620NC DUAL COLUMN AUTOMATIC BANDSAW



COSEN C-320NC AUTOMATIC BANDSAW

COLLECTION SYSTEMS & DOWNDRAFT TABLES

FILTER 1 DUSTRON DB-10-12-7.5 DUST CONTAINMENT BOOTH, s/n 15-34-935, 10,000 CFM 7.5 HP, 1,750 RPM

FILTER 1 DUSTRON HWF-3-30-5-MO-SST SANDING/GRINDING BOOTH, s/n 14-300-10-838, 5 HP, 3,600 RPM, 460V/3PH

(2) FILTER 1 HYDROTRON DHYD-2-50-10-6-3-SST DUAL DOWNDRAFT TABLES, s/n 13-100-05-543 & 13-100-05-543, 10 HP, 3,600 RPM, 5,500 CFM

FILTER 1 HYDROTRON DHYD-2-50-10-4-3-SST DUAL DOWNDRAFT TABLE, s/n 13-100-05-545, 10 HP, 3,600 RPM, 5,500 CFM

FILTER 1 DYHD-1-10-1.5R DOWNDRAFT TABLE, s/n 11-100-41-470, 1.5 HP, 3,600 RPM, 1,000 CFM

(2) DONALDSON TORIT WSO25-2 DUST COLLECTOR, s/n 4001615-01-01-04 & 4001615-01-02-04 7.5 HP

COLLECTION SYSTEMS & DOWNDRAFT TABLES


FILTER 1 DUSTRON DB-10-12-7.5 DUST CONTAINMENT BOOTH, s/n 15-34-935, 10,000 CFM 7.5 HP, 1,750 RPM



DONALDSON TORIT WSO25-2 DUST COLLECTOR



FILTER 1 DOWNDRAFT TABLE



FILTER 1 DUSTRON DB-10-12-7.5 DUST CONTAINMENT BOOTH

Pre-Auction Offers Invited on Major Assets

MISCELLANEOUS MACHINERY, INSPECTION EQUIPMENT



FLADDER AUT-1000 FINISHING SYSTEM



ACCURPRESS 7606 60-TON CNC HYD PRESS BRAKE



MONARCH 18.5" X 30" ENGINE LATHE



DAKE 75-TON H-FRAME HYDRAULIC SHOP PRESS



SUNNEN ML-2000-DF PRECISION HONING MACHINE



BETTENBENDER 6-1/4 HYD. SQUARING SHEAR



ACRA AM 1224 HYDRAULIC SURFACE GRINDER



(2) HARDINGE HC PRECISION LATHES



AR INDUSTRIES S-15 VIBRATORY TUMBLER FINISHERS



LK G-90C CMM 54" X 119"



BROWN & SHARPE GLOBAL ADVANTAGE 12-30-10 CMM 55" X 157"

MISCELLANEOUS MACHINERY

2014 FLADDER AUT-1000 BELT TYPE DENIBBING/DEBURRING/FINISHING SYSTEM, s/n 1719, w/ 39" Belt, 4" Max. Thickness, FILTER 1 Dust Collector

2003 ACCURPRESS 7606 60-TON CNC HYDRAULIC PRESS BRAKE, s/n 7720, w/ ETS 3000 Control, 6' Bed

BETENBENDER 6-1/4 6' X 1/4" HYDRAULIC SQUARING SHEAR, s/n 231617, w/ Programmable Back Gauge, Squaring Arm

SUNNEN ML-2000-DF PRECISION HONING MACHINE, s/n 3F1-1294

(2) SUNNEN MBB-1660 PRECISION HONING MACHINES, s/n 80996 & 82235

MONARCH 18.5" X 30" ENGINE LATHE, s/n 43161, 12" 4-Jaw Chuck, Tool Post, Tailstock, 12-1,000 RPM, Threading, NEWALL DP7 2-Axis DRO

HARDINGE HLH-H PRECISION LATHE, s/n 9780-T

(2) HARDINGE HC PRECISION LATHES, s/n 4573-R & 4123-P

MOORE NO. 3 JIG BORER, s/n B962, 11" x 24" Table

MOORE JIG BORER, s/n NA, 10" x 16" Table

STUDER RM250 CYLINDRICAL GRINDER, s/n NA, 4" Swing, 6" Between Centers

ACRA AM 1224 HYDRAULIC SURFACE GRINDER, s/n 96124047, 12" x 24" Magnetic Chuck, 1 HP Hydraulic Unit

HARIG SUPER 612 HAND FEED SURFACE GRINDER, s/n 6834, 6" x 12" Magnetic Chuck

(5) AR INDUSTRIES S-15 VIBRATORY TUMBLER FINISHERS, s/n 1445-16-1, 1626-15-2, 1626-15-1, 1626-15-3, 1626-15-4

AMERICAN H-6-36 HORIZONTAL BROACH, s/n 5767, w/ 6-Ton Capacity, 36" Stroke

ALSO: DAKE 75-TON H-FRAME HYDRAULIC SHOP PRESS, s/n NA; (2) DAKE 909215 25-TON H-FRAME HYDRAULIC SHOP PRESS, s/n 1241576, 1178170; DAKE DURA FORCE 25DA 25-TON H-FRAME HYDRAULIC SHOP PRESS, s/n 1069659; TCE 312CDT SHRINKING/STRETCHING MACHINE, s/n 84893-4; MARCHANT 12A SHRINKING/STRETCHING MACHINE, s/n 401; LASSY 10S HAND TAPPER; WILTON 4421-2 20" DISC SANDER, s/n 010160156; CINCINNATI TOOL AND CUTTER GRINDER, s/n 1D2T5D43 2; LELAND GIFFORD NO. 2 6-HEAD GANG DRILL, 81" x 25" Table, 150-1,800 RPM, 15" Throat; POWERMATIC 1150 3-HEAD GANG DRILL, s/n 8115V322, 19.75" x 65.5" Table, 4,800 RPM Max., 6.5" Throat; AVEY MA-8 2-SPINDLE DRILL, s/n 32643, 6,000 RPM Max. Spindle Speed, 12" x 23" Table, 6" Throat; POWERMATIC 1150 DRILL PRESS, s/n 66-7812-1, 12" x 18" Table, 7.5" Throat, 3,000 RPM Max.; DOALL CUT-OFF SAW; ROUSE ECONOMY VERTICAL MITERER, s/n E1883; KANSAS INSTRUMENTS 248 ABRASIVE BLAST CABINET, s/n 17054

INSPECTION EQUIPMENT

LK G-90C CMM, s/n 15560, Hexagon Controllers, PC DMIS Software, 54" x 119" x 16" Thick Granite Table

BROWN & SHARPE GLOBAL ADVANTAGE 12-30-10 CMM, s/n 0706-6604, PC DMIS Software, 55" x 157" x 15" Thick Granite Table

INSTRON/WILSON INSTRUMENTS SERIES B2000 HARDNESS TESTER, s/n RB2000R4000

WILSON ROCKWELL 3TTBB HARDNESS TESTER, s/n 74

WILSON ROCKWELL 4JRBB HARDNESS TESTER, s/n 5282

ALSO: ASSORTED GRANITE SURFACE PLATES, AIR GAGES RINGS, PROBES, THREAD RING GAGES, PLUG GAGES, PIN GAGES, GAGE BLOCK SETS, HEIGHT GAGES, AND MORE



VIEW OF HARDNESS TESTERS

Pre-Auction Offers Invited
on Major Assets

FACTORY SUPPORT EQUIPMENT, FORKLIFTS, AND CRANE SYSTEMS



SULLAIR 7509V/A VARI-SPEED AIR COMPRESSOR



PHD 3-TON BRIDGE CRANE



MID-AMERICA 2-TON BRIDGE CRANE



GORBEL 2,000 LB CRANE SYSTEM

CRANE SYSTEMS

PHD 3-TON UNDERSLUNG DUAL BRIDGE CRANE SYSTEM, s/n A2632A/B, w/ Approx. 35' Span x 120' Runway, w/ 3-Ton Bridge w/ HARRINGTON 3-Ton Electric Hoist, 1/4-Ton Bridge w/ DEMAG Electric Hoist, Pendant Controls

MID-AMERICA 2-TON DOUBLE GIRDER BRIDGE CRANE, w/ Approx. 30' Span, DEMAG Electric Hoist, Pendant Control, (Bridge Only)

GORBEL 2,000 LB FREE STANDING CRANE SYSTEM, w/ Approx. 25' Span x 45' Runway, 2,000 LB Bridge w/ 550 LB Auxiliary Rail, DEMAG Electric Hoist, Pendant Control

GORBEL 2,000 LB FREE STANDING CRANE SYSTEM, w/ Approx. 30' Span x 33'/23' Runway, 19' Bridge, DEMAG Electric Hoist, Pendant Control

DEMAG 550 LB DUAL BRIDGE OVERHEAD CRANE SYSTEM, w/ Approx. 24' Span x 50' Runway, DEMAG Electric Hoist, Pendant Control

DEMAG 550 LB OVERHEAD CRANE SYSTEM, Approx. 20' Span x 23' Runway, DEMAG Electric Hoist, Pendant Control



SULLAIR VCC-200-100H/A VARI-SPEED AIR COMPRESSOR



VIDEOJET 1520 INK JET CODING MACHINE



FREE STANDING MEZZANINE SYSTEM 26' X 32'




FREE STANDING MEZZANINE SYSTEM 16' X 20'



VIEW OF FORKLIFTS



VIEW OF DUMPING HOPPERS



DEMAG 550 LB DUAL BRIDGE CRANE SYSTEM

TENNANT T20 LPG FLOOR SCRUBBER

FACTORY SUPPORT EQUIPMENT

SULLAIR 7509V/A 100 HP VARIABLE SPEED AIR COMPRESSOR, s/n 201110260056, w/ 125/135 PSIG

SULLAIR VCC-200-100H/A 100 HP VARIABLE SPEED AIR COMPRESSOR, s/n 003-138950

SULLAIR LS20- 100 SL/A/SUL 100 HP AIR COMPRESSOR, s/n 003-126614, w/ 100/110 PSIG

ZEKS 1000HSA400 REFRIGERATED AIR DRYER, s/n WCH1028067, w/ 220 MAWP PSIG

TENNANT T20 LPG FLOOR SCRUBBER, s/n T20-2897

TENNANT T300E ELECTRIC WALK BEHIND FLOOR SCRUBBER, s/n 10909574

FREE STANDING MEZZANINE SYSTEM, w/ Approx. 26' x 32', 8'3" Under Deck, Staircase, 75 Lbs/Sq Ft

FREE STANDING MEZZANINE SYSTEM, w/ Approx. 16' x 20' x 8' Under Deck, Staircase, 75 Lbs/Sq Ft

2015 PRIOR PRO-PEN P5000 AUTO IMPACT ENGRAVER, s/n P5000-01-15-9599

PACESETTER AUTOBAG PS125 TABLETOP BAGGER, s/n PS0608150

(2) **VIDEOJET 1520 INK JET CODING MACHINES**, s/n 1421601C22WD and 1528802C22WD

ALSO: LISTA, STANLEY VIDMAR, ROUSSEAU TOOL CABINETS AND WORKSTATIONS, PAPERPLUS PAPER CRIMPER, SO-LOW LOW TEMP FREEZER, BLUE M DOUBLE DOOR OVEN, HD STEEL LAYOUT AND WELDING TABLES, FLAMMABLE LIQUID STORAGE CABINETS, CANTILEVER RACKING, ADJUSTABLE PALLET RACKS, METAL SHELVING, DIGITAL PLATFORM SCALES, PALLET JACKS, HAND TRUCKS, DUMPING HOPPERS, STRAPPING TOOLS & CADDIES, SPILL CONTAINMENT PALLETS, SHOP TRUCKS, DIE TRUCKS, SHOP FANS LADDERS, AND MORE

FORKLIFTS

YALE GLC070VX 7,000 LB LP FORKLIFT, s/n C910V03990P, w/ 3-Stage Mast, Side Shift, Fork Positioners

YALE GLC060VX 6,000 LB LP FORKLIFT, s/n A910V16614H, w/ 3-Stage Mast, Side Shift, Fork Positioners

(3) **YALE GLP040SVX 4,000 LB LP FORKLIFTS**, s/n D809V02046P, C810V04304H, C809V05383H, w/ 3-Stage Mast, Side Shift, Fork Positioners


NISSAN FHC1A15V 3,000 LB LP FORKLIFT, s/n FHC1-92C6C2, w/ 3-Stage Mast

YALE MSW030SCN12TV083 2,000 LB ELECTRIC WALKIE-TYPE FORKLIFT, s/n B820N03055X

GENIE GS-1930 SCISSOR LIFT, s/n NA, w/ 19' Max. Platform Height, 25.56' Max. Working Height, 600 LB Platform Capacity, (Needs Batteries)



GENIE GS-1930 SCISSOR LIFT



DEMAG 550 LB CRANE SYSTEM



**PERFECTION
Industrial Sales**

Perfection Industrial Sales –2550 Arthur Ave., Elk Grove Village, IL 60007

Phone: +1-847-545-6374 – Fax: +1-847-427-8884

www.perfectionindustrial.com



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

LIVE WEBCAST **ONLINE ONLY** AUCTION

SALE DATE Tuesday, January 24, at 10:00 AM CT **SALE LOCATION** 4200 W. Harry Street, Wichita, Kansas 67209



**ASSETS SURPLUS TO THE ONGOING OPERATIONS OF A WORLD CLASS
GLOBAL AEROSPACE ASSEMBLIES & COMPONENTS MANUFACTURER**



MAZAK VORTEX 1400/160-II 5-AXIS TWIN PALLET
VERTICAL MACHINING CENTER

LIVE WEBCAST **ONLINE ONLY** AUCTION



**ASSETS SURPLUS TO THE ONGOING
OPERATIONS OF A WORLD CLASS
GLOBAL AEROSPACE ASSEMBLIES
& COMPONENTS MANUFACTURER**

REMOVAL

All items must be removed no later than Friday, February 10. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FOR FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com.

SALE DATE

Tuesday, January 24, at 10:00 AM CT

SALE LOCATION

4200 W. Harry Street, Wichita, Kansas 67209

INSPECTION

Monday, January 23, Strictly by Appointment Only

Pre-Auction Offers Invited on Major Assets

Bidding Available Through **BidSpotter**

Complete Catalog & Information Available at <https://perfection.global/5744>



**PERFECTION
Industrial Sales**

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

In Conjunction with:



ph+1-251-644-4401 • www.m-epartners.com