



PERFECTION
Industrial Sales

ONLINE AUCTION

Assets Surplus to the
Ongoing Requirements of

AIR
TECHNIQUES equipped for life

**MANUFACTURER OF
HIGH-PRECISION
UTILITY SYSTEMS &
DIGITAL IMAGING FOR
THE DENTAL INDUSTRY**

**Featuring: STAR CNC
Swiss-Type Automatic
Lathes, OKUMA CNC Live Tool
Turning Centers, MATSUURA
& HAAS VMCs & HMCs,
Toolroom, Finishing
& Facility Support**



STAR SR-32J SWISS-TYPE CNC LATHE



MATSUURA ES800V-PC2 CNC VERTICAL MACHINING CENTER



OKUMA CAPTAIN L370MW CNC TURNING CENTER W/LIVE MILLING

Sale Closing From: Thursday, June 8, 2017 at 11:00 AM EDT

Sale Location: 1295 Walt Whitman Road, Melville, New York 11747

Inspection: Wednesday, June 7, 2017 from 9:00 AM to 4:00 PM EDT



PERFECTION
Industrial Sales

Perfection Industrial Sales
ph +1-847-427-3333 • fax +1-847-427-8884
www.perfectionindustrial.com

Sale is Being Held in Conjunction With:



ph +1-631-249-5566
www.prestigeequipment.com

Online Bidding at
www.perfectionindustrial.com

SWISS LATHES, TURNING CENTERS



STAR SV-32JII SWISS-TYPE CNC LATHE



STAR SA-12 SWISS-TYPE CNC LATHE



OKUMA CAPTAIN L370MW CNC TURNING CENTER



IKEGAI TUR26 CNC TURNING CENTER



LNS QUICK LOAD SERVO BAR FEED

SWISS LATHES

2007 STAR SR-32J CNC SWISS TURNING CENTER, s/n 0500, w/Fanuc 18i-TB CNC Control, 1-1/4" Max. Machining Dia., 12-13/64" Max. Headstock Stroke, 33/64" Max. Drilling Capability Stationary Tool, 5/16" Power Driven Tool, Rigid Tapping, 25/64" Max. Milling Capability, 350-7,000 RPM Spindle Speed, 6-Tool Gang Tool Post, 4-Gang Tool, w/FMB Turbo 3-36 Bar Feed

2003 STAR SV-32JII CNC SWISS TURNING CENTER, s/n 0316, w/Fanuc 18i-TB CNC Control, 1-1/4" Max. Machining Dia., 12-13/64" Max. Headstock Stroke, 33/64" Max. Drilling Capability Stationary Tool, 5/16" Power Driven Tool, 1.5mm x 4mm Deep Max. Slotting Capability, 300-7,000 RPM Spindle Speed, 8-Position Turret, w/FMB Turbo 5-42/4200A Bar Feed, s/n 53-111513, .167"-1.65" Round Bar Dia. Capacity, 11" Magazine Capacity, 20.8" Remnant Length, 157.5" Max. Bar Feed Length, 0-1,650 IPM Adjustable Infeed Rate, 0-2,360 IPM Adjustable Forward Feed Rate, 1,650 IPM Return Feed Rate, w/Trion Mist Collector

(2) STAR SA-12 CNC SWISS TURNING CENTERS, s/n's 041060 and 041061, w/Fanuc 18i-T CNC Control, 5/8" Max. Turning Dia., 5.5" Max. Headstock Stroke, 9/32" Max. Drilling Capacity, 500-12,000 RPM Spindle Speed, 6-Tool Gang Tool Post, 3-Power Driven Tools, 4,000 Max. RPM, 5/32" Max. Drilling and Milling, 4-Spindle Attachment, w/FMB Minimag 4200 Bar Feed, .078"-7.87" Bar Dia. Capacity, Automatic Loading Magazine, 7" Linear Rack Capacity, 12.5" Max. Bar Length, 39.4" Min. Bar Length, 710"/Min. Adjustable Forward Feed Rate, 1420"/Min. Adjustable Return Feed Rate, w/Trion Mist Collector

Sale Closing From:
Thursday, June 8, 2017
at 11:00 AM EDT
Sale Location:
1295 Walt Whitman Road
Melville, New York 11747
Inspection:
Wednesday, June 7, 2017
from 9:00 AM
to 4:00 PM EDT

TURNING CENTERS

(4) OKUMA CAPTAIN L370MW CNC TURNING CENTERS, s/n's 01 2006 119033 (2006), 07 2003 0533 (2003), 02 2003 0506 (2003), and 09 2001 0263 (2001), w/OSP-P100L or OSP-E100L CNC Control, Live Milling, 20.87" Swing Over Bed, 14.57" Max. Turning Dia. (Main Spindle), 20.47" Z-Axis, 10.24" X-Axis, 20.47" W-Axis, 16.54" Swing Over Cross Slide, 20.39" Distance Between Noses, Kitagawa B-210 10" 3-Jaw Chuck, 10.24" Max. Turning Dia. (Sub Spindle), Kitagawa B-206 6.5" 3-Jaw Chuck, 4,500 RPM Spindle Speed, 2.44" or 3.14" Main Spindle Through Hole, 2.09" Sub Through Spindle Hole, 12-Position Turret, w/Trion Mist Collector

IKEGAI TUR26 CNC LATHE, s/n 53492V, w/Fanuc 18-T CNC Control, 12-Position Turret, 19.68" Swing Over Bed, 25.59" Max. Turning Length, Kitagawa B-10 10" 3-Jaw Chuck, Live Milling, w/Trion Mist Collector

IKEGAI TUR-25 CNC LATHE, s/n 50765, w/Fanuc OT CNC Control, 8" 3-Jaw Chuck, 2.5" Bar Capacity, 18" Max. Turning Dia., 19" Max. Swing, 27" Max. Turning Length, 40-3,150 RPM Spindle Speed, 27.55" X-Axis, 9.84" Z-Axis, 12-Position Turret, Kitagawa B-10 10" 3-Jaw Chuck, Live Milling, w/Trion Mist Collector

(1) LNS QUICK LOAD SERVO S3, (2) LNS QUICK LOAD SERVO S2 AND (1) LNS QUICK LOAD SERVO BAR FEEDS

LARGE SELECTION OF LIVE MILLING, TURNING AND BORING TOOLING, 3- AND 4-JAW CHUCKS, SUB SPINDLE CHUCKS, COLLET CHUCKS, BUSHINGS AND MORE



ASSORTMENT OF OKUMA LATHE TOOLING



ASSORTMENT OF IKEGAI LATHE TOOLING

View our current auction schedule at www.perfectionindustrial.com

To discuss your requirements for an auction,
please call Perfection Industrial **847-545-6374**

MACHINING CENTERS & DRILL/TAP CENTER

MACHINING CENTERS & DRILL/TAP CENTER

2005 HAAS EC-500-4AX CNC HORIZONTAL MACHINING CENTER, s/n 51676, w/Haas CNC Control, 32" X-Axis, 20" Y-Axis, 28" Z-Axis, 40 Taper, (2) 19.75" x 19.75" Pallets, 8,000 RPM, 40 Taper, 40 ATC, Through Spindle Coolant, .001° Indexing Full 4th Axis, Programmable Coolant Nozzle, High Pressure Through Spindle Coolant

2005 HAAS VF3D-APC-Q CNC VERTICAL MACHINING CENTER, s/n 40390, w/Haas CNC Control, Wired for 4th Axis, 40" X-Axis, 20" Y-Axis, 25" Z-Axis, Cat 40 Spindle Taper, 20 HP Vector Drive, (4) 40" x 19" Pallets w/5" Hole Pattern, Dual Haas Automatic Pallet Changer, 40 ATC, 1,000 IPM Rapids, 8,000 RPM Spindle Speed, Chip Conveyor, Programmable Coolant Nozzle, 1 MB Programmable Memory, Floppy Drive, Programmable Spindle Orientation, w/Trion Mist Collector

2004 MATSUURA ES800V-PC2 CNC VERTICAL MACHINING CENTER, s/n 15965, Wired for 4th Axis, 31.49" X-Axis, 21.65" Y-Axis, 19.68" Z-Axis, Cat 40 Spindle Taper, (2) 33.85" x 20.86" Pallets, 1,969 IPM X, Y Rapid Traverse, 1,181 IPM Z Rapid Traverse, 40–12,000 RPM Spindle Speed, 40 ATC, Pallet Changer, w/Trion Mist Collector

(2) 2000 MATSUURA RA3G-II CNC VERTICAL MACHINING CENTERS, s/n's 000514069, and 000313969, Wired for 4th Axis, 31.5" X-Axis, 20.1" Y-Axis, 9.7" Z-Axis, Cat 40 Spindle Taper, 19.25" x 31.5" Pallets, 12,000 RPM, 40 ATC, Pallet Changer, w/Trion Mist Collector

1998 FANUC ROBODRILL A-T14IA CNC DRILLING AND TAPPING CENTER, s/n 997TH902, w/Fanuc 16i-M CNC Control, 19.7" X-Axis, 15" Y-Axis, 11.8" Z-Axis, BT30 Spindle Taper, 14 ATC, (2) 14-3/4" x 19-3/4" Tables, Pallet Changer, 8,000 RPM Max. Spindle Speed, w/Trion Mist Collector

(3) TSUDAKOMA AND (1) HAAS 4TH AXIS ROTARY TABLES
(OVER 350) CAT 40 AND BT 30 TOOL HOLDERS



MATSUURA RA3G-II CNC VERTICAL MACHINING CENTER

Sale Closing From:
Thursday,
June 8, 2017
at 11:00 AM EDT



HAAS EC-500-4AX CNC HORIZONTAL MACHINING CENTER



FANUC ROBODRILL A-T14IA CNC DRILLING AND TAPPING CENTER



HAAS 4TH AXIS ROTARY TABLE



TSUDAKOMA 4TH AXIS ROTARY TABLE



HAAS VF3D-APC-Q CNC VERTICAL MACHINING CENTER



(OVER 350) CAT 40 AND BT 30 TOOL HOLDERS

CONVENTIONAL MACHINE TOOLS, FINISHING



AMADA HA250W HORIZONTAL BANDSAW



KR WILSON 37R
H-FRAME SHOP PRESS



MSC 508VS
20" DRILL PRESS



CLAUSING 4-HEAD GANG DRILL



JANESVILLE T965
VARIABLE RATIO PRESS



DELTA 1650A CARBIDE
TOOL GRINDER



SUNEX MD150KL
6" DOUBLE END
BENCH GRINDER



VIEW OF RAMCO CM48EBSS PARTS WASHERS



KRAMER INDUSTRIES BLAST CABINET



HARDINGE DV-59 PRECISION LATHE

CONVENTIONAL MACHINE TOOLS

1998 AMADA HA250W HORIZONTAL BANDSAW, s/n 25350527, .5-10" Round Cutting Capacity, 11.8" x 10" Rectangle Capacity, 89-295'/Min. Blade Speed, 11'6" x .037" x 1-1/4" Blade Dimensions

SUPERMAX MILL, s/n 19069, 9" x 49" Servo Feed Table, 3 HP, 60-4,200 RPM, Fagor Innova DRO

BRIDGEPORT MILL, s/n 170915, 9" x 42" Bridgeport Power Feed Table, 1.5 HP, 60-4,200 RPM, Anilam Wizard 211 DRO

(2) HARDINGE DV-59 PRECISION LATHES, 9" Swing, 18" Between Centers, Collet Chuck, 6-Position Turret, Assorted Collets and Tooling Included in Base Cabinet

KR WILSON 37R H-FRAME SHOP PRESS, s/n 1368, 25-Ton, 7.5" x 24" Between Posts

PRESS-RITE NO. 1 OBI PRESS, s/n 3E-3372, 14.5" x 10" Bed, Dual Palm Buttons

ALSO: CLAUSING AND ROCKWELL GANG DRILLS, (16) DRILL PRESSES, VARIABLE RATIO PRESSES, GRINDERS, BELT AND DISC SANDERS AND MORE



SUPERMAX VERTICAL MILL



BRIDGEPORT VERTICAL MILL



SAFETY-KLEEN 44.1
SOLVENT PARTS WASHER



HW KRAMER VIBRATORY
FINISHER



TOPLINE
VIBRATORY
FINISHER

FINISHING

(3) RAMCO CM48EBSS PARTS WASHERS, s/n's JB090-95-003, 500-Lb Capacity, Auto Lift, 27 kW Heat, 208/3/60 Electrical

SAFETY-KLEEN 44.1 SOLVENT PARTS WASHER, s/n unknown, 120V

HW KRAMER VIBRATORY FINISHER, 16"W x 29"H x 17"D Media Area

TOPLINE VIBRATORY FINISHER, 19" Dia. x 10"D Media Area

TOPLINE TABLE-TOP VIBRATORY FINISHER, 16" Dia. x 8"D Media Area

KRAMER INDUSTRIES BLAST CABINET, 26" Rotary Table, w/Dust Collection System

PLANT SUPPORT

PLANT SUPPORT

FILTER 1 DFF-6-6-5 DOWNDRAFT TABLE, DUAL SIDED CANTILEVER RACKS, STOCK/ BAR CRADLES, ROLLING TOOL CHESTS, SHOP CARTS, WORKBENCHES, MACHINE VISES, GRANITE SURFACE PLATES, MITUTOYO DIGITAL HEIGHT GAGES, DIE LIFT CART, QUALITY CONTROL MODULAR OFFICE AND MORE



FILTER 1 DFF-6-6-5
DOWNDRAFT TABLE



DUAL SIDED CANTILEVER RACKS



ROLLING CAT 40
TOOLING CART W/COVER



MITUTOYO DIGITAL
HEIGHT GAGES



PRESTO
DIE LIFT CART



6-DRAWER ROLLING TOOL CHESTS



WOOD TOP WORK BENCH



ROLLING SHOP CARTS



KURT, BRIDGEPORT AND STARRETT
MACHINE VISES



CHICK 4" QWIK-LOK
WORK HOLDING VISE



BLACK AND PINK GRANITE
SURFACE PLATES



QUALITY CONTROL
MODULAR OFFICE

APPROX. 30' x 40' x 8'

REMOVAL

All items must be removed no later than Friday, June 23rd, 2017. Removal hours are from 8:00 AM to 4:00 PM EDT, Monday through Friday, or by special appointment. All items are sold "As Is, Where Is." Buyers are responsible for all prepping, loading and trucking costs.

RIGGERS

Metz Machinery Movers..... (516) 779-2543

John Metz: metzj443@optonline.com

Pedowitz Machinery Movers..... (203) 877-7458

Scott Pedowitz: scott@pedowitz.com

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranty, express or implied.

FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at
+1-847-545-6374 or jennifer@perfectionindustrial.com

Sale Closing From: Thursday, June 8, 2017 at 11:00 AM EDT
Sale Location: 1295 Walt Whitman Road, Melville, New York 11747
Inspection: Wednesday, June 7, 2017 from 9:00 AM to 4:00 PM EDT

View our current auction schedule at www.perfectionindustrial.com



**PERFECTION
Industrial Sales**

Perfection Industrial Sales
ph +1-847-427-3333 • fax +1-847-427-8884
www.perfectionindustrial.com

Sale is Being Held in Conjunction With:



ph +1-631-249-5566
www.prestigeequipment.com

Online Bidding at
www.perfectionindustrial.com