

2 AUCTIONS

**LIVE WEBCAST
& ONLINE**

Assets Due to the Consolidation of
East Peoria, Building HH –

CATERPILLAR®

LIVE WEBCAST AUCTION

AUCTION

1

Sale Date:

Thursday, August 22nd
at 10:00 AM CT

Location:

Caterpillar Building HH,
East Peoria, Illinois 61611

Inspection:

Wednesday, August 21st
from 8:00 AM – 4:00 PM CT
(By Appointment Only)

ONLINE AUCTION

AUCTION

2

Sale Closing From:

Tuesday, August 27th
at 10:00 AM CT

Location:

Caterpillar Building HH,
East Peoria, Illinois 61611

Inspection:

Wednesday, August 21st
from 8:00 AM – 4:00 PM CT
(By Appointment Only)

**OVER 1,000 LOTS - HUGE SELECTION GEAR MACHINERY
MACHINES TOOLS INCLUDING: CNC GEAR HOBBERS, GRINDERS,
SHAPERS & DEBURRERS, VERTICAL TURNING LATHES, HMC'S,
ID/OD GRINDERS, TOOLING, MANUFACTURING SUPPORT,
MATERIAL HANDLING & MUCH MORE**



GLEASON-PFAUTER P 1200/1600 5-AXIS CNC PROFILE MILL



EMAG VLC 1200 INVERTED SPINDLE VERTICAL TURNING CENTER



OKUMA MULTUS B400-W MULTITASKING CNC LATHE



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Webcast Bidding Available Through

BidSpotter.com

Perfection Industrial Sales, IL Auction Licenses #444.000438 and #441.001779

Online Bidding at www.perfectionindustrial.com

LIVE WEBCAST AUCTION

AUCTION

1

Sale Date: Thursday, August 22nd at 10:00 AM CT

Location: Caterpillar Building HH, East Peoria, Illinois 61611

Inspection: Wednesday, August 21st from 8:00 AM – 4:00 PM CT (By Appointment Only)



LIEBHERR LFS-800 CNC GEAR SHAPER



FELLOWS 50-12
HYDROSTROKE
CNC GEAR SHAPER



FELLOWS 50-8
HYDROSTROKE
CNC GEAR SHAPER



FELLOWS 20-8
HYDROSTROKE
CNC GEAR SHAPER



FELLOWS 20-5
CNC GEAR SHAPER



VIEW OF GEAR SHAPERS



PFAUTER P600G CNC GEAR GRINDER



PFAUTER PE500AW CNC GEAR HOBBER



LIEBHERR L650 UNIVERSAL GEAR HOBBER



LIEBHERR L-902 CNC GEAR HOBBER

CNC PROFILE MILLS

(2) 2011 GLEASON-PFAUTER P 1200/1600 5-AXIS CNC PROFILE MILLS, s/n 30421 and 30488, Siemens Sinumerik 840D CNC Control, 1.18" Largest Module, 24.8" Min. Internal Dia., 70.1" Max. Swing, 23.6" Max. Face Width, 19.7" Max. Ring Size, 12.2" Min. Root Dia., 4.7" Max. Tool Length, 3.9" Hob Arbor Dia., 25.6"-X (Radial) Travel, 32.1"-X3 Travel, 51.2"-Z (Axial) Travel, 16.6"-Z3 Travel, 47.2" Table Outside Dia., 11.8" Table Bore

CNC GEAR SHAPERS

(2) 2006 LIEBHERR LFS-800 CNC GEAR SHAPERS, s/n 2051 and 2053, w/Siemens Sinumerik CNC Control, Torit Collection System, 31.5" Max. Gear Dia.

FELLOWS FS-400-125 HYDROSTROKE CNC GEAR SHAPER, s/n 36963, Fanuc Series 31i-Model A5 CNC Control

(10) FELLOWS 50-12 HYDROSTROKE CNC GEAR SHAPERS, GE Fanuc Series 15-M CNC Control, 51.2" Max. External Gear, 7.08" Min. External Gear, 12" Max. Face Width, 26" Max. Gear Height, 12" Max. Stroke Length, 12-500 SPM, 11,000 Lb Max. Table Load Capacity

FELLOWS 50-8 HYDROSTROKE CNC GEAR SHAPER, s/n 36605, GE Fanuc 16i-M CNC Control, 50" Max. Gear Dia., 9" Min. Gear Dia., 19" Max. Clearance Height, 9" Max. Stroke Length, 8" Min. Face Capacity, 45" Table

(6) FELLOWS 20-8 HYDROSTROKE CNC GEAR SHAPERS, GE Fanuc Series 15-M CNC Control, 20" Max. Dia. Pitch, 8" Max. Face Width, 25" Max. Fixture Dia. in Pan, 2,000 Lb Max. Workload on Table

(3) FELLOWS 20-5 CNC GEAR SHAPERS, GE Fanuc Series 16i-M CNC Control, 20" Max. Dia., 5" Stroke, 6 DP

FELLOWS 20-4 CNC GEAR SHAPER, s/n 35264, GE Fanuc Series 16i-M CNC Control, 20" Chuck

LIEBHERR WSC 1502 GEAR SHAPER, s/n 3006, Liebherr CNC Control, 59" Max. Gear Dia., 22 Max. Module, 43" Table Dia., 11.8" Table Bore, 23.6" Spindle Stroke, 10-300 SPM, 11.8" Tool Dia.

CNC GEAR GRINDER

1999 PFAUTER P600G CNC GEAR GRINDER, s/n 28591, Siemens Sinumerik CNC Control, w/Fibro 16-Position Work Loader, 23.62" Max. Work Piece Dia., 2.16" Max. Grindable Profile Depth, 13.78" Max. Grinding Wheel Dia., 3.15" Max. Grinding Wheel Width, 19.69"-X, 7.87"-Y, 39.37"-Z, 4,047 Lb Max. Table Load, 43.31" Tailstock Travel Distance

The following plant rules apply to all visitors entering the facility for inspection:

- All inspections are by APPOINTMENT ONLY. Call Dan Meskimen at (309) 208-3130 to schedule.
- All visitors must have steel toe shoes and safety glasses.
- All visitors must be 18 years old and older.

CNC TURNING CENTERS, CNC GEAR HOBBERS, GEAR HOBBERS, GEAR SHAVERS, GEAR HONE, GEAR DEBURRERS



BARBER COLMAN 25-15 GEAR HOBBER



BARBER-COLMAN 16-36 UNIVERSAL GEAR HOBBER

CNC TURNING CENTERS

2011 OKUMA MULTUS B400-W MULTITASKING CNC TURNING CENTER, s/n 154973, Okuma OSP-P200LA CNC Control, 27.17"-X, 9.06"-Y, 80.51"-Z, 80.71"W, 27.95" Swing Over Bed, 27.95" Max. Turning Dia., 78.74" Distance Between Spindles, Dual 16" SMW Autoblok Chucks, 80 ATC, HSK Taper, Chip Blaster High Pressure Coolant System, Mist Blaster System

OKUMA IMPACT LU-45 CNC TURNING CENTER, s/n 0193, Okuma OSP-U100L CNC Control, 33" Swing, 121" Center Distance, 120"-Z, 26"-X, Dual Turret, 23/18" Max. Turning Dia.

(2) WARNER & SWASEY SC-45 M700 CNC TURNING CENTERS, s/n 3100644, Allen-Bradley 7340 CNC Control, 48" Swing Over Bed, 45.5" Swing Over Carriage, 109" Z-Axis Travel, 22" Upper Turret Cross Travel, 31" Lower Turret Cross Travel, 6-Upper/5-Lower Turret Positions, 7-326 RPM Main Spindle Speed, 42" Chuck Dia

WARNER & SWASEY SC-45 M700 CNC TURNING CENTER, s/n 2760814, GE Fanuc Series 16i-T CNC Control, 48" Swing Over Bed, 45.5" Swing Over Carriage, 60" Z-Axis Travel, 22" Upper Turret Cross Travel, 31" Lower Turret Cross Travel, 6-Upper/5-Lower Turret Positions, 7-326 RPM Main Spindle Speed, 42" Chuck Dia.

WARNER & SWASEY SC10-54 CNC TURNING CENTER, s/n 2657146, Fanuc CNC Control, 12" Chuck, 6-Position Tool Post, Tail Stock



RED RING GCX GEAR SHAVER



OKUMA IMPACT LU-45 CNC TURNING CENTER



WARNER & SWASEY SC-45 M700 CNC TURNING CENTER

CNC GEAR HOBBERS

(2) PFAUTER PE500AW CNC GEAR HOBBERS, s/n 27415 and 27290, Fanuc 18i-M CNC Control, 8-Position Work Loader, 16.69" Max. Dia. Gear, 2.54" Max. Diametral Pitch

(2) LIEBHERR L650 UNIVERSAL GEAR HOBBERS, s/n 0664/11 and 0664/12, GE Fanuc Series 16-M CNC Control, Hob Shift, 22" Max. Gear Dia., 26" Table, 14.56"-Y, 2.5" Diametral Pitch, 7.5" Max. Hob Dia.

(2) LIEBHERR L-902 CNC GEAR HOBBERS, s/n 0922/6 and 0923/1, GE Fanuc Series 16M CNC Control, 35.4" Workpiece Dia., 12 Max Module, 7.55 Max. Dia., 27.87" Mill Deflection, 9.84" Max. Cutting Length

LIEBHERR L-901 GEAR HOBBER, s/n 0908, Fanuc 16-M CNC Control, 36" Max. Gear Dia., 27.9" Table, 19.25"-X, 14.56"-Z, 10 Module, 7.32" Max. Hob Dia., 6.69" Max. Hob Length

BARBER COLMAN H400 CNC GEAR HOBBER, s/n E2379200, NUM CNC Control

GEAR HOBBERS

(2) BARBER COLMAN 25-15 GEAR HOBBERS, s/n 8700083711 and 9700083970, 25" Max. Workpiece Dia., 2.5" DP Max. Diametral Pitch, 6" Max. Hob Slide Travel, 15" Max. Work Face, 7.5" Max. Hob Dia.

(2) BARBER-COLMAN 16-36 UNIVERSAL GEAR HOBBERS, s/n 4394 and 3021, Double Thread Index, 6 DP (4.2 Mod) Capacity, 16" Max. Work Dia., 36.5" Travel of Hob Carriage, 64" Distance Work Spindle Face to Tail Center, 5" Max. Hob Dia.

BARBER-COLMAN 14-15 UNIVERSAL GEAR HOBBER, s/n 984, 14" Max. Work Dia., 5.5" Max. Hob Dia., 15" Max. Hob Slide Travel, 3.5 DP Max. Pitch, 27.25" Max. Distance Spindle Face to Tail Center, 64-362 RPM

GEAR SHAVERS

(2) RED RING GCX GEAR SHAVERS, s/n GCX-3036 and 3101, 24" Max. Work Piece Dia., 36" Distance Between Centers, 20" Table Travel

(2) RED RING GCY GEAR SHAVERS, s/n GCY-2995 and 2660, 12" Max. Work Piece Dia., 23-5/8" Distance Between Centers, 5" Max. Stroke

GEAR HONE

RED RING GHH GEAR HONE, s/n GHH-606, 12" Max. Pitch Dia., 14.75" Max. Dia. of Workpiece, 26-15/16" Max. Workpiece Length

GEAR DEBURRERS

(6) REDIN GEAR DEBURRERS, Magelis PLC Control, 2-Stand, 8" Chuck



OKUMA MULTUS B400-W MULTITASKING CNC TURNING CENTER

CNC VERTICAL PRODUCTION MACHINES, CNC VERTICAL LATHES, MACHINING CENTERS, BROACHES

2 AVAILABLE



**EMAG VLC 1200 INVERTED SPINDLE
VERTICAL TURNING CENTER**

2 AVAILABLE



**EMAG VLC 800 INVERTED SPINDLE
VERTICAL TURNING CENTER**



**OKUMA & HOWA 2SP-V55 TWIN SPINDLE
CNC VERTICAL LATHE**

CNC VERTICAL PRODUCTION MACHINES

(2) 2007 EMAG VLC 1200 INVERTED SPINDLE VERTICAL TURNING CENTERS, s/n 100319 and 100320, Siemens Sinumerik CNC Control, 59" Max. Swing, 49" Max. Chuck Dia

(2) **2006 EMAG VLC 800 INVERTED SPINDLE VERTICAL TURNING CENTERS**, s/n M980.75165 and M980.75164, Siemens Sinumerik CNC Control, 32.5" Max. Swing, 31.5" Max. Chuck Dia

EMAG VLC 800MT INVERTED SPINDLE VERTICAL TURNING CENTER, s/n M980.75166, Siemens Sinumerik CNC Control, Torit Collection System

TWIN SPINDLE CNC VERTICAL LATHES

(4) OKUMA & HOWA 2SP-V80 TWIN SPINDLE CNC VERTICAL LATHES, Fanuc Series 18-T CNC Control, (2) SMW Autoblok 31.5" Chucks, Dual 12-Position Turrets, 39.4" Max. Swing, 31.5" Max. Turning Dia., 33" Max. Turning Length, 1,760 Lb Max. Workpiece Weight, 1,250 RPM, 18.3"-X, 33"-Z

OKUMA & HOWA 2SP-V55 TWIN SPINDLE CNC VERTICAL LATHE, s/n 55076, Fanuc 18-T CNC Control, (2) 20" Chucks, Dual 12-Position Turrets , 31.49" Distance Between Spindle Centerlines, 21.65" Max. Cutting Dia., 16.14" Max. Cutting Length, 20–2,000 RPM Spindle Speed Range, 12.28" X, 16.14" Z

4 AVAILABLE



OKUMA & HOWA 2SP-V80 TWIN SPINDLE CNC VERTICAL LATHE

CNC VERTICAL LATHES

(3) GRAY RM 48" CNC VERTICAL TURRET LATHES,
s/n 10036, GE Fanuc Series 15-T CNC Control, 100 HP
Table

CNC VERTICAL MACHINING CENTERS

(2) 2006 MAZAK VARIAXIS 730-5X II CNC VERTICAL MACHINING CENTERS, s/n 193529 and 193530, Mazak Mazatrol Matrix CNC Control, 5-Axis, 19.7" x 19.7" Table, 1,102 Lb Table Capacity, 28.74"-X, 33.46"-Y, 22"-Z

(4) TREE VMC 1050E/24 CNC VERTICAL MACHINING CENTERS, Yasnac CNC Control, 50" x 24" Table, 1,900 Lb Table Capacity, 40"-X, 20"-Y, 25"-Z, 8,000 RPM Spindle Speed

CNC HORIZONTAL MACHINING CENTERS

OKUMA MX-60HB CNC HORIZONTAL MACHINING CENTER, s/n 0678, Okuma OSP-U100M CNC Control, 39.4"-X, 31.5"-Y, 31.9"-Z, (2) Pallets, 24.8" x 24.8" Pallet Size, 40 ATC

OKUMA MX-40HA CNC HORIZONTAL MACHINING CENTER, s/n 0319, Okuma OSP-U100M CNC Control

**BERGMASTER HTC330 CNC HORIZONTAL MA-
CHINING CENTER**, s/n 246030, Allen Bradley 7300
Series Control, 60" x 39" Table, CAT 40 Spindle Taper,
20 ATC

BROACHES

LAPOINTE HORIZONTAL BROACH, s/n NA, 50-Ton x
100" Stroke, PLC Control

(3) LAPOINTE 3-52 PD VERTICAL BROACHES, s/n 4918, 4917 and 1946, 3-Ton x 52" Stroke, 36" Tilting Table, Hydraulic System

DETROIT BROACH AND MACHINE 35-TON X 72"
STROKE VERTICAL BROACH, s/n M-785010

2006



MAZAK VARIAXIS 730-5X II
CNC VERTICAL MACHINING CENTER

2 AVAILABLE



**OKUMA MX-40HA CNC
HORIZONTAL MACHINING CENTER**

4 AVAILABLE



TREE VMC 1050E/24 CNC VERTICAL MACHINING CENTER

3 AVAILABLE



GRAY RM 48" CNC VERTICAL TURRET LATHE

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

GRINDERS, MILL & CENTER MACHINE, SHOT BLAST, VIBRATORY FINISHING SYSTEM



USACH TRIPET TST-250 ID/OD
CNC PRECISION GRINDER



CINCINNATI/HEALD 271
SIZEMATIC INTERNAL GRINDER



PRATT & WHITNEY 2440 A
STEPMASER GRINDER



LAPOINTE 3-52 PD VERTICAL BROACH



DETROIT BROACH AND
MACHINE 35-TON X 72"
STROKE VERTICAL BROACH



LAPOINTE HORIZONTAL BROACH



SCHAUDT A700S500 UNIVERSAL GRINDER



BLANCHARD NO 22 D ROTARY SURFACE GRINDER



WARNER & SWASEY ACC1460A
CNC ANGLE HEAD GRINDER

The following plant rules apply to all visitors entering the facility for inspection:

- All inspections are by APPOINTMENT ONLY.
Call Dan Meskimen at (309) 208-3130 to schedule.
- All visitors must have steel toe shoes and safety glasses.
- All visitors must be 18 years old and older.

ID/OD GRINDING

USACH TRIPET TST-250 CNC ID/OD PRECISION GRINDER, s/n T2502526, 32" Swing, 28.12" Distance Between Centers, 220 Lb Max. Workpiece Weight, 15.76" Max. Wheel Dia.

USACH 200-T4 CNC ID/OD PRECISION GRINDER, s/n U2001001, 32" Max. Swing, 55" Max. Part Length, 1,600 Lb Max. Part Weight, 23.62"-X, 23.62"-Y

(2) USACH 150-T4 CNC ID/OD PRECISION GRINDERS, s/n U1501022 and U1501028, 24" Swing, 40" Max. Part Length, 1,000 Lb Workpiece Weight, 15.75"-X, 19.68"-Z

(2) CINCINNATI/HEALD 272 SIZEMATIC INTERNAL GRINDERS, s/n 43813 and 5257G, 18" Swing Over Table, 12" Swing Over Ground Hole, 5-1/2" Max. Dia. of Hole, 30-1/4" Table Travel, 35 FPM Table Speed, 0-20 FPM Grinding

CINCINNATI/HEALD 271 SIZEMATIC INTERNAL GRINDER, s/n 46955, 18" Swing, 12" Swing in Guard, 3,600 RPM

OKUMA GI-20 CNC INTERNAL GRINDER, s/n 0304, 7.87" Max. Grinding Length, 15.75" Swing, 750 RPM Max. Spindle Speed, 300 Lb Max. Workpiece Weight

UNIVERSAL GRINDER

SCHAUDT A700S500 UNIVERSAL GRINDER, s/n 117847, Automatic Wheel Dresser, 14" x 20" Capacity

CREEP FEED GRINDER

BROWN & SHARPE 1636 HI-TECH CNC CREEP FEED GRINDER, s/n 523-6636-1039, 40" Max. Grinding Stroke, 36" Grinding Length, 17" Max. Grinding Width, 16" x 36" Table

ROTARY SURFACE GRINDER

BLANCHARD NO 22 D ROTARY SURFACE GRINDER, s/n 11855, 42" Dia. Chuck, 50" Swing, 2,000 Lb Max. Load of Table, 48" x 9" Range, 6-33 RPM

ANGLE HEAD GRINDERS

WARNER & SWASEY ACC1460A CNC ANGLE HEAD GRINDER, s/n SMA 29253, FE Fanuc Series 18-T CNC Control, 30" x 6" Wheel, Marposs E45 Gauging System

CINCINNATI ANGLE HEAD GRINDER, s/n 9P4D5L-3, 24" X 60" Capacity, Auto Dresser, Marposs Gauging

PRATT & WHITNEY 2440 A STEPMASER GRINDER, s/n SMA31065, GE Fanuc Series 21i-T CNC Control

MILL & CENTER MACHINE

MOTCH 1648 MC MILL AND CENTER MACHINE, s/n 9-60074



ROSLER R-780
FLAT BOTTOM
ROTARY VIBRATOR

SHOT BLAST SYSTEM

2001 PROGRESSIVE TECHNOLOGIES PEEN BLAST SYSTEM, s/n 8522, w/Xycom Proface Control System, 6-Cartridge Dust Collector

VIBRATORY FINISHING SYSTEM

ROSLER R-780 FLAT BOTTOM ROTARY VIBRATOR, s/n 43923/08



MOTCH 1648 MC MILL AND CENTER MACHINE



PROGRESSIVE
TECHNOLOGIES
PEEN BLAST SYSTEM

LIVE WEBCAST AUCTION

AUCTION

1

Sale Date: Thursday, August 22nd at 10:00 AM CT

Location: Caterpillar Building HH, East Peoria, Illinois 61611

Inspection: Wednesday, August 21st from 8:00 AM – 4:00 PM CT (By Appointment Only)

PRESSES

100-TON HANNIFIN HYDRAULIC PRESS, s/n D-9576, 28" x 28" Bed, 24" Throat

(2) 38-TON HANNIFIN OGF-50 HYDRAULIC PRESSES, s/n 50381-2/-1, 38-Ton, 43" x 30" Bed, 20" Throat, 10 HP

(2) 12-TON HANNIFIN OGF-12D HYDRAULIC PRESSES, s/n 50379-8/-6, 12-Ton, 22" x 22" Bed, 12" Throat



HANNIFIN OGF-50
HYDRAULIC PRESS



100-TON HANNIFIN
HYDRAULIC PRESS



FANUC M-900IA 350
6-AXIS ROBOT



Ooya RE2-1450D 5' X 13"
RADIAL ARM DRILL



BROWN & SHARPE 618
MICROMASTER
SURFACE GRINDER



KALAMAZOO STARTRITE
30-R-10 VERTICAL
BANDSAW



HAMMOND 12"
DUAL END GRINDER



BROWN & SHARPE
M00-153-300 CMM



PECO NEXT DIMENSION
ND300 GEAR ANALYZER



BROWN & SHARPE
GLOBAL IMAGE 15 22 10 CMM



DCM TECH MPI 3062 MAGNETIC
PARTICLE INSPECTION MACHINE

ROBOTS

(3) FANUC M-900IA 350 6-AXIS ROBOTS W/FANUC SYSTEM R-301A CONTROL

2005 FANUC R-200IA 165F 6-AXIS ROBOT, s/n R05606162

FANUC M-710IB GANTRY ROBOT W/FANUC SYSTEM R-J3IB CONTROL, s/n E03Y02433

TOOL ROOM MACHINERY

CARLTON 4' X 11" RADIAL ARM DRILL, s/n 1A3128, 2,000 RPM, 24" x 18" Box Type Table, 5 HP

CARLTON 4' X 11" RADIAL ARM DRILL, s/n 13660, 1,500 RPM, 12-Speed

BICKFORD 4' X 9" CHIPMASTER RADIAL ARM DRILL, s/n NA, 2,500 RPM, 16" x 22" Box Type Table

Ooya RE2-1450D 5' X 13" RADIAL ARM DRILL, s/n QA9-11020

CINCINNATI 430-18-GP HORIZONTAL MILL, s/n 3J34P5U-2, 18" x 80" Table

BROWN & SHARPE 618 MICROMASTER SURFACE GRINDER, s/n 523-6180-5862

ATLAS NO. 3 ARBOR PRESS, s/n NA

KALAMAZOO STARTRITE 30-R-10 VERTICAL BANDSAW, s/n 38724, 30" Throat, 21" x 21" Table

SETCO SPL 10" DUAL END GRINDER, s/n 92368

ROCKWELL COMBINATION 6" BELT/ 12" DISC GRINDER, s/n NA, w/Dust Collector

HAMMOND 12" DUAL END GRINDER, s/n NA, 1/2 HP

ECONOLINE 36" X 23" X 22" SAND BLAST CABINET, s/n NA, Dust Collector

TMS MANUFACTURING DESIGN 4-HEAD BUFFER CELL, Allen Bradley Panelview Plus 1000 PLC Control, Torit Collection System

INSPECTION/QA

2005 BROWN & SHARPE GLOBAL IMAGE 15 22 10 CMM, s/n 0905-6804

2001 BROWN & SHARPE M00-153-300 CMM, s/n 1376

DCM TECH MPI 3062 MAGNETIC PARTICLE INSPECTION MACHINE, s/n 35001

PECO NEXT DIMENSION ND300 GEAR ANALYZER, s/n 363133-0020

ALSO AVAILABLE



ASSORTED TOOL CABINETS
AND WORK BENCHES



STRONG HOLD CABINETS



FLAMMABLE CABINETS

ALSO AVAILABLE

GRIEVE OVENS, LANTECH STRETCH WRAPPER, HANEL LEAN-LIFT VERTICAL STORAGE SYSTEMS, LARGE QUANTITY OF LISTA WORK BENCHES, VIDMAR BALL-BEARING TOOL CABINETS, STRONG-HOLD SHOP CABINETS, FLAMMABLE SAFETY CABINETS, PERISHABLE TOOLING, CARBIDE INSERTS, HOBS, AND MUCH MORE



VIEW OF CARBIDE INSERTS



VIEW OF TOOLING



VIEW OF GRINDING WHEELS AND HOBS

PARTS WASHERS & MORE

ONLINE AUCTION

2

Sale Closing From: Tuesday, August 27th at 10:00 AM CT

Location: Caterpillar Building HH, East Peoria, Illinois 61611

Inspection: Wednesday, August 21st from 8:00 AM – 4:00 PM CT (By Appointment Only)



PROCECO HD 42X48-E-2500-1-BO
ELECTRIC PARTS WASHERS

PARTS WASHERS

(6) PROCECO HD 42X48-E-2500-1-BO ELECTRIC PARTS WASHERS, 2,500 Lb Table Capacity, 42" x 48" Capacity

(5) PROCECO MINI HD 26-36-E-1000 PARTS WASHERS, s/n 91-022, 1,000 Lb Table Capacity, 28" Dia. x 36" Capacity

AUTOMATED FINISHING 24" X 20" X 10"H PARTS WASHER, s/n NA,

(2) RANSOHOFF PASS-THROUGH PARTS WASHERS, s/n 5042, Allen Bradley Panel-view 300 Micro PLC Control, 15.5" W Capacity

ALSO AVAILABLE

VIDMAR/LISTA TOOL CABINETS, MAINTENANCE CRIB W/LARGE ASSORTMENT OF BEARINGS, ELECTRONICS, SERVO MOTORS, MOTORS, CIRCUIT BOARDS, CONTROLS, RELAYS, CHIP CONVEYORS, MACHINE PARTS, ELECTRIC PALLET JACKS, (100+) CRANE SYSTEMS FROM GORBEL, CES, AND CLEVELAND AND MUCH MORE. 100'S OF ITEMS ADDED DAILY!



VIEW OF LIFT-RITE
ELECTRIC PALLET JACKS




BEARINGS



VIEW OF VIDMAR CABINETS



ASSORTED ELECTRONICS



OVER 100 CRANE SYSTEMS



MACHINE PARTS / SPARES



SERVO MOTORS

View our current auction schedule at www.perfectionindustrial.com



**PERFECTION
Industrial Sales**

Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007
ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com

Perfection Industrial Sales, IL Auction Licenses #444.000438 and #441.001779



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

2 AUCTIONS **LIVE WEBCAST & ONLINE**

Assets Due to the
Consolidation of
East Peoria, Building HH

CATERPILLAR®

**CNC MACHINE TOOLS & CONVENTIONAL MACHINERY,
GEAR MACHINERY, FINISHING, MATERIAL HANDLING
& PLANT SUPPORT**

AUCTION

1

Sale Date: Thursday, August 22nd
at 10:00 AM CT

Inspection: Wednesday, August 21st from 8:00 AM
– 4:00 PM CT (By Appointment Only)

AUCTION

2

Sale Closing From: Tuesday, August 27th
at 10:00 AM CT

Inspection: Wednesday, August 21st from 8:00 AM
– 4:00 PM CT (By Appointment Only)

2 AUCTIONS **LIVE WEBCAST & ONLINE**

TERMS OF SALE

A 16% buyer's premium will be charged on all assets purchased by buyers attending the sale in person, and any Webcast or Online Buyers will be charged an 18% buyer's premium. Acceptable forms of payment, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48-hour stated payment period, the buyer's premium will be increased to 18% (bidders attending the Auction in person) or 21% (Webcast or Online Bidders). Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

PAYMENT

ALL PURCHASES MUST BE PAID WITHIN 48 HOURS OF THE CLOSE OF SALE. Contact our Accounting team for wire instructions. Only wire transfer or certified check, payable to Perfection Industrial Sales will be accepted. Company checks payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming Sales Tax exemptions must provide proof satisfactory to the Perfection Accounting team to claim such exemptions.

AUCTION 1 – LIVE WEBCAST

SALE DATE: Thursday, August 22nd at 10:00 AM CT

LOCATION: Caterpillar Building HH, East Peoria, Illinois 61611

INSPECTION: Wednesday, August 21st from 8:00 AM
– 4:00 PM CT (By Appointment Only)

REMOVAL

All assets must be removed no later than Friday, September 13. Removal times are Monday through Friday from 8:00 AM to 4:00 PM CT. Extended hours and weekends may be accommodated with prior appointment. **All rigging services must be provided by a Caterpillar qualified and approved rigger.**

**To discuss your requirements
for an auction, please call
Perfection Industrial
+1-847-545-6374**

AUCTION 2 – ONLINE SALE

SALE CLOSING FROM: Tuesday, August 27th at 10:00 AM CT

LOCATION: Caterpillar Building HH, East Peoria, Illinois 61611

INSPECTION: Wednesday, August 21st from 8:00 AM
– 4:00 PM CT (By Appointment Only)

HOTELS

Hampton Inn Peoria-East at the River Boat Crossing
11 Winners Way, East Peoria, IL 61611 (309) 694-0711
Holiday Inn Express & Suites East Peoria-Riverfront
1100 Bass Pro Drive, East Peoria, IL 61611 (309) 694-9800
Embassy Suites by Hilton East Peoria-Riverfront
100 Conference Center Drive, East Peoria, IL 61611 (309) 694-0200

NEAREST AIRPORTS

General Wayne A. Downing Peoria Int'l Airport
(7 miles from auction site)

FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at
+1-847-545-6374 or jennifer@perfectionindustrial.com.

View our current auction schedule at www.perfectionindustrial.com



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Webcast Bidding Available Through

BidSpotter.com

Perfection Industrial Sales, IL Auction Licenses #444.000438 and #441.001779

Online Bidding at www.perfectionindustrial.com