

FACILITY CLOSURE

Oilfield Pipe/Tubular Honing Facility

Everything Must Go!

Complete Liquidation!

Auction: Tue., Nov. 1, 10:00 am CT

Inspection: Mon., Oct. 31, 9 - 3 CT

NO ONSITE BIDDING

BidSpotter.com

**6401 N. Eldridge Pkwy, Bldg P.
Houston, TX 77041**

Call: 713-462-5800 for Details

Featured Machines: 2014 Ohio Tool Works (OTW) 42' Horizontal Hone, 2007 OTW 32' Horizontal Hone, 2004 Sunnen 25' Horizontal Hone, 2008 Century Machine 22' Horizontal Hone, 2006 Century Machine 30' Horizontal Hone, 2006 Century Machine 26' Horizontal Hone, 1998 Century Machine 26' Horizontal Hone, 2002 Century Machine 36' Horizontal Hone, 1998 Century Machine 36' Horizontal Hone, LeBlond 7 GSR 32' Hollow Spindle Push-Pull Boring Machine, Scotia 15' Deep Hole Drilling/Boring Machine, Scotia 500 Ton Straightening Press, Mazak Model 30 Oil Country Lathe with 12.5" Spindle Bore, Lots of Tooling for Hones and Boring Machines, Lots of Steel, Aluminum, and Teflon Pipe Drifts of Various Diameters and Lengths, Dalian and Nissan Forklifts, and More!



Ohio Tool Works (OTW) 42' Horizontal Hone, 42' Stroke, 1.5" - 20.25" I.D., CNC Control



Century Machine 22' Horizontal Hone, 1.5" - 14" I.D., 19" max. O.D., Programmable Control




LeBlond 7 GSR Hollow Spindle Push-Pull Boring Machine



500 Ton Scotia Straightening Press, 26' Bed, 25" Max. O.D.



30" x 120" Mazak Model 30 Oil Country Lathe with 12.5" Bore



3' 8" Turn-Pro Radial Arm Drill



6,600 Lb. Dalian Diesel Forklift



Steel, Aluminum, & Teflon Drifts



Lots of Hone Tooling



Lots of Racks and Storage

Featured Machines - Horizontal Hones

2014

Only 6615.8 Hours on Meter

42" Stroke
1.5" - 20.25"
I.D. Range



Ohio Tool Works 42' Horizontal Hone, 1.5" - 20.25" I.D. range, 26" max. O.D., 0 - 300 rpm, 45 HP motor, OTW 5000 CNC control, 3 mandrel supports, work piece clamp, coolant

2002

36" Stroke
1.5" - 14"
I.D. Range



Century Machine 36' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 20 HP motor, programmable controller, 3 mandrel supports, 2 work piece clamps, coolant

1998

36" Stroke
1.5" - 14"
I.D. Range



Century Machine 36' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 20 HP motor, 3 mandrel supports, 2 work piece clamps, 15 HP fluid Pump, paper coolant filtration

2007

32" Stroke
1.5" - 20.25"
I.D. Range



Ohio Tool Works 32' 11" Horizontal Hone, 1.5" - 20.25" I.D. range, 26" max. O.D., 250 rpm, 45 HP motor, touch screen control, 3 mandrel supports, 2 work piece clamps, coolant

2006

30" Stroke
1.5" - 14"
I.D. Range



Century Machine 30' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 287 rpm, 20 HP motor, programmable controller, 2 mandrel supports, 2 work piece clamps, coolant

2006

26" Stroke
1.5" - 14"
I.D. Range



Century Machine 26' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 20 HP motor, programmable controller, 2 mandrel supports, 2 work piece clamps, coolant

Live and Online Webcast Auction

Tuesday, Nov. 1, 10:00 am CT

Tel: 713-462-5800 www.harris-auctions.com

Surplus Asset Management Experts

Horizontal Hones, Deep Hole Boring Machines, Oil Country Lathe, and More!



Century Machine 26' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 20 HP motor, cycle control, 2 mandrel supports, 2 workpiece clamps, 15 HP fluid pump, paper coolant filtration



Sunnen 25' Horizontal Hone, 1.5" - 14" I.D. range, 26" max. O.D., 20 HP motor, touch screen control, 2 workpiece clamps, paper coolant filtration



Century Machine 22' Horizontal Hone, 1.5" - 14" I.D. range, 19" max. O.D., 20 HP motor, programmable controller, 2 mandrel supports, 2 workpiece clamps, 15 HP fluid pump, coolant



LeBlond 7 GSR Hollow Spindle Push-Pull Boring Machine, 50" swing, 32' max. length, 1.5 - 47 rpm, 28" bore thru center drive spindle, 40 HP drive & 40 HP counter-rotation motors



Scotia Drilling Technologies 15' Boring Machine, 15.5' stroke, 3.16" - 10.03" I.D. range, 11.875" max. O.D., 12.5" thru hole, 24" front/rear 4-jaw chucks, 100 HP, boring bars, steadies, coolant



Scotia Drilling Technologies 500 Ton Straightening Press, 26' bed, 24' gantry trvl, 25" max. O.D., 24" cyl. stroke, 30 HP hyd. system, rot. devices, large/small anvils, control console



30' x 120" Mazak Model 30 Oil Country Lathe with 12.5" bore, 5 - 300 rpm, 20 HP, 24" front/rear 4-jaw chucks, tool post, taper attach., tailstock, inch/metric threading, coolant



3' 8" Turn-Pro Model RD-900 Radial Arm Drill, 36" arm, 8" dia. col., 6 spindle speeds (88 - 1500 rpm), 2 HP spindle motor, 1 HP feed motor, 3 feeds (0.002, 0.0036, 0.006 ipr), T-slot table



Various Shop Tools: DeWalt Pedestal Grinder, DeWalt 14" Chop Saw, Dayton Belt/Disc Sander, NovaTech Webcutter, Banding Machine, Roller Stands, and More!



6600 Lb. Dalian Model CPCD30 Forklift, 6600 lb. cap., 20" load center, 50 HP diesel motor, side-shift, 66,393 hours on meter



6000 Lb. Nissan Model Optimum 60 Forklift, 6,000 lb. cap., LP gas engine, side-shift, 27,552 hours on meter



E-Z-Go Textron 15 Golf Cart, inc. DPI Accusense Battery Charger

Closure of Major Oilfield Pipe and Tubular Honing Facility

Lots of Tooling for Hones and Boring Machines, Pipe Drifts, Shop Racks, and More!

Honing Tool, Single Bank



Range: 3.43 - 4.30

Honing Tool, Single Bank



Range: 2.91 - 3.93

Honing Tool, Single Bank



Range: 3.88 - 5.00

Honing Tool, Single Bank




Range: 9.63 - 12.25

Honing Tool, Single Bank



Range: 11.63 - 14.25

Honing Tool, Double Bank



Abrasive: 16"

Honing Tool, Double Bank



Abrasive: 16"

Lot of 7 Honing Tools



(1) 1.75, (2) 2.00, (3) 2.50, (1) N/A

Lot of 3 OTW Honing Tools



(2) 3.00, (1) N/A

Lot of 4 OTW Honing Tools



(1) 1.50, (2) 1.75, (1) 2.00

Lot: Assorted Honing Tools



3 Pallets: Assorted Hone Tools

Lot: Hone Machine Chains



Assorted Hone Machine Chains

Lot: Honing Stone Holders



Size: 3/8" x 8" (for OTW Hones)

Lot: Honing Stone Holders



Size: 3/8" x 8" (for OTW Hones)

Lot of 6 Pull Bore Heads



Pull Bore Heads: 3.220 to 4.095 (+/- 0.030" ea.)

Lot of 6 Pull Bore Heads



Pull Bore Heads: 4.220 to 5.220 (+/- 0.030" ea.)

Lot of 5 Pull Bore Heads



Pull Bore Heads: 5.470 to 6.220 (+/- 0.030" ea.)

Lot of 5 Pull Bore Heads




Pull Bore Heads: 6.345 to 6.970 (+/- 0.030" ea.)

Lot of 4 Pull Bore Heads



Pull Bore Heads: 7.220 to 7.970 (+/- 0.030" ea.)

Lot of 4 Pull Bore Heads



Pull Bore Heads: 8.220 to 8.970 (+/- 0.030" ea.)

Lot of 4 Pull Bore Heads



Pull Bore Heads: 9.220 to 9.970 (+/- 0.030" ea.)

Sandvick, Widia, CamoCut, Mitsubishi, Iscar



Boring Tooling: New Inserts, Holders, Screws

Lot of 10 Teflon Pipe Drifts



Range: 1.901" to 4.001" (all 42" lengths)

Lot of 17 Steel Pipe Drifts



Range: 4.000" to 4.995" (various lengths)

Lot of 10 Steel Pipe Drifts



Range: 6.008" to 6.375" (various lengths)

Lot of 14 Aluminum Pipe Drifts



Range: 1.901" to 8.630" (various lengths)

No Contents



Lot of 3 Storage Racks

Shop Storage Rack



3 Section Metal Storage Rack

3680 Lb. Cap. (each row)



Cantilever Rack

60" x 55" x 96" High



Cantilever Rack

3680 Lb. Cap. (each row)



Cantilever Rack

5000 Lb. Cap. (each arm)



3 Section Pallet Rack

3680 Lb. Cap. (each row)



Cantilever Rack

HARRIS AUCTIONS

T: 713.462.5800 P.O. Box 272404, Houston, TX 77277
F: 713.462.8222 www.harris-auctions.com

Refer to online auction catalog for all Terms & Conditions, Payment Terms, Removal Terms and Dates, Lot Descriptions, Condition and Use Disclaimers and all other Auction Information. Note: All specifications are true and correct to the best of Auctioneer's knowledge at time of publication, but are subject to verification by the bidder. Advertising and promotional photos may show tooling and accessories that are not necessarily offered with the machine. The online catalog description of the machine and any tooling / accessories is final.