

Dresser-Rand's Leading Edge Turbine Repair Facility Closure

Featuring: Vertical &
Horizontal Boring Mills,
CNC Lathe & Mill, Tool Room
Equipment, Car Bottom
Furnace, Vacuum Furnace,
Strong Holds, Lista & Vidmar
Tool Cabinets, & More



CINCINNATI HYPRO 108" VERTICAL BORING MILL



LINDBERG NATURAL GAS FIRED CAR BOTTOM HEAT TREAT FURNACE



HAAS SL-30T CNC TURNING CENTER

Sale Closing From: Tuesday, January 17, 2017 at 1:00 PM CST
Location: 20120 E. Hardy Road, Houston, Texas 77073
Inspection: Monday, January 16 from 9:00 AM to 4:00 PM CST

All Assets Must Be Removed by
Wednesday, February 1, 2017.
NO EXCEPTIONS.

HORIZONTAL BORING MILLS, VERTICAL BORING MILL, VERTICAL TURRET LATHE



LUCAS 42B120 4" TABLE-TYPE HORIZONTAL BORING MILL

HORIZONTAL BORING MILLS

LUCAS PRECISION 542B-144 5" TABLE-TYPE HORIZONTAL BORING MILL, s/n 42-4226, 5" Spindle Bar Diameter, Table Size 84" x 146", 110" Vertical Travel, 144" Table Cross Travel, 84" Longitudinal Table Travel, Spindle Speeds: 10–1,220 RPM, No. 50MM Standard Taper w/Power Drawbar, Pendant Control, Bed w/Built-In Outriggers, Saddle w/Built-In Outtrigger, Newall C80 3-Axis DRO

LUCAS 42B120 4" TABLE-TYPE HORIZONTAL BORING MILL, s/n 42B-2722, 4" Spindle Bar Diameter, Table Size 48" x 122", 84" Vertical Travel, 120" Table Cross Travel, 120" Longitudinal Table Travel, Spindle Speeds: 9–1,200 RPM, No. 50MM Standard Taper w/Power Drawbar, Pendant Control, Bed w/Built-In Outriggers, Newall C80 3-Axis DRO

GIDDINGS & LEWIS FRASER 80G130RT 5" TABLE-TYPE HORIZONTAL BORING MILL, s/n 410-1039, 5" Spindle Bar Diameter, Built-In Power Rotary Table Size 48" x 60", 72" Vertical Travel, No. 50MM Standard Taper w/Power Drawbar, Hoffman Pendant Control, Fagor DRO, 3-Way Vertical Column, *Note–Under Repair, Currently Not in Operating Status

SUPERMILL 3" TABLE-TYPE HORIZONTAL BORING MILL, s/n NA, 3" Spindle Bar Diameter, 48" x 36" Built-In Rotary Table, 42" Vertical Travel, 48" Table Cross Travel, 60" Longitudinal Table Travel, Spindle Speeds: 10–1,800 RPM, Morse Taper Spindle w/Portage Tool Quick Change Toolholder and Rack of Assorted Toolholders, 18" Facing Head, Right-Angle Milling Head Attachment, Newall C80 3-Axis DRO

VERTICAL BORING MILL

CINCINNATI HYPRO 108" VERTICAL BORING MILL, s/n NA, 108" Diameter Table w/(4) Bolt-On Chuck Jaws, 126" Maximum Swing, 84" Maximum Height Under Rail, (2) Rail-Mounted Swivel Ram Heads w/48" Travel, Side Ram Head, Newall C80 2-Axis DRO, 40-Hp AC Drive

VERTICAL TURRET LATHE

BULLARD CUTMASTER 54" VERTICAL TURRET LATHE, s/n 26822, 54" 4-Jaw Table, 60" Maximum Swing, Estimated 40" Maximum Height Under Rail, Rail Mounted 4-Position Turret Head, Side Ram, Table Speeds: 4.4–160 RPM

All Assets Must Be Removed by
Wednesday, February 1, 2017.
NO EXCEPTIONS.

Online Bidding at
www.perfectionindustrial.com



LUCAS PRECISION 542B-144 5" TABLE-TYPE HORIZONTAL BORING MILL



SUPERMILL 3" TABLE-TYPE HORIZONTAL BORING MILL



GIDDINGS & LEWIS FRASER 80G130RT 5" TABLE-TYPE
HORIZONTAL BORING MILL



BULLARD CUTMASTER 54" VERTICAL TURRET LATHE

To discuss your requirements for an auction, please call Perfection Industrial **847-545-6374**

CNC VERTICAL MACHINING CENTER, CNC LATHE, LATHES, CYLINDRICAL GRINDER, BALANCERS, VACUUM FURNACE, CAR BOTTOM FURNACE, FLAME CUTTING MACHINE



**MILLTRONICS
VM17 SERIES 1
CNC VERTICAL
MACHINING
CENTER**

**VICTOR 201205
20/27" X 120"
GAP BED
ENGINE LATHE**



CNC VERTICAL MACHINING CENTER

2004 MILLTRONICS VM17 SERIES 1 CNC VERTICAL MACHINING CENTER, s/n 8178, 16" x 45" Table, CAT 40 Taper, 24 ATC, Centurion 7 Control, Chip Auger

CNC LATHE

2004 HAAS SL-30T CNC TURNING CENTER, s/n 69168, 12" 3-Jaw Schunk Hydraulic Chuck, 12-Position Turret, Tailstock, Tool Presetter, Chip Auger

LATHES

VICTOR 201205 20/27" X 120" GAP BED ENGINE LATHE, s/n CE9311-003, 20-1,500 RPM (12-Speed), English/Metric Threading, Taper, 3-1/8" Thru-Hole, 15-1/2" 4-Jaw Chuck, Steady Rest

HARRISON M500 21" X 60" ENGINE LATHE, s/n M502584-2438, 31-1,600 RPM (18-Speed), English/Metric Threading, 3-1/8" Thru-Hole, 12" 4-Jaw Chuck, Steady Rest, Coolant

MONARCH 610 16" X 54" ENGINE LATHE, s/n 48105, Type 1610 x 54, 12-1,500 RPM, English Threading, 12" 3-Jaw Chuck, 2-1/8" Thru-Hole

MONARCH 10EE TOOLMAKERS LATHE, s/n 53870, 10" x 20", 12-1/2" Swing, Variable Speed 0-4,000 RPM, 1-3/8" Thru-Hole, Collet Chuck, Coolant

CYLINDRICAL GRINDER

LANDIS 24" X 168" PLAIN O.D. CYLINDRICAL GRINDER, s/n 24873, Motorized Headstock, Tailstock, Coolant, DRO



LANDIS 24 X 168 PLAIN O.D. CYLINDRICAL GRINDER

BALANCERS

2011 SCHENCK ESI VERTICAL BALANCER, s/n SOAVH0002

2003 SCHENCK AHH-8519M HORIZONTAL BALANCER, s/n HM50B, (2) Shaft Centering Rests, CAB802H Control Console (Incomplete)



SCHENCK AHH-8519M HORIZONTAL BALANCER



MONARCH 10EE TOOLMAKERS LATHE



KOIKE ARONSON IK-1200J FLAME CUTTING MACHINE

FLAME CUTTING MACHINE

KOIKE ARONSON IK-1200J FLAME CUTTING MACHINE, s/n 1248498, Capacity 48" x 48", (1) Oxy/Fuel Cutting Torch, (1) Plasma Cutting Torch-No Power Supply, 6' x 10' Dry Cutting Table, Linear Tracing Eye

All Assets Must Be Removed by
Wednesday, February 1, 2017.
NO EXCEPTIONS.



SCHENCK ESI VERTICAL BALANCER



MONARCH 610 16" X 54" ENGINE LATHE



IPSEN BOTTOM LOADING CYLINDRICAL VACUUM FURNACE

CAR BOTTOM FURNACE

LINDBERG NATURAL GAS FIRED CAR BOTTOM HEAT TREAT FURNACE, s/n 62025045, I.D. 5'W x 10'L x 5'H, 1,400°F Maximum Temperature, Weight Limit 17,000-Lbs

TDS AUTOMATION WHEEL LIFT BLAST ROOM TRANSPORT CART, s/n 2013, 160,000-Lb Capacity, Propane Engine Powered, Platform Size 8' x 24', Remote Pendant Control, w/10' x 32' Custom Built Workpiece Table

VACUUM FURNACE

IPSEN BOTTOM LOADING CYLINDRICAL VACUUM FURNACE, s/n 56205, 2,300°F Maximum Temperature, Natural Gas Fired, 60" Diameter x 90" Chamber Size, Maximum Weight 4,650-Lbs, Stokes 412-H10 Vacuum Unit

TOOL ROOM & FABRICATION MACHINERY, WELDING, INSPECTION & TESTING



ROUSSELLE P010025 60-TON X 10' HYDRAULIC PRESS BRAKE

TOOL ROOM & FABRICATION MACHINERY

ROUSSELLE P010025 60-TON X 10' HYDRAULIC PRESS BRAKE, s/n 5530786, Autogauge Backgauge, 102" Between Housings, 20" Throat, w/Assorted Brake Dies

HILL ACME #5 METALWORKER HYDRAULIC IRONWORKER, s/n 8005135-02, Angles: 5" x 5" x 1/2" @ 90°/4" x 4" x 3/8" @ 45°; Punch: 1-1/4 Diameter Thru 3/4"-1-1/16" thru 7/8"; Flats: 1" x 4"-3/4" x 6"-5/8" x 10"; Rounds: 1-7/8"; Squares: 1-3/4"; Notch: 3" x 3" x 1/2"; 90° Cope-3" x 4-1/4" x 1/2"

BRIDGEPORT 1-1/2 HP VARIABLE SPEED VERTICAL MILLING MACHINE, s/n 12BR-219716, 42" Power Feed Table

MACHINISTS' CORPORATION UNIPower VARIABLE SPEED VERTICAL MILLING MACHINE, s/n NA, 10" x 48" Power Feed Table

REID 618HYD 6" X 18" HYDRAULIC SURFACE GRINDER, s/n 17639, *Note-No Chuck

OLIVER 600 DRILL POINT GRINDER, s/n 67390

EXCELLO 6" DOUBLE END CARBIDE TOOL GRINDER

SETCO 106 12" 2-HP DOUBLE END PEDESTAL GRINDER, s/n 104635

CINCINNATI 8" 1.5-HP DOUBLE END PEDESTAL GRINDER

TOLEDO BEAVER NO. 14 ABRASIVE CUT-OFF SAW, s/n 153.100.02031

JET J-4202A COMBINATION 6" BELT/12" DISC SANDING/GRINDING MACHINE, s/n 13090359

SCOTCHMAN 10" X 16" CAPACITY METAL CUTTING HORIZONTAL BANDSAW, s/n NA, Miter Head, Power Clamp, Gravity Roller Conveyor Table

WILTON 8020 20" VERTICAL BANDSAW, s/n 88E1025, Blade Welder/Grinder

BIG RED 20-TON H-FRAME HYDRAULIC SHOP PRESS

DAKE H-FRAME HYDRAULIC SHOP PRESS, Estimated 25-Ton, Hand-Pump Hydraulics



HILL ACME #5 METALWORKER HYDRAULIC IRONWORKER



BRIDGEPORT 1-1/2 HP VARIABLE SPEED VERTICAL MILLING MACHINE



MACHINISTS' CORPORATION UNIPower VARIABLE SPEED VERTICAL MILLING MACHINE



VIEW OF SANDERS AND SAW



SCOTCHMAN 10" X 16" CAPACITY METAL CUTTING HORIZONTAL BANDSAW



WILTON 8020 20" VERTICAL BANDSAW, BLADE WELDER/GRINDER

WELDSALE 5' X 8' WELDING TABLE
5' X 5' WELDING TABLE

ALSO AVAILABLE: TORCH CARTS, GAUGES, HOSE, CYLINDER CARTS, WELDING SUPPLIES AND TOOLS



VIEW OF WELDERS

WELDING

(2) MILLER SYNCROWAVE 250DX WELDING POWER SUPPLY, s/n MC250169L and LH010295L

MILLER SYNCROWAVE 300 WELDING POWER SUPPLY, s/n JD665205

MILLER INVISION 456MP WELDING POWER SUPPLY, s/n LC24322, w/Series 60 Wire Feeder and Coolmate 4 Water Cooler

(2) MILLER 350P WIRE FEED WELDER, s/n MB150059B and LH250519B

(2) MILLER DYNASTY 200 WELDING POWER SUPPLY, s/n MD440104L and MD440060L

MILLER SPECTRUM 625 PLASMA CUTTER, s/n LJ030221P

MILLER CBI-400 WELDING POWER SUPPLY, s/n HK314093

HENKEL K-450 DRY ROD OVEN, s/n 1111290, 1,000 Watt

WELDSALE 8' X 10' 2-PIECE WELDING TABLE



WELDING TABLES



INSTRON M3 CREEP/STRESS RUPTURE TESTING SYSTEM



BUEHLER OSCILLAMET METALLURGICAL WET-TYPE ABRASIVE SAMPLE CUT-OFF SAW

Online Bidding at www.perfectionindustrial.com

INSPECTION & TESTING

TELESIS TMM4215 PINSTAMP MARKING SYSTEM 6' X 10' X 12" THICK 2-LEDGE BLACK GRANITE SURFACE PLATE

BUEHLER OSCILLAMET METALLURGICAL WET-TYPE ABRASIVE SAMPLE CUT-OFF SAW

2009 INSTRON M3 CREEP/STRESS RUPTURE TESTING SYSTEM, s/n CREEPR1849, 3,000 Kg Frame Capacity, w/Lever Arm Loading System

LOT LAB FIXTURES INCLUDING HAMILTON SAFEFAIRE FUME EXHAUST HOOD W/BENCH, Leco VP-160 3-Station Polishing Bench, w/Wet Sink

6' X 10' 2-LEDGE GRANITE SURFACE PLATE, 8" Ledge, Outside

ALSO AVAILABLE: VERNIER CALIPERS, PRECISION LEVELS, INSIDE AND OUTSIDE MICROMETERS, AND GRANITE PLATES



HAMILTON SAFEFAIRE FUME EXHAUST HOOD W/LECO VP-160 3-STATION POLISHING BENCH W/WET SINK

All Assets Must Be Removed by Wednesday, February 1, 2017.
NO EXCEPTIONS.

JIB CRANES & LIFTING, PLANT SUPPORT & MORE



56-TON CAPACITY CRANE LIFT
SPREADER BAR, 28' LENGTH

Online Bidding at
www.perfectionindustrial.com



40' CONTAINERS



VIEW OF PALLET RACKING



VIEW OF STRONGHOLD CABINETS



SAFETY CABINETS



TOOL CABINETS



VIEW OF PEDESTAL FANS



ALSO AVAILABLE: PALLET RACKING, VIDMAR, LISTA AND NU-ERA BALL BEARING TOOL CABINETS, STRONGHOLD CABINETS, PLATFORM CARTS, PALLET JACKS, PED-ESTAL SHOP FANS, KENNEDY WORK BENCHES, BANDING SETS, HAND TOOLS, POWER TOOLS, PNEUMATIC TOOLS AND MUCH MORE

JIB CRANES & LIFTING

1-TON WALL-MOUNTED JIB CRANE, w/Dayton 1-Ton Electric Chain Hoist, #20, (Blast)

1/2-TON WALL-MOUNTED JIB CRANE, w/Dayton 1/2-Ton Electric Chain Hoist, #20, (Blast)

1/4-TON WALL-MOUNTED JIB CRANE, 17' Reach, w/Yale 1/4-Ton Electric Chain Hoist, (Shipping)

1/4-TON WALL-MOUNTED JIB CRANE, 20' Reach, w/CM Lodestar 1/4-Ton Electric Chain Hoist, (Shipping); *Note-Brackets Remain w/Building

1/4-TON HOIST SYSTEM, w/2-Post Frame, Stationary I-Beam, and Dayton 1/4-Ton Electric Chain Hoist, (Blast)

DAYTON 1-TON WALL-MOUNTED JIB CRANE, w/CM ValuStar 1-Ton Electric Chain Hoist, (Down)

CUSTOM BUILT 56-TON CAPACITY CRANE LIFT SPREADER BAR, 28' Length, (2) Adjustable Lifting Rings

CUSTOM BUILT 4-POST MOTORIZED ELEVATING LIFTING/ STACKING PLATFORM, Platform Size 15' x 15', Estimated 10' Lift

ALSO AVAILABLE: LARGE QUANTITY OF ENERPAC HYDRAULIC JACKS FROM 10- TO 75-TON, SHACKLES, AND LIFTING RINGS

PLANT SUPPORT

SAMSCO SWE-II 600 SERIES WATER EVAPORATOR SYSTEM, s/n 2359, Type M606NAA, Natural Gas Fired, w/500/700/ and 1,500-Gallon Poly Holding Tanks

TORIT DONALDSON DMC-12 DUST COLLECTOR, s/n IG700323, 5-Hp

FARR SIZE 16D DUST COLLECTOR, s/n 9304-J0

ONAN 100 KW AC GENERATOR, w/Waukesha F817GU Natural Gas Fired Engine

GASOLINE POWERED STANDBY AC GENERATOR, Mfr. NA, Estimated 100 kW, w/Ford V-8 Gas Engine

SULLIVAN/PALATEK 150DG ROTARY SCREW AIR COMPRESSOR, *Not in Service, Missing Motor

52-TON TRANE CGAM-052F-2C02-AXD2 CHILLER, s/n U10L19294, *Stored-Not Under Power

(3) 40' CON-EX CONTAINER W/CONTENTS

(2) 20' CON-EX CONTAINER W/CONTENTS

MART TORNADO 40 CABINET-TYPE PARTS WASHER, s/n 7239, Natural Gas Fired Heat, Chamber Size 40" Diameter x 36" High

View our current auction schedule at www.perfectionindustrial.com

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 16% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied.

FOR FURTHER INFORMATION

For further information contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com. For accounting and invoicing questions, contact Inesa Dicapetris at (847) 427-3333 or inesa@perfectionindustrial.com.

REMOVAL

All items must be removed by Wednesday, February 1, 2017. NO EXCEPTIONS. Removal hours are Monday through Friday from 8:00 AM – 4:00 PM. Extended hours and weekends may be accommodated by prior appointment.

RIGGERS

MEI Rigging and Crating.....(281) 442-0544
Christopher Snowden: christopher.snowden@meilc.com
Able Machinery Movers.....(713) 460-2253
Tom Deer: tdeer@ablemachineryhouston.com

AUCTION LICENSE

Joe Lundvick, TX License # 17682
Steve Kleba, TX License # 17683

Sale Closing From: Tuesday, January 17, 2017 at 1:00 PM CST
Location: 20120 E. Hardy Road, Houston, Texas 77073
Inspection: Monday, January 16 from 9:00 AM to 4:00 PM CST

All Assets Must Be Removed by
Wednesday, February 1, 2017.
NO EXCEPTIONS.