LIVE WEBCAST ONLINE ONLY AUCTION

ASSETS SURPLUS TO A DRILLING EQUIPMENT DESIGNER & MANUFACTURER



An Astec Industries Co.

FEATURING: 2012 WHITNEY 3400 XP Combination Punch/Plasma Machine, (2) 2014 DOOSAN PUMA 300 LC Turning Centers, SCOTCHMAN DO 120/200 Ironworker, (38) Late Model Miller & Lincoln TIG, MIG & Rip Pulse Welders, Plate Rolls, Fab Equipment, Machine Tools, Inspection, Factory Support Equipment, Large Quantity of Rolling Stock & More!



WHITNEY XP 3400 CNC PUNCH/PLASMA SYSTEM



(1 OF 2) DOOSAN PUMA 300LC CNC TURNING CENTERS

SALE DATE

Thursday, December 10 at 10:00 AM CT

SALE LOCATION

2215 S Van Buren Street, Enid, Oklahoma 73703

INSPECTION

Wednesday, December 9 from 8:30 AM to 4:30 PM CT or by Appointment

Pre-Auction Offers Invited on Major Assets

COMPLETE CATALOG & INFORMATION: https://perfection.global/gefco

PERFECTION Industrial Sales
Perfection Industrial Sales

Perfection Industrial Sales ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com Sale is Being Held in Conjunction With:



Webcast Bidding Available Through



ph +1-631-249-5566 www.prestigeequipment.com

CNC PUNCH/PLASMA SYSTEM, (2) CNC TURNING CENTERS, HOLLOW SPINDLE LATHES



DOOSAN PUMA 300LC CNC TURNING CENTER



LODGE & SHIPLEY 2XE3220 40" X 144" HOLLOW SPINDLE LATHE



LEBLOND REGAL 24"X 120" HOLLOW SPINDLE LATHE

CNC PUNCH/ PLASMA SYSTEM

2012 WHITNEY XP 3400 CNC PUNCH/PLASMA SYSTEM, s/n 682500045748, w/SIEMENS SINUMERIK Control, 55 Ton, .500" Max. Material Thickness, 5" Max. Punch Dia., Travels: 60" Y-Axis x 140" X-Axis, HYPERTHERM HPR260XD Plasma Power Source, s/n 260XD-003905, Skeleton Drop Table, DONALDSON TORIT DFT3-12 Collection System

(2) CNC TURNING CENTERS

(2) 2014 DOOSAN PUMA 300LC CNC TURNING CENTERS, s/n ML0065-003873, ML0065-003872, w/DOOSAN-FANUC i Series Control, 15.7" Max. Turning Dia., 50.4" Max. Turning Length, 22.4" Swing Over Bed, 52.8" Distance Between Centers, Travels: X-11.1" x Z-52.4", 12" 3-Jaw Chuck, 12-Position Turret, Tailstock, Chip Conveyor

HOLLOW SPINDLE LATHES

LODGE & SHIPLEY 2XE3220 40" X 144" HOLLOW SPINDLE LATHE, s/n 50059, w/12" Spindle Hole, 32.5" Swing Over Carriage, 28" 4-Jaw Chuck, 900 RPM, Tailstock, (2) Steady Rests

LEBLOND REGAL 24" X 120" HOLLOW SPINDLE LATHE, s/n 6HS458, w/9" Spindle Hole, 21"
Front and Rear Chucks, 12" 3-Jaw Chuck, 9–400
RPM, (2) Steady Rests, Tailstock

LEHMAN HYDRATROL 28" X 120" HOLLOW SPINDLE LATHE, s/n 5882, w/8" Spindle Hole, 21" 4-Jaw Chuck, 14–270 RPM, (2) Steady Rests, Tailstock

LEBLOND REGAL 28" X 60" HOLLOW SPINDLE LATHE, s/n 2H599, w/9" Spindle Hole, 24" 4-Jaw Chuck, 9-400 RPM, (2) Steady Rests, Tailstock



LEHMAN HYDRATROL 28" X 120" HOLLOW SPINDLE LATHE



LEBLOND REGAL 28" X 60" HOLLOW SPINDLE LATHE





5" SACEM MST 130 HORIZONTAL TABLE TYPE BORING MILL



MORI SEIKI MH-3000 33" X 120" GAP BED ENGINE LATHE

MILLS

5" CINCINNATI GILBERT HORIZONTAL TABLE TYPE BORING MILL, s/n 249-J, w/120" x Table, Spindle Speeds 10-1,000 RPM, 5-120 IPM Head and Table, 2" Min. Center of Spindle to Table, 84" Vertical Travel, NEWALL DP700 DRO (New Control, Electronics and Lead Screw 2018)

CINCINNATI GILBERT 50" X 72" AIR LIFT TABLE (Sold Separately)

5" SACEM MST 130 HORIZONTAL TABLE TYPE BORING MILL, s/n 1141, w/78.75" x 63" Built-In Rotary Table, 6–1,200 RPM, 43.375" Spindle Traverse, 56" Max. Boring Dia., 15.75" Max. Milling Dia., 56" Max. Facing Dia., Spindle Support, #50 Taper, 78.75" Table Longitudinal Travel, 118" Auto. Table Cross Travel, 0-63" Height Spindle Center to Table, **NEWALL DP700 DRO**

SUMMIT 3UH-P04-0 3-SERIES 5.5 HP UNIVERSAL MILL, s/n 11020948, w/14" x 59" Table, #50 Taper, NEWALL DP700 DRO

KEARNEY AND TRECKER 20 HP HORIZONTAL MILL, s/n 1812-S-1-6050



LODGE & SHIPLEY 2013/17 POWERTURN 26" X 120" ENGINE LATHE



SUMMIT 3UH-P04-0 3-SERIES 5.5 HP

MACHINE TOOLS

MORI SEIKI MH-3000 33" X 120" GAP BED ENGINE LATHE, s/n 3270, w/3-Jaw Chuck, 27–1,200 RPM, (2) Steady Rest, Quick Change Tool Post, Tailstock

LODGE & SHIPLEY 2013/17 POWERTURN 26" X 120" ENGINE LATHE, s/n 48211, w/15" 4-Jaw Chuck, 14-1,160 RPM, Quick Change Tool Post, (2) Steady Rests, Tailstock

MORI SEIKI MR-200 24" X 74" ENGINE **LATHE,** s/n 520, w/28–1,850 RPM, 12" 3-Jaw Chuck, Tailstock, Steady Rest

SOUTH BEND 113C 13" X 60" ENGINE LATHE, s/n na, w/8" 3-Jaw Chuck, Tool Post,

INDIAN ENTERPRISE 6" X 39" TOOL ROOM LATHE, s/n IEL2-684, w/Collet Chuck, Quick Change Tool Post, Tailstock, Steady Rest

HERCULES 8' X 18" RADIAL ARM DRILL, s/n na, w/15-2,000 RPM, 23" x 32" x 16" Tilting Table, 10 hp

SUMMIT 8' X 18" RADIAL ARM DRILL, s/n na, w/15-2,000 RPM, 23" x 32" x 16" Tilting Table, 10 hp

WILLIS-BERGO FS1000 3' X 9" RADIAL ARM DRILL, s/n 79832, w/1,200 RPM, 22" x 28" x 12" Tilting Table

LANDIS TYPE 3RH 18" X 96" UNIVERSAL CYLINDRICAL GRINDER, s/n 867-5

LANDIS TYPE 3R 14" X 72" UNIVERSAL CYLINDRICAL GRINDER, s/n 796-7, w/JENIX DSC802L DRO

CINCINNATI 36" HEAVY DUTY SHAPER, s/n na, w/37" Stroke, 28" x 16" Table, 8-102 SPM

CINCINNATI 24" HEAVY DUTY SHAPER, s/n na, w/24.75" Stroke, 20" x 16" Table, 9-119





VIEW OF TOOLING



VIEW OF CLAMPING



VIEW OF VISES



HERCULES 8'X 18" RADIAL ARM DRILL



SUMMIT 8'X 18" RADIAL ARM DRILL



TYPE 3RH IINIVERSAL GRINDER



LANDIS UNIVERSAL CYLINDRICAL GRINDER



INSPECTION

Wednesday, December 9 from 8:30 AM to 4:30 PM CT or by Appointment

FABRICATING MACHINERY, WELDING DEPARTMENT

70 70 70 120 TON

FABRICATING MACHINERY

SCOTCHMAN D.O. 120-24 120 TON HYDRAULIC IRONWORKER, s/n 1070M803, w/24" Shear, Dual Operator BERTSCH 6' X .375" 3-ROLL PLATE BENDING ROLL, s/n M-10401

2004 DOALL C-1321 DS HORIZONTAL BANDSAW, s/n 550-04144, w/Power Clamping

CINCINNATI 1812 POWER SQUARING SHEAR, s/n 33870, $12' \times .250"$ Capacity, (2) Front Supports, 6' Squaring Arm, 36" Front Operating Back Gauge

WELDING DEPARTMENT

LINCOLN 375 PRECISION TIG WELDER, s/n U1110911213

LINCOLN 275 PRECISION TIG WELDER, s/n U1171207583

LINCOLN SQUARE WAVE TIG WELDER, s/n AC794616

PANASONIC HMII500 DIP PULSE MIG WELDER, w/PANASONIC YW-501Fk4 Wire Feed

LINCOLN FLEXTEC 450 MULTI-PROCESS WELDER, s/n U1110905986, w/LINCOLN LF-74 Wire Feed, s/n U1110901398

MILLER XMT 456 CC/CV MULTI PROCESS WELDER, s/n LF440369A, w/MILLER S-74D Wire Feed, s/n LJ210201U

MILLER XMT 350 CC/CV MULTI PROCESS WELDER, s/n LF279105, w/MILLER S-74D Wire Feed, s/n LJ10239U, and Boom Cart

LINCOLN INVERTEC V350 PRO MULTI PROCESS WELDER, s/n U1030618713, w/LINCOLN DOUBLE HEADER DH-10 Wire Feed, s/n U1070509087, w/Boom Cart

LINCOLN INVERTEC V350 PRO MULTI PROCESS WELDER, s/n U1181200424, w/LINCOLN LN-10 Wire Feed, s/n U1070200422, w/Boom Cart

(18) LINCOLN INVERTEC V350 PRO MULTI-PROCESS WELDERS, Equipped w/LF-74, LF-72, LN-10, LN-7 Wire Feeds, NOTE: Please See Catalog for Serial Numbers and Feed Configurations

MILLER XMT 350 CC/CV MULTI-PROCESS WELDER, s/n LF304715, w/MILLER S-74D Wire Feed, s/n LJ210240U

MILLER INVISION 450 MPA MIG WELDER, s/n ME402565U, w/MILLER S-74 MPa Plus Wire Feeder, s/n ME455044U

MILLER CP-300 ARC WELDER, s/n JH254539

LINCOLN DIALARC 250 AC/DC STICK WELDER, s/n LF240416, w/MILLER XR-A Extended Reach Wire Feed, s/n KH421123

LINCOLN COBRAMATIC WIRE FEED, s/n 97040095

LINCOLN PRO-CUT 80 PLASMA CUTTING SYSTEM, s/n U1981205517

THERMAL DYNAMICS CUTMASTER 101 PLASMA CUTTING SYSTEM, s/n 02595538

(2) THERMAL DYNAMICS CUTMASTER 82 PLASMA CUTTING SYSTEMS, s/n MX1240010203, 05461965

(2) ESAB POWERCUT 1500 PLASMA CUTTING SYSTEM, s/n PG-J511023, PE-J431056

ARONSON HD20A-PTVR2 2,000 LB. WELDING POSITIONER, s/n 80935, w/24" Dia. Table, 18" 3-Jaw Chuck

RANSOME 10-P 1,000 LB. WELDING POSITIONER, s/n 1411133, w/36" Table, 19.5" 3-Jaw Chuck

2017 BAILEIGH WP-450 WELDING POSITIONER, s/n KJ-220-1702-C018

ALSO: (20) 3M SPEEDGLAS PAPR Welding Helmets, (20) Torch Carts, Gauges, Tips, Welding Wire and More



VIEW OF ASSORTED WELDERS

VIEW OF ASSORTED WELDERS







RERTSCH 6'X 375" 3-ROLL PLATE RENDING ROLL



DOALL C-1321 DS HORIZONTAL BANDSAW



CINCINNATI 1812 POWER SQUARING SHEAR

MISCELLANEOUS MACHINES, FACTORY SUPPORT



GOFF 48TB TABLE TYPE ABRASIVE BLAST SYSTEM

MISCELLANEOUS MACHINES

GOFF 48TB TABLE TYPE ABRASIVE BLAST SYSTEM, s/n 07481-50-7179, w/48" Dia. Table, 36" Max. Work Piece Height, Collection System

BONAL META-LAX VIBRATORY STRESS RELIEF AND WELD CONDITIONING SYSTEM W/2700 SERIES CONTROL

NUGIER H-100 MD 100 TON HYDRAULIC H-FRAME PRESS, s/n 1748

ENERPAC HYDRAULIC H-FRAME SHOP PRESS, w/ENERPAC PER5045

10,000 PSI Hyd. Pump System



NUGIER H-100 MD HYDRAULIC H-FRAME PRESS

KR WILSON 37FMD1 75 TON HYDRAULIC H-FRAME SHOP PRESS, s/n 1066, w/ ENERPAC PER3042A 10,000 PSI Hyd. Pump System

JET J-4210K 6" Belt/10" Disc Combination Sander, s/n 1710193; BARRETT B-85 Giant Pneumatic Air Riveter, s/n 1080L; HAMMOND 14-S Dual End Grinder, s/n 1970; ELECTRO ARC 2SA Metal Disintegrator, s/n 2063; RIDGID B-500 Transportable Pipe Beveler; RIDGID 535 Pipe Threader



BONAL META-LAX VIBRATORY STRESS RELIEF AND WELD CONDITIONING SYSTEM



COLD JET AERO 40FP DRY ICE BLASTER



TENNANT 6400 ELECTRIC POWER SWEEPER



TRIMOS HORIZON PREMIUM 1000 HORIZONTAL DIGITAL MEASURING GAGE

FACTORY SUPPORT

2017 COLD JET AERO 40FP DRY ICE BLASTER, s/n 2A0290-G1-F-3452

TENNANT 6400 ELECTRIC POWER SWEEPER, s/n 6400-3698

MAX-PAK MP60HD15 VERTICAL BALER, s/n 071311049

PARKER HANNIFIN HYDRAULIC HOSE CRIMPER

TRIMOS HORIZON PREMIUM 1000 HORIZONTAL DIGITAL MEASURING GAGE

ALSO: Large Selection of Inspection Gauges and Instruments, Pallet Jacks, Shelving Units, Work Benches, Steel Tables, Welding Tables, Shop Carts, Tool Holders, Perishable Tooling, Hand Tools, Power Tools, Pneumatic Tools, C-Clamps, Shop Fans, Air Hose Reels, Electric Reels, Dump Hoppers, Air Compressors, CALDWELL 3 Ton Rolling Gantry w/INGERSOLL RAND Pneumatic Hoist, Pendant Control, 13'W x 14' Under Rail, RIGID LIFELINES/SPANCO Rolling Safety Gantry System, (2) Track, (2) People/900 Lb. Capacity, 19'W x 16' Under Rail (Changeable Height),

CBG TECHNOLOGIES S600 Paint Recycler System, s/n SB0415, Selection Paint Pots and Mixers



MAX-PAK MP60HD15 VERTICAL BALER



PARKER HANNIFIN HYDRAULIC HOSE CRIMPER



VIEW OF HAND TOOLS



LYON AND VIDMAR MULTI-DRAWER CABINETS

SALE DATE

Thursday, December 10 at 10:00 AM CT

INSPECTION

Wednesday, December 9 from 8:30 AM to 4:30 PM CT or by Appointment



VIEW OF INSPECTION EQUIPMENT



VIEW OF ASSORTED TOOLING CARTS



VIEW OF ASSORTED C CLAMPS



(2) PORTABLE COMPRESSORS



PETERBILT 337 SERVICE TRUCK



1998 FREIGHTLINER FC1 SI FFPFR CAR HIGHWAY TRACTOR



2013 FORD F150XLT ECOBOOST

ROLLING STOCK

2013 PETERBILT 337 SERVICE TRUCK, VIN #2NP2HN7X8DM181075, w/258.988 Miles, MILLER BOBCAT 250 Welder/Generator, STELLAR 12628 Service Crane 1999 VOLVO DAY CAB HIGHWAY TRACTOR, VIN #4VG7DBUF0XN787906. 403,173 Miles

1998 FREIGHTLINER FC1 SLEEPER CAB HIGHWAY TRACTOR, VIN #1FUYNMDB5WP901431,

1981 GMC G-6500 FLATBED TRUCK, VIN #IGDK7DIGXBV584321, 54,383 Miles 2008 FORD F350 FLATBED TRUCK, VIN #1FDWF36518EB78202, Gas. 167.522 Miles 2008 FORD F250 SUPERDUTY PICKUP, VIN #1FTSX20R88EA91290, w/Diesel Pwr., 284 238 Miles

2014 DODGE RAM 1500 4X4 PICKUP, VIN #1C6RR7LG9ES247602, Crew Cab, Toolbox, Running Box, 139,009 Miles

2013 FORD F150XLT ECOBOOST 4X4 PICKUP, VIN #1FTRFW1ET6DKF06394, w/139.845 Miles

2013 FORD F150XLT ECOBOOST 4X4 PICKUP, VIN #1FTFW1ET6DFA80912. w/183,149 Miles

2012 FORD EXPEDITION XLT FLEX FUEL SUV, VIN #1FMJU1H55CEF24827, 139,222 Miles

2005 TRAIL KING T/A DUALLY TAG-A-LONG EQUIPMENT TRAILER, VIN #1TKC0272958B119363

> 2008 FORD F350

TRUCK

2008 HANK WILLIAMS T/A DUALLY GOOSENECK EQUIPMENT TRAILER, VIN #1H9FG25278S13305

1992 PARK T/A DUALLY GOOSENECK EQUIPMENT TRAILER, VIN #22808 1994 VIKING T/A DUALLY DROP FRAME TRAILER, VIN #1V9CS3520RN062078 JOHN DEERE GATOR CX UTILITY VEHICLE



1999 VOLVO DAY CAB HIGHWAY TRACTOR



1500 4X4 **PICKUP**



IOHN DEFRE GATOR CX UTILITY VEHICLE



HANK WILLIAMS T/A DUALLY EQUIPMENT TRAILER



TRAIL KING T/A DUALLY FOUIPMENT TRAILER

To discuss your requirements for an auction, please call Perfection **Industrial** +1-847-545-6374

View our current auction schedule at www.perfectionindustrial.com

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of quarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

REMOVAL

All small, hand-carry lots must be removed no later than Tuesday, December 15. Larger machining and fabricating assets must be removed no later than Wednesday, December 30. All removal is strictly on an appointment only basis. No removal will be permitted on holidays or weekends unless prior arrangements have been made. Removal hours are Monday through Friday, 8:00 AM to 4:00 PM CT. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction.

Please contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

SALE DATE

Thursday, December 10 at 10:00 AM CT

SALE LOCATION

2215 S Van Buren Street, Enid, Oklahoma 73703

INSPECTION

Wednesday, December 9 from 8:30 AM to 4:30 PM CT or by Appointment