

# ONLINE AUCTION

COMPLETE CLOSURE OF



**GLOBAL  
PRECISION  
PARTS**

**Brooklyn Park, MN**

**MANUFACTURING  
FACILITY**

**FEATURING:** 2014 DOOSAN Puma GT2100B Turning Center, 2013 DOOSAN Lynx 220LC Turning Center, NAKAMURA-TOME SC-300L Slant Bed Lathe, DOOSAN, DAEWOO, TECNO WASINO, KIA & TAKISAWA Turning Centers, 2007 DOOSAN MV-4020 VMC, DAEWOO DMV-4020 VMC, ENSHU & MATSUURA VMC's, LNS Bar Feeds, ROTO-FLO Spline Roller, Machine Tooling, Conventional Machine Tools, Tool Room Equipment, Plant Support Equipment & More



DOOSAN PUMA GT2100B TURNING CENTER

**Pre-Auction Offers  
Invited on  
Major Assets**

## **SALE CLOSING FROM**

Thursday, September 8, from 10:00 AM CT

## **LOCATIONS**

5800 69th Avenue, Brooklyn Park, Minnesota 55429

1040 4th Avenue, Audubon, Iowa 50025

## **INSPECTION**

Wednesday, September 7, by Appointment Only



DOOSAN MV4020L VERTICAL MACHINING CENTER

Complete Catalog & Information Available at  
<https://perfection.global/t1m4>



**PERFECTION  
Industrial Sales**

**Perfection Industrial Sales**  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Bidding Available Through  
**BidSpotter**



TURNING CENTERS

TURNING CENTERS

**2014 DOOSAN PUMA GT2100B TURNING CENTER**, s/n ML0262-000125, FANUC I Series Control, Collet Chuck, 12-Position Turret, 15.350" Max. Turning Dia., 23.6" Swing, 22" Max. Turning Length, 2.625" Bar Capacity, LNS Quick Load Servo 80 S2 Bar Feed, s/n 7054901 (Bar Feed to Be Offered Separately)

**2013 DOOSAN LYNX 220L TURNING CENTER**, s/n ML0022-005851, FANUC I Series Control, Collet Chuck, 12-Position Turret, Tailstock, 9.8" Turning Dia., 20.1" Swing, 20.1" Machining Length, 2" Bar Capacity, LNS Chip Conveyor, 2013 LNS Alpha SL65S Bar Feed, s/n 29026901 (Bar Feed to Be Offered Separately)

**2006 DOOSAN DAEWOO PUMA 280 TURNING CENTER**, s/n PM2800071, FANUC 21i-TB Control, 10-Position Turret, Collet Chuck, 16.14" Max. Turning Dia., 24.8" Max. Turning Length, 24.8" Swing, 27.8" Distance Between Centers, 9.53" X, 26.8" Z, Henning Chip Conveyor

**2006 TECNO WASINO A12 TURNING CENTER**, s/n 736, FANUC 18i-TB Control, 12-Position Turret, Collet Chuck, Live Milling, Robo-1 Gantry Loader, MAYFRAN Chip Conveyor

**2000 DAEWOO PUMA 300 MB GL TURNING CENTER**, s/n P30M0141, FANUC 18i-T Control, 10" 3-Jaw Chuck, 12-Position Turret, Tailstock, Gantry Loader, 14-Pallet Pool, 23.2" Swing, 25" Between Centers, 15.7" Max. Turning Dia., Turbo System Chip Conveyor, COOL JET High Pressure Coolant System



DOOSAN PUMA GT2100B TURNING CENTER



DOOSAN LYNX 220L TURNING CENTER



DOOSAN DAEWOO PUMA 280 TURNING CENTER



KIA KIT30A TURNING CENTER



TAKISAWA TC-4 TURNING CENTER



FMB DOPPEL TURBO 3800 BAR FEED



EMCO TURN 425MC TURNING CENTER



LNS QUICK LOAD SERVO 80 S2 BAR FEED



LNS ALPHA SL65S BAR FEED



TECNO WASINO A12 TURNING CENTER

**NAKAMURA TOME SC-300L TURNING CENTER**, s/n NA, FANUC 21-T Control, 12-Position Turret, Collet Chuck, Tailstock, 13.78" Turning Dia., 47.776" Machining Length, Turbo Chip Conveyor

**DAEWOO PUMA 8S TURNING CENTER**, s/n 0247, FANUC 0-T Control, Collet Chuck, 12-Position Turret, Tailstock, 14.6" Max. Turning Dia., 20.7" Max. Turning Length, 19.7" Swing Over Bed, 21.9" Distance Between Centers, 8.3" X, 21.7" Z, Turbo Chip Conveyor

**(2) TAKISAWA TC-4 TURNING CENTERS**, s/n THXR7437 and THX78446, FANUC 18-T Control, 12" 3-Jaw Chuck, 10-Position Turret, Tailstock, 23.62" Swing, 44" Between Centers, 17.32" Max. Turning Dia., 40.15" Max. Turning Length, Turbo Chip Conveyor

**KIA 4NEII600 TURNING CENTER**, s/n NE30330, FANUC 0-T Control, 12-Position Turret, 10" 3-Jaw Chuck, Tailstock, Mist buster Collection System, Turbo Chip Conveyor

**(2) KIA KIT30A TURNING CENTERS**, s/n 30980 and 30248, FANUC 0-T Control, Collet Chuck, 18.9" Swing Over Bed, 9.8"X, 15.7" Z, 1.5" Bar Capacity

**TAKISAWA TP-3 TURNING CENTER**, s/n THUX6381, FANUC 10T Control, Collet Chuck, 10-Position Turret, Tailstock

**(2) 2001 DAEWOO LYNX 210GL TURNING CENTERS**, s/n NA, FANUC 21i-T Control, 8" 3-Jaw Chuck, 12-Position Turret, 11" Max. Turning Dia., 11" Max. Turning Length, 18" Swing, Gantry Loader (Iowa Location)

**(2) EMCO TURN 425MC TURNING CENTERS**, s/n NA, SIEMENS Sinumerik Control, 12-Position Upper Turret, 12-Position Lower Turret, Dual Spindle, w/FMB Doppel Turbo 3800 Bar Feed and FMB Turbo ET425/3800 Bar Feeds (Bar Feeds To Be Offered Separately) (Iowa Location)

**(2) EMCO TURN 425 TURNING CENTER**, s/n R1AV63A1, SIEMENS Sinumerik Control, Dual Spindle, Dual Turret, 5,000 RPM, w/FMB Doppel Turbo 2000 Bar Feed, s/n 26-000256 and 2000 FMB Turbo ET 425/3800 Bar Feed, s/n 20-000407 (Bar Feeds to be Offered Separately) (Iowa Location)

**EMCO TURN 320 TURNING CENTER**, s/n A7SE3E50028, FANUC 0T Control, Collet Chuck, 8-Station Turret, 7" Swing (Iowa Location)

**KIA KIATURN 15 TURNING CENTER**, s/n KT15459, FANUC Control, 10" Max. Turning Dia., 16.14" Max. Turning Length, 21.65" Swing, 6.25"X 14.98"Z (Iowa Location)

**DAEWOO PUMA 200MSA TURNING CENTER**, s/n 20MS0001, FANUC Series 18-T Control, Collet Chuck, 12-Station Turret, 11.81" Max. Turning Dia., 20" Swing, 15.75" Max. Turning Length, w/SMW Spacesaver 12.65 Autoload Bar Feed (Bar Feed to be Offered Separately) (Iowa Location)

**DAEWOO PUMA 6S TURNING CENTER**, s/n 270030, FANUC Control, 17" Swing, 15" Max. Machining Length, 9.1" Max Turning Dia., 12-Position Turret, 1.5" Bar Capacity (Iowa Location)

Pre-Auction Offers Invited on Major Assets



DAEWOO LYNX 210GL TURNING CENTER



DAEWOO PUMA 300 MB GL TURNING CENTER



NAKAMURA TOME SC-300L TURNING CENTER



DOOSAN PUMA 200MSA TURNING CENTER



# VERTICAL MACHINING CENTERS, DRILL & TAP CENTER, MISCELLANEOUS MACHINERY, INSPECTION & SUPPORT



DOOSAN MV4020L VERTICAL MACHINING CENTER



DAEWOO DMV4020 VERTICAL MACHINING CENTER



ENSHU EV650 VERTICAL MACHINING CENTER



HYDROSTATIC TESTER



TECHNICA ZSM 150 CENTER HOLE GRINDER



ASSORTED DRILL PRESSES



CAT 50/CAT 40 TOOL HOLDERS

**SALE CLOSING FROM**  
Thursday, September 8,  
from 10:00 AM CT

**LOCATIONS**  
5800 69th Avenue,  
Brooklyn Park, Minnesota 55429  
1040 4th Avenue,  
Audubon, Iowa 50025

**INSPECTION**  
Wednesday, September 7,  
by Appointment Only




HAAS 10" 4TH AXIS TABLE



MATSUURA MC-500V VERTICAL MACHINING CENTER



ENSHU E130 DRILL AND TAP CENTER



MICHIGAN ROTO-FLO SPLINE ROLLER

MITUTOYO BHN706 CMM



## MISCELLANEOUS MACHINERY

**HYDROSTATIC TESTER**, 24' x 8" x 8", 15,000 PSI, **MICHIGAN ROTO-FLO SPLINE ROLLER**, s/n NA, Racine Hydraulic Unit, **EX-CELL-O 174 CENTER HOLE GRINDER**, s/n 1740290, **TECHNICA ZSM 150 CENTER HOLE GRINDER**, s/n 16159659, **CINCINNATI 18 ROYAL DRILL PRESS**, 9" Throat, 14.5" x 14" Table, 3100 Max. RPM, **DAYTON 3Z919 20" DRILL PRESS**, 10" Throat, 13.75" x 15.5" Table, 9-Speed, **JET JDP-17MF 17" DRILL PRESS**, 8.5" Throat, 11" Dia. Table, **CRAFTSMAN 137.219000 10" BENCH TOP DRILL PRESS**, s/n RLS1163, 6.5" x 7.5" Table, 3,100 RPM, **SEARS 8" BENCH TOP DRILL PRESS**, s/n 41714K0395, 3-Speed, 3,000 Max. RPM, **RYOBI 8" BENCH GRINDER**, ICKLER 2.5" Belt Sander, w/ MARATHON 1/2 HP Motor

## INSPECTION & SUPPORT

**MITUTOYO BHN706 CMM**, s/n 92080109, 42" x 60" x 10" Granite Plate, Renishaw PH6M Probe w/P17 Interface and CMMC-3S Control and Joystick

**ALSO: SURFACE PLATES, BENCH CENTERS, MICROSCOPES, ROCKWELL HARDNESS TESTER, HEIGHT GAGES, CAT 50 TOOLING, CAT 40 TOOLING, BT 30 TOOLING, COLLETS, PERISHABLE TOOLING, MACHINE VISES, STORAGE TRAILER, AND MORE**



LISTA CAT 50 STORAGE CABINET



QUINCY 25 HP AIR COMPRESSOR



INGERSOLL RAND TMS 0280 AIR DRYER



KURT VISES



STORAGE TRAILER

### REMOVAL

All items must be removed no later than Friday, September 30. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

### TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

### FOR FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at +1-847-545-6374 or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com).

View our current auction schedule at  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Pre-Auction Offers Invited on Major Assets