

# LIVE WEBCAST AUCTION



NIAGARA SC2-250-84-42 250-TON STRAIGHT-SIDE DOUBLE-CRANK PRESS

Facility Closure — Stamping, Fabrication, Finishing, Tool Room & Plant Support

# HEARTH&HOME

FEATURING: STAMPING, CNC TURRET PUNCHES W/LARGE SELECTION OF TOOLING, PRESS BRAKES, SHEAR, SEAM & SPOT WELDERS, PAINT LINE & BOOTHS, BATCH OVENS, INFRARED OVENS, TOOL ROOM & MUCH MORE



AMADA FO3015NT CNC LASER



AMADA VIPROS 358 KING II CNC TURRET PUNCHES

Sale Date: Thursday, February 16, 2017 at 10:00 AM EST

**Inspection:** Wednesday, February 15 from 8:00 AM – 4:00 PM EST

Sale Location: 149 Cleveland Drive, Paris, Kentucky 40361



Perfection Industrial Sales ph 847-545-6374 • fax 847-427-8884 www.perfectionindustrial.com Online Bidding Available Through



## **TURRET PUNCHES, CNC LASER, STAMPING PRESSES**



AMADA VIPROS 255 CNC TURRET PUNCH





**TURRET** OVER **PUNCH** 300 PIECES **TOOLING** 

AMADA PEGA 357 CNC TURRET PUNCH

### **TURRET PUNCHES**

(2) 2001 AND 2000 AMADA VIPROS 358 KING II CNC TURRET PUNCHES, s/n's 25840484, 35840298, w/Fanuc 18P CNC Control, 33-Ton, 58-Station, (4) Auto Index, 162" x 120" Table, 1,200 HPM Max. Hit Rate, 3,150 HPM Linear Positioning Speed, 1/2" Flange Max. Forming, 1/8" Max. Material Thickness, 4-1/2" Max. Punch Diameter, w/Brush Table, Automatic Sheet Repositioning, Koolant Koolers Chiller, Yuken 200L Hydraulic Unit

(1) 1999 AND (2) 1998 AMADA VIPROS 255 CNC TURRET PUNCHES, s/n's 2551029, 25510275, 25510247, w/Fanuc 18P CNC Control, 22-Ton, 31-Station, (3) Auto Index, 100" x 60" Tables, 340 Hits Per Minute on 1" Moves, 1/4" Max. Material Thickness, Brush Table, Automatic Sheet Repositioning, SBC EX3.0 Chiller

1992 AMADA PEGA 357 CNC TURRET PUNCH, s/n AA570470, w/33-Ton, 58-Station, (3) Auto Index, Amadan 04PC CNC Control

**ALSO: LARGE SELECTION OF TURRET PUNCH TOOLING** 

#### CNC LASER

**2004 AMADA FO3015NT CNC LASER,** s/n 37510707, 5' x 10' Max. Sheet Size, 3,150 IPM Max. Speed X-, Y-Axis, 2362 IPM Z-Axis, 4,000 Watt 2004 Fanuc Laser C4000, s/n L04540091, 61" Y-Axis Travel, 122.8" X-Axis Travel, 7.87" Z-Axis Travel, 1,875 Lbs Max. Material Weight, w/Torit ADF02-8 Dust Collector, Orion RKL-15000V-BA Chiller, Orion QSQ180-11CA Air Dyer

#### STAMPING PRESSES

(2) NIAGARA SC2-250-84-42 250-TON STRAIGHT-SIDE DOUBLE-CRANK PRESSES, s/n's 50527, 50528, w/84" x 42" Bed, 10" Stroke, 33" Shut Height, 11" Slide Adjustment, 30-80 SPM, 50" x 24" Window, Niagara C-22-5 Cushion

FEDERAL S2-150 150-TON STRAIGHT-SIDE PRESS, s/n S2-152, w/84" x 42" Ram and Bolster, 10" Stroke, 17" Shut Height, 32 SPM, 20" x 24" Window, Dual Palm Buttons, Vibro Dynamic Pads

MINSTER 70-4-1/2 70-TON GAP-FRAME PRESS, s/n 70-4.5-11826. w/24" x 36" Bed, 21" x 24" Ram, 3.5" Stroke, 4" Adjustment

BLISS C60 60-TON OBI PRESS, s/n H67383, w/21" x 32" Bed, 11" x 17" Ram, 4" Stroke, 3" Adjustment, 15-3/4" Shut Height

(2) MINSTER NO. 5 45-TON OBI PRESSES, s/n's 92685-R, 92675-R, w/18" x 28" Bed, 10" x 5" Hole in Bed, 4" Slide Stroke, 2-3/4" Adjustment



NIAGARA SC2-250-84-42 250-TON STRAIGHT-SIDE DOUBLE-CRANK PRESS

MINSTER 70-4-1/2

GAP-FRAME PRESS

70-TON



BLISS C60 60-TON **OBI PRESS** 



MINSTER NO. 5 45-TON **OBI PRESS** 



AMERICAN STEEL NO. 1000 20,000 LB COMBINATION REEL AND COIL LOADER

**ALSO: AMERICAN STEEL NO. 1000** 20,000 LB COMBINATION REEL AND COIL LOADER, s/n 6395, AIR FEED INC R-200 20,000 LB COMBINATION REEL AND COIL LOADER, s/n 800820, CWP SERVOMATIC SM12 FEEDER, s/n SM12-29-02, w/12" Max. Stock Width, AIR FEED AF3 36" FEEDER, s/n 82004, NIAGARA 42" FEEDER/ **STRAIGHTENER, s/n NA** 

PLUS: LARGE SELECTION OF STAMP-**ING DIES** 



## PRESS BRAKES, SHEAR, WELDING DEPARTMENT



AMADA RG-100 110-TON X 10' CNC PRESS BRAKE



HURCO PH 90/30 90-TON X 10' PRESS BRAKE

# 1998

HURCO PH 65/25 77-TON PRESS BRAKE



ACCURPRESS 7606 60-TON X 6' CNC PRESS BRAKE

#### **SHEAR**

CINCINNATI 1810G POWER SHEAR, s/n 52039, w/1/4" Mild Steel, 122-1/4" Max. Cut Length, (11) Hold Downs, 60 SPM, 4-Probe Power Backgauge, 11' Square Arm, Front Material Supports, Electric Foot Pedals

#### Sale Date: Thursday, February 16, 2017 at 10:00 AM EST

#### WELDING DEPARTMENT

**TECHNITRON T2050/V1 192 KVA SEAM** WELDER, s/n 03214241

JANDA 3-75-24 75 KVA SPOT WELDER, s/n R2952, w/25" Throat, Technitron T2050 Weld Control, 440V

ACMA 3-3-75 75 KVA SPOT WELDER, s/n 11154, w/6" Throat, w/Zarsky ACWC-90-E Water Chiller

TECNA 33230 63 KVA SPOT WELDER, s/n 01016

WELD-O-MATIC AF2B 50 KVS SPOT WELDER, s/n 3460, w/24" Throat, 440V

MAWER RA 50 KVA SPOT WELDER, s/n 298989 w/Medar Medweld Weld Control





SPOT WELDER



#### **PRESS BRAKES**

1997 AMADA RG-100 110-TON X 10' CNC PRESS BRAKE, s/n 105757, w/118.2" Table Length, 122" Max. Bending Length, 100.5" Distance Between Uprights, 15.76" Throat Depth, 3.94" Stroke Length, 14.58" Open Height

1999 HURCO PH 90/30 90-TON X 10' PRESS BRAKE, s/n 6220, w/120" Overall, 105" Between Housings, Autobend 7 Control and Backgauge

1998 HURCO PH 65/25 77-TON PRESS BRAKE, s/n 5328, w/85" Between Housing, 100" Overall, 3.94" Stroke

(2) 1999 AND 1997 ACCURPRESS 7606 60-TON X 6' CNC PRESS BRAKES, s/n's 4103, 5789, w/74" Overall, 55" Between Housings, 2-Axis Backgauge

1998 HURCO PH 40/20 44-TON X 6' CNC PRESS BRAKE, s/n 5145, w/66" Between Housings, 3.94" Stroke, 11.81" Open Height, Hurco Autobend 7 2-Axis CNC Backgauge

PIRANHA 35-TON X 6' PRESS BRAKE, s/n 1011, w/62" Between Housings, Autogauge G24 Backgauge, Automec CNC 300 Autogauge

ALLSTEEL 20-4 20-TON X 4' PRESS BRAKE, s/n 198, w/48" Overall, 37" Between Housings, Comp-U-Bend 610 Backgauge

#### ALSO: SELECTION OF PRESS BRAKE **TOOLING**



WELD-O-MATIC AF2B 50 KVS SPOT WELDER



VIEW OF WELDERS



ARO S4321 39 KVA SPOT WELDER



TECHNITRON T2050/V1 192 KVA SEAM WELDER

TAYLOR WINFIELD EBA-3-8-50 50 KVA SPOT WELDER, s/n 77174, w/9" Throat, Weld-It-II Weld Control



JANDA 3-75-24 75 KVA



(2) ARO S4321 39 KVA SPOT WELDERS, s/n/s 0218111D002, 9604AD004, 2014 TECNA 33218 37 KVA SPOT WELDER, s/n 01004, w/10" Throat, ACME 2-30-30 30 KVA SPOT WELDER, s/n 12985, w/16" Throat, 460V, ARO S3231 29 KVA SPOT WELDER, s/n 992211C068, HYPERTHERM POWERMAX 380 PLASMA CUTTER, s/n 380-012849, LINCOLN CV-300 MIG WELDER, s/n U1980805034, w/LN-7 Wire Feed, (2) MILLER MILLERMATIC 250 MIG WELDERS, s/n's KH572211, KJ119157, (2) MILLER MILLERMATIC 251 MIG WELDERS, s/n's LC371233, LF380699B, DAIHEN CPXS-350 WELDER, s/n P6447Y-

**ALSO: LARGE ASSORTMENT OF WELDING TABLES AND WELDING SUPPLIES** 

## **TOOL ROOM & MISCELLANEOUS MACHINES, PAINT DEPARTMENT**

#### TOOL ROOM & MISCELLANEOUS MACHINES

JET GH-1440ZX 14" X 40" GEARED HEAD PRECISION LATHE, s/n 7619, w/ Acu-Rite DRO, BRIDGEPORT 2 HP VERTICAL MILL, s/n 176792, w/Power Feed Table, MITUTOYO DRO, BRIDGEPORT 1 HP VERTICAL MILL, s/n 169216, w/9" x 42" Power Feed Table, ANILAM WIZARD DRO, EX-CELL-O 602 RAM TURRET VERTICAL MILL, s/n 6026600, w/85-4,000 RPM, 9" x 52" Table, JET JTM-4VS 3 HP VERTICAL MILL, s/n 5120708, w/9" x 49" Power Feed Table, KENT KTM-3VK 3 HP VERTICAL MILL, s/n 881203-88, w/10" x 50" Power Feed Table, NEWALL TOPAZ DRO, SHARP HMV 3 HP VERTICAL TURRET MILL, s/n 76030437, w/9" x 49" Power Feed Table, HARIG SUPER 618 SURFACE **GRINDER, s/n 2649-18, AMW GS-1224BH SURFACE GRINDER, s/n 31207-01** 

ALSO: 2002 KUHLMEYER ZBS2 TWIN-BELT GRINDING MACHINE, s/n 0203131, w/Dayton Dust Collector, CENTRAL MACHINERY T-583 16-SPEED DRILL PRESS, (2) CLAUSING 1642 DRILL PRESSES, s/n's 178149, 128145, CENTRAL MACHIN-**ERY HORIZONTAL BANDSAW, BLACK & DECKER 8" HEAVY-DUTY BENCH** GRINDER, 2" HEAVY-DUTY BELT SANDER, CORNER NOTCHER, WORLD MACHINE MC350NFA COLD SAW, s/n 93MSA3500131, (2) MAPLEWOOD 36" ROLL FORMERS, (2) KURT 6" D688 ANGLOCK PRECISION MACHINE VISES, (3) KURT 6" ANGLOCK PRECISION MACHINE VISES, WILTON 8" BENCH VISE, ROCK RIVER 6" BENCH VISE, MILFORD 305 RIVET MACHINE, s/n 2724. HAEGER HP6-C-2 3-TON INSERTION PRESS, s/n 2938, FASTI 431-63-1.25 COLD FLANGING MACHINE, s/n 97 431 007, w/63mm x 1.25mm Capacity



\_\_\_\_\_ JET GH-1440ZX 14" X 40" GEARED-HEAD PRECISION LATHE



KUHLMEYER ZBS2 TWIN-BELT GRINDING MACHINE



**VERTICAL MILL** 



HAEGER HP6-C-2 3-TON INSERTION PRESS



CINCINNATI INDUSTRIAL MACHINERY S0545 POWDER COATING SYSTEM



5-STAGE IRON PHOSPHATE PRETREATMENT SYSTEM



**POWDER CURE OVEN** 

**Online Bidding Available Through** 





WAGNER PRIMA FLOW PAINT BOOTH SYSTEM



DRI-QUIK 9-60-1500 PASS-THRU INFRARED OVEN

#### **PAINT DEPARTMENT**

PRIMARY PAINT LINE: CINCINNATI INDUSTRIAL MACHINERY S0545 POWDER COATING SYSTEM, s/n 1546, w/System Design Parameters, 48"H x 30"W x 60"L Max. Package Size Through System, 7,200 Lbs Per Our Production Rate, 8 FPM Conveyor Speed, Monorail X348 Type Conveyor, 60"H x 42"W x 24" Hook Slot Profile Opening, 2.0-2.5 Mils Film Build, Natural Gas, 480/3/60 Electrics, COMPRISING 5-STAGE IRON PHOS-PHATE PRETREATMENT SYSTEM, Stage 1-Spray Acid Wash, 12'L, 2,000-Gallon Tank, 90 Sec. @ 150 Degrees F, Drain, Stage 2-Spray Rinse #1, 8'L, 1,350-Gallon Tank, 60 Sec. @ Ambient Temp. Drain, Stage 3-Spray Iron Phosphate, 12'L, 2,000-Gallon Tank, 60 Sec. @ Ambient Temp., Stage 4-Spray Rinse #2, 8'L, 1,200-Gallon Tank, 60 Sec. @ Ambient Temp., Stage 5-Spray Seal, 8'L, 1,200-Gallon Tank, 60 Sec. @ Ambient Temp., Exit and Drain, DRY-OFF OVEN, 250 Degree F Operating Temp., 400 Degree F Max. Temp., 7,200 Lb/Hr. Work Load, 16,250 CFM Recirculation Air, 1,600,000 BTU/Hr. Max. Burner Capacity, POWDER CURE OVEN, 450 Degree F Operating Temp., 500 Degree F Max. Temp., 7,200 Lb/Hr. Work Load, 39,000 CFM Recirculation Air, 2,130,000 BTU/Hr. Workload, 2,400,000 BTU/Hr. Max. Burner Capacity, WAGNER PRIMA FLOW PAINT BOOTH SYSTEM, w/61" x 42" Envelope, 20'L, Wagner EPG Sprint X Gun, s/n 8767 and Wagner EPG 2008 Gun, s/n 6753, (5) Paint Hoppers, Reclaim Unit, X-348 CONVEYOR SYSTEM, 900' Chain, 24" Centers, 200 Lb/Trolley, 450 Trolley, 720' 4" Mild Steel Track, 100' Stainless Steel Track

DRI-QUIK 9-60-1500 PASS-THRU INFRARED OVEN, s/n 9257-0698, w/54 kW, 48"W x 60"H x 15' L Heat Chamber

DRI-QUIK 9-60-1500 PASS-THRU INFRARED OVEN, s/n NA, w/55" W x 70"H x 15'L Heat Chamber

CCI THERMAL 9-60-500 PASS-THRU INFRARED OVEN, s/n D003-15B. w/59 kW, 54"W x 62"H x 15'L Chamber

(3) JBI CIOB-1210-S DRY BOOTH PAINT BOOTHS, s/n's 24418-A, 24418-B, 24418-A, 12'W x 10'H x 10'D


SECONDARY PAINT LINE W/DUAL SPRAY BOOTHS, (1) 72" x 72" x 48"D Booth w/24" x 46" Opening, (1) 118" x 89" x 78"D Booth w/54" x 53" Opening, DriQuik 36-60-1500 Infrared Oven, s/n 9258-0698, 5-Zone,

480/3/60, 216 kW, 23-1/2" x 48"

Opening, w/Approx. 150' of Drop Hook Conveyor

MORSE 310-1-115 BARREL PAINT MIXER, s/n 280413-001, 800 Lb Ca-

(4) GRACO MONARCH PAINT **PUMP SYSTEMS** 





MORSE 310-1-115 BARREL PAINT MIXER

# MATERIAL HANDLING, CERAMIC DEPARTMENT, FACTORY SUPPORT EQUIPMENT



**VIEW OF FORKLIFTS** 

#### MATERIAL HANDLING

TOYOTA 7FGU18 3,000 LB LPG FORKLIFT, s/n 62609, w/189" Tri-Mast, Side Shifter

(2) CROWN RC3020-30 3,000 LB STAND-UP ELECTRIC FORKLIFTS, s/n's 1A254262, 1A260031

RAYMOND 112TM-FRI60L 6,000 LB ELECTRIC PALLET JACK, s/n 112-00-32668, w/Charger

CONTRX CRANE 1/2-TON FREE STANDING JIB CRANE, w/10'H x 9' Reach, w/Aero-Motive 155 Lb Balancer

HERCULES 1/2-TON FREE-STANDING JIB CRANE, w/11'H x 8' Reach, Balancer

**GORBEL 500 LB FREE-STANDING JIB CRANE,** w/14'H x 15' Reach, CM ShopStar Electric Hoist

**GORBEL 250 LB FREE-STANDING JIB CRANE,** w/10'H x 8' Reach. Tecna Balancer

ALSO: ANVER L50M2-61 500 LB VACUUM SHEET LIFTER, s/n 604252, w/10' Max. Load Length, VLS-07 VACUUM LEAK-AGE SENSOR AND WARNING SYSTEM, AUTOQUIP 24" X 48" SERIES 35 2,500 LB SCISSOR LIFT TABLE, BISHAMON 34" X 48" 2,500 LB LIFT TABLE, (6) SOUTHWORTH 24" X 48" 1,500 LB LIFT TABLES, (2) BISHAMON LIFT2K L2K-3648 36" X 48" 2,000 LB LIFT TABLES, s/n's 1505317, 1505312, (4) BISHAMON LIFT2K L2K-2848 28" X 48" 1,500 LB LIFT TABLES, (3) VESTIL EHLT WS3748153 31" X 47" 1,500 LB LIFT TABLES, s/n's S1625221G, NA, 54" X 30" LIFT TABLE W/ROTARY CONVEYOR TABLE TOP

#### **FACTORY SUPPORT EQUIPMENT**

**WULFTEC WCRT-200 AUTOMATIC ROTARY ARM STRETCH WRAPPER**, s/n 9113-1-08U3

2015 LANTECH Q300 SEMI-AUTOMATIC STRETCH WRAP MACHINE, s/n QM033399

**2014 LANTECH G SERIES STRETCH WRAP MACHINE,** s/n G0000502

(2) WULFTEC WHP-200 SEMI-AUTOMATIC STRETCH WRAP MACHINES, s/n's 0498-3101, 0898-3520

#### **CERAMIC DEPARTMENT**

RAPID INTERNATIONAL 58" DIAMETER REFRACTORY MIXER SYSTEM, w/15 kW Motor, System Conveyor w/Dump, Mezzanine

**DUAL HOPPER COMPOUND MIXING SYSTEM,** w/(2) 6' Diameter x 7'L Hoppers, 4" Diameter x 7'L Poly Reclaim Tank, 5,800-Gallon Poly Processing Tank, 12' x 20' Mezzanine

DUAL SILO STORAGE UNIT W/ELEVATOR LOADING SYSTEM, Buildings Included

**GEHNRICH OVEN,** s/n 11067, w/1,000 MBTU, 500 Degree F Max. Oven Temp., 7'H x 6'W x 16'L Oven Area

OVEN 7'H X 5'W X 16'L OVEN AREA, Approx. 500 Degree F Max. Temp.

**FILTER1 BENCHTRON BFS4-2-3 DOWNDRAFT TABLE,** s/n 04-18-365, 2,000 CFM, 24" x 48" Table

RAPID INTERNATIONAL 58" DIAMETER REFRACTORY MIXER SYSTEM



GEHNRICH OVEN

www.perfectionindustrial.com

ALSO: 2015 POLYCHEM PC1000S AUTOMATIC STRAPPING MACHINE, s/n 21887, (2) JUSTRITE 25760 2-DRUM COMBUSTIBLE LIQUIDS CABINET, (2) JUSTRITE SURE GRIP EX 899100 2-DRUM FLAMMABLE LIQUIDS CABINET, 110-GALLON EAGLE HAZ1955 FLAMMABLE LIQUIDS CABINET, 45-GALLON EAGLE 1947 FLAMMABLE LIQUIDS CABINET, (2) 40-GALLON JUSTRITE SURE GRIP EX 894500 FLAMMABLE LIQUIDS CABINETS, 30-GALLON EAGLE 3010 FLAMMABLE LIQUIDS CABINET, JUSTRITE SURE GRIP EX PAINT AND INK STORAGE CABINET, HUGE SELECTION OF DAYTON, TPI, AIR KING, MAXXAIR, AND PROFITTER SHOP FANS, PALLET JACKS, HAND TOOLS, POWER TOOLS, PNEUMATIC TOOLS, RIDGID PIPE THREADER, MAG DRILL, CANTILEVER RACKING, LADDERS, SAFETY LADDERS, HAND TRUCKS, DIE LIFT CARTS, WORK BENCHES, WORK TABLES, OFFICE FURNITURE AND MUCH MORE



**VIEW OF FACTORY SUPPORT EQUIPMENT** 



WULFTEC WCRT-200 AUTOMATIC ROTARY ARM STRETCH WRAPPER



LANTECH Q300 SEMI-AUTOMATIC STRETCH WRAP MACHINE

FILTER1 MISTRON MF-4-2-3 COLLECTION SYSTEM, s/n 04-24-03, 2,000 CFM

DENRAY 34" X 44" DOWNDRAFT TABLE
GLOBAL FINISHING SOLUTIONS GFS-BDB-4-S
SPRAY BOOTH, s/n 48029, 48"W x 80"H x 60"D



**DUAL HOPPER COMPOUND MIXING SYSTEM** 



DUAL SILO STORAGE UNIT W/ELEVATOR LOADING SYSTEM



VIEW OF SELF DUMPING HOPPERS



VIEW OF FLAMMABLE LIQUIDS CABINETS



LARGE SELECTION OF PALLET RACKING



Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007

Phone: +1 (847) 545-6374 - Fax: +1 (847) 427-8884

www.perfectionindustrial.com



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

STAMPING, CNC TURRET PUNCHES W/LARGE SELECTION OF TOOLING, PRESS BRAKES, SHEAR, SEAM & SPOT WELDERS, PAINT LINE & BOOTHS, BATCH OVENS, INFRARED OVENS, TOOL ROOM & MUCH MORE

# LIVE WEBCAST AUCTION

Sale Date: Thursday, February 16, 2017 at 10:00 AM EST

Inspection: Wednesday, February 15 from 8:00 AM – 4:00 PM EST

Facility Closure — Stamping, Fabrication, Finishing, Tool Room & Plant Support

# HEARTH& HOME technologies



AMADA FO3015NT CNC LASER

# STAMPING, CNC TURRET PUNCHES W/LARGE SELECTION OF TOOLING, PRESS BRAKES, SHEAR, SEAM & SPOT WELDERS, PAINT LINE & BOOTHS, BATCH OVENS, INFRARED OVENS, TOOL ROOM & MUCH MORE

# AUCTION

#### **AIRPORTS**

Blue Grass Airport (LEX, 25 miles away) Cincinnati/Northern Kentucky Int'l Airport (CVG, 80 miles away)

Circinitati/Northern Kent

Hampton Inn Lexington/Georgetown, 128 Darby Dr., Georgetown, KY 40324	(502)	867-4888
Best Western Paris Inn, 2011 Alverson Dr., Paris, KY 40361	(859)	987-0779
Hilton Garden Inn Lexington/Georgetown, 110 Grandstand Dr., Georgetown, KY 40324	(502)	863-0099

#### **TERMS OF SAL**

A 15% buyer's premium will be charged on all assets purchased by buyers attending the sale in person, and any Webcast or Online Buyers will be charged an 18% buyer's premium. Acceptable forms of payment are cash (but only on sale day), cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the buyer's premium will be increased to 18% (bidders attending the Auction in person) or 21% (Webcast or Online Bidders). Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

#### PAYMENT

ALL LIVE AUCTION PURCHASES MUST BE PAID IN FULL NO LATER THAN TUESDAY, FEBRUARY 21. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of the total purchases is made on the day of the sale. Contact our office for wire instructions. Only cash, wire transfer or certified check, payable to Perfection Industrial Sales will be accepted. Company checks payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

#### REMOVAL

All smaller items must be removed by Friday, February 24, 2017. All major assets must be removed no later than Friday, March 10, 2017. Removal hours are 8:00 AM—4:00 PM ET, Monday through Friday. Extended hours and weekends may be accommodated by prior appointment. No assets may be removed during the auction sale.

#### FOR FURTHER INFORMATION

For further information contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com. For accounting and invoicing questions, contact Inesa Dicpetris at (847) 427-3333 or inesa@perfectionindustrial.com.

View our current auction schedule at www.perfectionindustrial.com

Sale Date: Thursday, February 16, 2017 at 10:00 AM EST

**Inspection:** Wednesday, February 15 from 8:00 AM – 4:00 PM EST

Sale Location: 149 Cleveland Drive, Paris, Kentucky 40361



Perfection Industrial Sales ph 847-545-6374 • fax 847-427-8884 www.perfectionindustrial.com **Online Bidding Available Through** 

