

ONLINE AUCTION



ACCURPRESS 710010 CNC PRESS BRAKE

HNI

Surplus to Continuing Operations

Fabricating, Woodworking, Powder Coat & Factory Support

Press Brakes up to 100 Ton, 110 Ton Minster OBI Press, Rollformers, Manual Spray Booth, CNC Router, Edgebander, Hydraulic Press, Coil Equipment, Tool Room, Forklifts & More



18-STAND TRU-TECH ROLL FORMER



WEEKE OPTIMAT BP100 CNC ROUTER

Sale Closing From: Tuesday, May 31, 2016 at 1:00 PM CDT

Locations: 3005 Grandview Avenue, Muscatine, Iowa

& (4) Additional Muscatine Locations

Inspection: By Appointment Only



Perfection Industrial Sales ph 847-545-6374 • fax 847-427-8884 www.perfectionindustrial.com

Online Bidding at www.perfectionindustrial.com

PRESS BRAKES, ROLL FORMERS, OBI PRESS, WOODWORKING, PAINT BOOTH



WYSONG H100-96 PRESS BRAKE



WYSONG THS100-72 PRESS BRAKE



1999

WYSONG H-2072 PRESS BRAKE



BETENBENDER 50-TON PRESS BRAKE



10-STAND TRU-TECH ROLL FORMER



6-STAND TRU-TECH ROLL FORMER

PRESS BRAKES

2008 ACCURPRESS 710010 CNC 100 TON PRESS BRAKE, s/n 10079, 10' Overall, 8'6" Between Housings, ETS Control

WYSONG H100-96 100 TON PRESS BRAKE, s/n HPB20-117, 8' Overall, 6'6" Between Housings

WYSONG THS100-72 100 TON PRESS BRAKE, s/n TH6-121, 6' Overall, 5'2" Between Housings

WYSONG H-6072 60 TON PRESS BRAKE, s/n HPB22-124, 6' Overall, 4'6" Between Housings

BETENBENDER 50 TON PRESS BRAKE, s/n 98705, 8' Overall, 7'4" Between Housings

(2) WYSONG H-4072 40 TON PRESS BRAKES, s/n HPB13-351 and HPB13-354, 6' Overall, 5'2" Between Housings

(4) WYSONG H-2072 20 TON PRESS BRAKES, s/n HPB19-122, HPB19-118, HPB19-121 and HPB19-113, 6' Overall, 3'2" Between Housings

(2) BANTAM B212 12 TON PRESS BRAKES, s/n PB02/12/393 and PBU2/12/392



8-STAND TRU-TECH ROLL FORMER

HOMAG KL 75/A3 SINGLE-SIDED EDGEBANDER

ROLL FORMERS

1994 TRU-TECH 18-STAND ROLL FORMER, s/n 967-R, Approx. Specs: 28" Roll Space, 2.5" Shaft Diameter, 20 HP

1996 TRU-TECH 10-STAND ROLL FORMER, s/n 1017R, Approx. Specs: 9" Roll Space, 2" Shaft Diameter, 7.5 HP, MP400 Series Length Control System

TRU-TECH 10-STAND ROLL FORMER, s/n 928R, Approx. Specs: 11" Roll Space, 2" Shaft Diameter, 10 HP

FLAGLER 10-STAND ROLL FORMER, s/n Unknown, Approx. Specs: 5" Roll Space, 1.5" Shaft Diameter

1999 TRU-TECH 8-STAND ROLL FORMER, s/n 1062, Approx. Specs: 9" Roll Space, 7.5 HP, 2" Shaft Diameter

TRU-TECH 6-STAND ROLL FORMER, s/n 1027, Approx. Specs: 8" Roll Space, 2" Shaft Diameter, AMS MP300 Series Length Control System, 5 HP



MINSTER G110 110 TON OBI PRESS, s/n G1-110-10481, 27" x 42" Bed, 24" x 32" Ram, 6" Slide Stroke, 5" Adjustment, 15-7/8" Max. Shut Height



ITW GEMA DIAMOND MANUAL SPRAY BOOTH SYSTEM

WOODWORKING

1998 WEEKE OPTIMAT BP100 CNC ROUTER, s/n 0-250-04-1583, 136" X-Axis, 58-1/4" Y-Axis, 10" Z-Axis, 2-3/8" Max. Panel Thickness, 11-15/32" Max. Drilling Depth for Through Holes

HOMAG KL 75/A3 SINGLE-SIDED EDGE-BANDER, s/n 0-200-08-4170, 3mm Edge Thickness, 12-60mm Workpiece Thickness, 18-24m/min Feed

PAINT BOOTH

ITW GEMA DIAMOND MANUAL SPRAY **BOOTH SYSTEM, Disassembled - Never** Put in Production, Approx. 10' x 24" W Opening, 30' x 69" Bed, w/GXDC1400 10-Cartridge Collection Unit, s/n IG90454-002, 25 HP



View our current auction schedule at www.perfectionindustrial.com

COIL EQUIPMENT, FACTORY SUPPORT, & MORE



ROWE B-15 15" X .093" STRAIGHTENER

BRIDGEPORT

VERTICAL MILL



4,000-LB. KOMATSU FG 20ST-11 LP FORKLIFT



HYSTER 4,000-LB. AND 2,000-LB. LP FORKLIFTS



100 HP GARDNER DENVER EDHSMA AIR COMPRESSOR



TEK SERIES 100-D TEKCASTER AND





PISTORIUS DC16P CUT-OFF SAW

ALSO: 6-AXIS NACHI ROBOT, MILLS, SHEARS, DRILL PRESSES, WELDERS, PLASMA CUTTERS, HOT MELT UNITS, CARTON SEALING TAPE SYSTEMS, STRAPPING MACHINES, INDUSTRI-AL HEATERS, BLOWERS, PUMPS, VALVES, TRANSFORMERS, DUST COLLECTORS, LIFTING EQUIPMENT, ASSORTED BELT AND ROLLER CON-VEYOR, QUICK CHANGE VISES, AIR COMPRESSORS, AIR DRYERS, AIR HOLDING TANKS, AND MUCH MORE



CHEVALIER FSG-2A618 SURFACE GRINDER





NACHI B053L520 6-AXIS ROBOT

ALSO AVAILABLE

PRESSOR, s/n U44569, 100 PSIG

COIL EQUIPMENT

FACTORY SUPPORT

RAPID AIR 108 8" FEEDER, s/n 10196

Max. Stock Thickness

TEK SERIES 100-D TEKCASTER 01-120-D1, s/n 78920, w/Tekcast 03-160-1W and Tekcast 02-120 Digital Precision Vulcanizer, s/n

ROWE PM-LT3-210 12" FEEDER, s/n R33347, R-L Direction, .156"

4,000 LB KOMATSU FG 20ST-11 LP FORKLIFT, s/n 400490A, Triple-

4,000 LB HYSTER S40XM LP FORKLIFT, s/n D187V06809U, Triple-

2,000 LB HYSTER S40FT LP FORKLIFT, s/n F187V09298E, Triple-

100 HP GARDNER DENVER EDHSMA ROTARY SCREW AIR COM-

ROWE B-15 15" x .093" STRAIGHTENER, s/n R29436STR PERFECTO 17-12-7 12" x .080" STRAIGHTENER, s/n S2-92023

Mast, 188 Max. Lift Height, Side Shift, 4128 Hours

Mast, Side Shift, 189" Max. Lift Height, 8951 Hours

Mast, Side Shift, 189" Lift Height, 18238 Hours

BRIDGEPORT VERTICAL MILL, s/n 260869, 9" x 48" Table, 4,200 Max. Spindle RPM, Servo Feed Table, Mitutoyo KA Counter DRO

CHEVALIER FSG-2A618 SURFACE GRINDER, s/n B7827007

PISTORIUS DC16P CUT-OFF SAW, w/Tiger Stop and Approx. 15' Table

PISTORIUS COLD SAW, w/Tiger Stop

1997 19 TON NEFF PRESS, s/n 10651, 40" x 12" Bed, 20" x 12" Ram, 3000 PSI





NEFF 19-TON PRESS

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of quarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied.

The removal period for this auction will be held from June 6th through June 10th. All removal will be handled by LPW-I, Inc. The rigging cost for each lot will be noted on the lot's description, and that rigging cost will be added to the invoice of the winning bidder. Rigging contact at LPW-I, Inc.: Dwayne Rupp, (563) 210-5285 or email dwayne@lpw-i.com.

FOR FURTHER INFORMATION

For further information contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com. For accounting and invoicing questions, contact Inesa Dicpetris at (847) 427-3333 or inesa@perfectionindustrial.com.



