



PERFECTION
Industrial Sales

ONLINE AUCTION



STAMTEC S2-250 SSDC PRESS



DURMAZLAR HAP 37200
PRESS BRAKE

Assets Surplus to the Ongoing Operations of

Leggett & Platt
INCORPORATED

**FEATURING: Straight Side
& Gap Frame Presses,
Coil Feed Lines, Hydraulic
& Mechanical Press Brakes,
Tube Benders, Conventional
Machine Tools, Burn-Off
Oven, Air Compressors,
Pallet Wrapper & More**



MINSTER
E2-250-84-42
SSDC PRESS

Sale Closing From: Thursday, July 11 at 9:00 AM ET

Sale Location: 3040 Junior Order Home Road, Lexington, North Carolina 27292

Inspection: Wednesday, July 10 from 8:00 AM to 4:00 PM ET or by Special Appointment



PERFECTION
Industrial Sales

Perfection Industrial Sales

ph +1-847-545-6374

fax +1-847-427-8884

www.perfectionindustrial.com

Online Bidding at

www.perfectionindustrial.com

Perfection Industrial Sales, North Carolina Auctioneer/Firm Licenses: Joseph M. Lundvick #9693 – Perfection Ind. License #9697

MECHANICAL PRESSES



STAMTEC S2-250 SSDC PRESS

MECHANICAL PRESSES

300-TON BLOW SC2-300-84-42 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n SDG-300-547-01, 84" x 42" Bed 10" Stroke, 30–70 SPM, 25" SH, 10" Slide Adj.

300-TON DANLY H2-300-42-36 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n 52057001, 42" x 36" Bolster, 2" Stroke, 4" Adj., 23-1/8" SH, 50–100 SPM

300-TON WEAN UNITED SC2-300-72-36 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n 37603 100A, 6" Stroke, 30–60 SPM, 30.75" SH, 6" SH, 6" Adj.

250-TON STAMTEC S2-250 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n S90928, 144.20" x 48.07" Bolster Area, 20–40 SPM, 15.75" Stroke, 30.14" Die Height, 9.85" Slide Adj.



BLOW SC2-300-84-42 SSDC PRESS

250-TON MINSTER E2-250-84-42 HEVISTAMPER STRAIGHT SIDE DOUBLE CRANK PRESS, s/n E2-250-23373, 84" x 42" Bolster, 50–100 SPM, 8" Stroke, 6" Slide Adj., 25" SH

250-TON VERNON 250-B2-72 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n 23564, 8" Stroke, 27" SH, 35 SPM, 72" x 36" Bolster

220-TON AIDA NC1-2000(2) E GAP FRAME PRESS, s/n C0420-0536, 176-Ton Blanking Capacity, 9.8" Stroke, 20–50 SPM, 17.71" Die Height, 4.33" Die Height, 54.72" x 33" Bolster Area

165-TON AIDA PC-15 GAP FRAME PRESS, s/n 00115-0626, 7.8" Stroke, 45 SPM, 48.8" x 24.8" Bolster Area, 26.3" x 19.6" Slide Area, 3.3" Adj.

(3) 150-TON VERNON 150 OBG PRESSES, s/n's 23369, 24183 and 24259, 8" Stroke, 35 SPM, 22" SH, 6" Adj., 50" x 30" Bed

110-TON DANLY OBI PRESS, s/n 11053940166, 6" Stroke, 18-1/2" SH, 3-1/2" Adj., 40 SPM

105-TON VERNON V-7 1/2 OBI PRESS, s/n 21902, 10" Stroke, 18" SH, 4" Adj., 39" x 30" Bolster, 40 SPM

80-TON FEDERAL NO. 7 OBI PUNCH PRESS, s/n 7-666, 4" Stroke, 13.5" Die Space, 28" x 3" Bed, 75 SPM

49-TON KOMATSU OBS 45-3 GAP FRAME PRESS, s/n D0041, 3.94" Stroke, 50–100 SPM, 9.84" Die Height, 2.36" Adj.

ROUSSELLE DOUBLE CRANK PUNCH PRESS, 48" x 22" Bed

TOLEDO PUNCH PRESS, Dual Palm Buttons, 36" x 25" Bed

EW BLISS NO. 19 PUNCH PRESS

FEDERAL F3 PUNCH PRESS, s/n 3-2670, 125 SPM



DANLY H2-300-42-36 SSDC PRESS



WEAN UNITED SC2-300-72-36 SSDC PRESS



MINSTER E2-250-84-42 SSDC PRESS



VERNON 250-B2-72 SSDC PRESS



DANLY OBI PRESS



VERNON V-7 1/2 OBI PRESS



FEDERAL NO. 7 OBI PUNCH PRESS



KOMATSU OBS 45-3 GAP FRAME PRESS



AIDA NC1-2000(2)E GAP FRAME PRESS



VERNON 150 OBG PRESS

ROUSSELLE DOUBLE CRANK PUNCH PRESS

To discuss your requirements for an auction, please call Perfection Industrial +1-847-427-6374



COIL EQUIPMENT, PRESS BRAKES



COE COIL LINE
(BLOW SC2-300-84-42 FEED LINE)



COE COIL LINE
(MINSTER E2-250-84-42 FEED LINE)

COIL EQUIPMENT

COE COIL LINE COMPRISING,
COE CPR-PO-15024 Series 32983-3 Coil Cradle/Uncoiler, COE CPPS-350-24 Series 32983-2 Coil Feed Straightener, and COE Feeder (Originally Equipped on Lot #2: Minster E2-250-84-42)

COE COIL LINE COMPRISING,
CPR-PO-15024 Series 17921-3 Coil Cradle/Uncoiler, CPPS-PO-350-24 Series 17921-2 Straightener, and CPRF-5424 Series 29147-1 Servo Feed w/Servo Master Controller (Originally Equipped on Lot #4: Blow SC2-300-84-42)

COIL LINE COMPRISING,
Rowe C3-40/12J Straightener, s/n 21973, .20 Min. Thickness, .110 Max Thickness, w/Coe Servo Feed w/Servo Master 3 Control (Originally Equipped on Lot #6: Verson 250-32-72)

COIL LINE COMPRISING,
Unknown Make Uncoiler, Coe CPRF-S312 Servo Feed, s/n 47059-1, w/Servo Master 3 Control (Originally Equipped on Lot #8: Dally H2-300-42-36)

COE COIL LINE COMPRISING,
Coil Cradle/Uncoiler, CPPS-350-24 Straightener, and CPRF-242 Feeder (Originally Equipped on Lot #10: Wean United SC2-300-72-36)

COIL LINE COMPRISING,
Egan Presspartner X30-620-1000 Straightener, s/n 2762, w/Unknown Make Feeder w/COE Servomaster 3 Servo Control (Originally Equipped on Lot #16: Verson 150 OBG)

COIL LINE COMPRISING,
Egan X30-624-1500 Straightener, s/n 2767, w/COE Servo Feeder w/Servo Master Controller (Originally Equipped on Lot #19: Dally 110-Ton OBI)

PRESS ROOM EQUIPMENT PRO-124000-DCS DUAL END UNCOILER, s/n 1116.060, Approx. 24" Coil Width x 84" OD

PA INDUSTRIES SRF-55-5A SERVO FEED, s/n 201308-07644, w/Advantage Control

FREEDOM MILL SYSTEMS HAC-D-6-3

COILING MILL, s/n FMS/ACC-HAC-D60412-09, 6" Strip Width, .137" Strip Thickness

FREEDOM MILL SYSTEMS UCS-4HC-250 SINGLE END UNCOILER, s/n FMS/UNC-4T-0413-23, 8,000 Lb Capacity

ASSORTED UNCOILERS, STRAIGHTENERS AND SERVO FEEDS



PRESS ROOM EQUIPMENT
PRO-124000-DCS UNCOILER



FREEDOM MILL
UCS-4HC-250 UNCOILER



PA INDUSTRIES
SRF-55-5A
SERVO FEED



COE COIL LINE
(WEAN UNITED SC2-300-72-36 FEED LINE)



FREEDOM MILL HAC-D-6-3 COILING MILL

Sale Closing From:
Thursday, July 11 at 9:00 AM ET
Inspection: Wednesday, July 10 from 8:00 AM to 4:00 PM ET or by Special Appointment



CINCINNATI
PRESS BRAKE



DURMAZLAR
HAP 37200
PRESS BRAKE



STEELWELD J4-1/2-10 PRESS BRAKE



VERNON TA-1110 PRESS BRAKE

PRESS BRAKES

300-TON CINCINNATI PRESS BRAKE, 14'6" OA, 30" Bed Width, 12'6" Between Housings (Approx. Tonnage)

300-TON STEELWELD J4-1/2-10 PRESS BRAKE, s/n M-7670, 12'6" OA, 15" Bed Width, 11' Between Housings (Approx. Tonnage)

220-TON DURMAZLAR HAP 37200 PRESS BRAKE, s/n 7062002875, 7.28" Stroke, 188" Bending Length, 12'2" OA, 12" Bed Width, 10'2" Between Housings

(2) 210-TON VERNON TA-1110 PRESS BRAKES, s/n's 6456, 6367, 2" Stroke, 6" Adj., 14" SH, 12'6" OA, 20" Bed Width, 10'6" Between Housings

175-TON CHICAGO DREIS & KRUMP 175-D8 PRESS BRAKE, s/n P9599, 10'6" OA, 18" Bed Width, 8'6" Between Housings

150-TON VERNON B-710 PRESS BRAKE, s/n 11724, 12" OA, 28" Bed Width, 10' BH

150-TON VERNON B-76-150 PRESS BRAKE, s/n 21260, 3" Stroke, 30 SPM, 12" Shut Height, 5" Adj., 8' OA, 22" Bed Width, 78" Between Housings

(15) VERNON AND CHICAGO DREIS & KRUMP PRESS BRAKES, from 90–60-Ton Capacity, Various Configurations



VERNON PRESS BRAKE

Sale Location:
3040 Junior
Order Home
Road,
Lexington,
North Carolina
27292



VERNON PRESS BRAKE

To discuss your requirements for an auction, please call Perfection Industrial +1-847-427-6374

FABRICATING, CONVENTIONAL MACHINE TOOLS, & MORE



TISHKEN 10 HMW11 10-STAND ROLLFORMER



WYSONG 1472 SHEAR



MATTISON #24 ROTARY SURFACE GRINDER



4-POST CUT-OFF CELL

ALSO AVAILABLE

YOUNG & BERTKE CO. DIP TYPE PAINT LINE, w/Wash System, Pass-Through Oven System, Pass-Through Dip Tank and Approx. 1,500' of Conveyor

CONTROLLED PYROLYSIS PTR-52-112 BURN-OFF OVEN, 300,000 BTU, Oil

LOT COMPRISING, (3) 4-Post Cut-Off Cell w/(3) Pedestal Controls and Main Power Cabinet, (1) Press 18" x 22" Between Posts, (1) Press 13" x 20" Between Posts, (1) Press 18" x 26" Between Posts

(7) 5-PANEL GLUE MACHINE LINES W/NORDSON 2302 HOT GLUE MACHINE W/GUN AND 6" BELT CONVEYOR

(14) FABRIC/CHAIN LINK MAKING MACHINES (Lots of Spare Parts Also Available)

INFRAPAK EZ-DOES-IT POWER PLUS PALLET WRAPPING MACHINE, s/n K149H00L, 3,000 Lb Capacity



100 KVA

7 AVAILABLE

ACME
SPOT WELDER



DO-ALL
VERTICAL SAW



BRIDGEPORT
VERTICAL MILL



INFRAPAK
EZ-DOES-IT
POWER PLUS
PALLET WRAPPING
MACHINE



JENZANO & ASSOCIATES DUAL
HEAD SPOT WELD SYSTEM

CONVENTIONAL MACHINE TOOLS

MATTISON #24 ROTARY SURFACE GRINDER, s/n 24-231

CHEVALIER FSG-3A1224 SURFACE GRINDER, s/n P3966003, 12" x 24" Magnetic Chuck

SIP HYDROPTIC-6A JIG BORER, s/n 333, 43" x 33" Table

(4) KENT, MHT AND REID SURFACE GRINDERS, (8) BRIDGEPORT, LAGUN AND ACRA VERTICAL MILLS, LEBLOND, AMERICAN AND SOUTH BEND LATHES, DRILL PRESSES, DO-ALL, GROB, JET, POWERMATIC, WF WELLS, KALAMAZOO AND ROCKWELL BANDSAWS AND MORE



CHEVALIER FSG-3A1224
SURFACE GRINDER



SIP HYDROPTIC-6A JIG BORER



LEBLOND
TOOL ROOM
LATHE



CONTROLLED PYROLYSIS
PTR-52-112 BURN-OFF OVEN



5-PANEL GLUE MACHINE LINE



FABRIC/CHAIN LINK MAKING MACHINE

To discuss your requirements for an auction, please call Perfection Industrial +1-847-427-6374

MAINTENANCE CAGE W/CONTENTS




MAINTENANCE CAGE W/CONTENTS

ALSO: MAINTENANCE CAGE INCLUDING STORAGE AND CONTENTS, ELECTRICAL ROOM CONTENTS INCLUDING MOTORS, WIRE, CONDUIT, SWITCHES AND MORE, CUBBY RACKS W/LARGE ASSORTMENT OF PUNCHES, RIVETERS, SECTIONS OF ROACH ROLLER CONVEYOR, HUNDREDS OF ASSORTED STEEL TUBS, SMOG-HOG AIR CLEANERS, FLOOR SCALES, ELECTRIC PALLET TILTERS, STEEL TABLES, POWER AND HAND TOOLS, FLAMMABLE LIQUIDS CABINETS, SHOP LADDERS, ROLLING CARTS, BANDING CARTS, MATERIAL CARTS, COMPUTER KIOSKS, BREAK ROOM, OFFICE FURNITURE AND MUCH MORE!

Assets Surplus to the Ongoing Operations of

Leggett & Platt
INCORPORATED

View our current
auction schedule at
www.perfectionindustrial.com



CUBBY RACKS W/ASSORTMENT OF PUNCHES



HUNDREDS OF STEEL TUBS



SMOG-HOG AIR CLEANERS



ABRASIVE SAWS



PNEUMATIC RIVETERS



STEEL TABLES



ASSORTED MATERIAL CARTS



SHOP LADDERS

To discuss your requirements for an auction, please call Perfection Industrial +1-847-427-6374

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 16% for payments made by means of cashier's check or wire transfer within 48 hours of sale close. If paying by company check, a paid in full invoice will be issued upon the check clearing. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranty, express or implied. ALL PURCHASES MUST BE PAID WITHIN 48 HOURS OF THE CLOSE OF SALE. Contact our Accounting team for wire instructions. Only wire transfer or certified check, payable to Perfection Industrial Sales will be accepted. Company checks payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming Sales Tax exemptions must provide proof satisfactory to the Perfection Accounting team to claim such exemptions.

REMOVAL

All assets must be removed before Friday, August 2, 2019. Removal times are Monday through Friday from 8:00 AM to 4:00 PM ET. Extended hours and weekends may be accommodated with prior appointment. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction.

FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

Sale Closing From: Thursday, July 11 at 9:00 AM ET

Sale Location: 3040 Junior Order Home Road, Lexington, North Carolina 27292

Inspection: Wednesday, July 10 from 8:00 AM to 4:00 PM ET or by Special Appointment



Perfection Industrial Sales

ph +1-847-545-6374

fax +1-847-427-8884

www.perfectionindustrial.com

Online Bidding at

www.perfectionindustrial.com

Perfection Industrial Sales, North Carolina Auctioneer/Firm Licenses: Joseph M. Lundvick #9693 – Perfection Ind. License #9697