


SURPLUS TO THE ONGOING NEEDS OF A MAJOR CUSTOM FABRICATOR

2007

Low Hours



**Amada CNC Turret Punch Press
Mdl. EMK 3510NT**

2011

Low Hours



Amada CNC Load/Unload System

2011



Amada FabriVISION Laser Inspections



Lauffer RPS160 Hydraulic Press



Amada Manual Hydraulic Punch Press

FEATURED EQUIPMENT:

- 33-Ton. Amada EMK 3510 NT Turret Punch Press
- Amada MP1225NJ CNC Load/Unload System, New 2011
- Amada FabriVISION FVL-3DI4848 Laser Inspection System, New 2011
- 176-Ton Lauffer RPS160 Hydraulic Drawing Press
- 60-Ton Komatsu OBS 60-S-VS C Frame Press
- 30-Ton Amada SPH-30 Punch/ Press Brake
- Strippit 30/30 Punch Press
- Lawson Mustang 3040 Flat-bed Silkscreen Printing Press
- Landa Washline PWC-400 SS 2-Stage Conveyed Wash System
- (2) 10' x 16' Spray Systems Down Draft Paint Booths

ONLINE AUCTION:

BID ONLINE THRU: Tues., August 18, Bids Start Closing at 11:00am (PDT)

INSPECTION:

Mon., August 17, 8:00am to 4:00am (PDT)

ASSET LOCATION: 3808 Sullivan Road, Bldg. 14, Spokane, WA 99216

For More Information and Complete Photo Gallery go to:
www.machinerynetworkauctions.com or 888-998-4440



PERFECTION
Industrial Sales
perfectionindustrial.com

SURPLUS TO THE ONGOING NEEDS OF A MAJOR CUSTOM FABRICATOR

2007

Low Hours



**Amada CNC Turret Punch Press
Mdl. EMK 3510NT**

2011

Low Hours



Amada CNC Load/Unload System

2011



Amada FabriVISION Laser Inspections System

- **Amada CNC Turret Punch Press**, Mdl. EMK 3510NT, 33-Ton Capacity, 58 Stations, 4 Auto Index, 50" x 98" Table, 21364 Hours, Axis Travels; X: 98.425, Y: 50", Maximum Sheet Size: X 196.85, Y: 50", Maximum sheet weight 110lb (F1)/330 lbs. (F4), Feed clearance: 0.984", Stroke Length: 1.45", Maximum Sheet Thickness: .0187", +/- 0.004" (+/- 0.0027" High Accuracy Mode), S/N 35102078, New 2007
- **Amada CNC Load/Unload System**, Mdl. MP1225NJ, w/max material size 4' x 8', minimum material size: 27.5" x 11.8", max load height: 10.25", Material Cap 4400lb, Edge lifter magnetic separator, Dimensions 140" x 180" x 90", S/N 11098212, New 2011
- **Amada FabriVISION Laser Inspections System**, Mdl. FVL-HD-4848, Max Part weight: 200lb, Max part thickness: 8", max single scan 48" x 48", S/N 11098212, New 2011
- **Amada Manual Hydraulic Punch Press**, Mdl. SPH30C, w/ 30-Ton Cap, Z and Y CNC Gauging, Distance between uprights: 13.4", Throat Depth: 21", Stroke: 3.94", Open Height: 20.5", S/N 309322, New 1986
- **Lauffer RPS160 Hydraulic Press**, 176-Ton, Max ran stroke: 7-7/8", Max opening: 19-3/4", opening: L-R 40-1/8", Bolster Area: 39-3/8" x 31.5", Ram Area: 39-3/8" x 31.5", T-Slot Table, 40 HP motor, 4525.8 Hours, Max Pressing Speed: 106"/min, Max Return Speed: 710"/min., S/N 14091, New 1992
- **Komatsu Stamping Press**, Mdl. OBS 60-S-VS, w/60-Ton Cap, 4.7" Stroke, 11.8" Shut Height, 42-85 SPM, Bolster size: 35.43" x 21.65", S/N 13705, New 1991

FEEDERS & STRAIGHTENERS

- **Cooper-Weymouth Peterson Servomatic Electronic Roll Feed**, Mdl. SM-24, w/250 SPM, 250 FPM
- **Cooper-Weymouth Peterson Power Straightener**, Mdl. 24B, w/ 24" Cap, Mild Steel .015-.067, 240-1200 IPM, S/N 32432
- **Cooper-Weymouth Peterson Coil Handler**, Mdl. 4R-24, w/ 24" Cap, Max Coil od: 60", Max Coil Weight: 6500lbs, Pneumatic Brake, S/N M32433
- **Orii Coil Feed Line**, 6,000lb x 31.4" Wide x .090, New 1997 (OFF LOCATION)
- **Rapid Air Slide Feeder**, Mdl. P-12M, w/16"x12" Stroke, Electric Multi Stroke Control
- **Rapid Air Slide Feeder**, Mdl. F-6E, w/ 6"x7" Stroke, Elect. Operated
- **Rapid Air Slide Feeder**, Mdl. D-3, High Speed Pipe Cutter w/1.5HP Motor

www.machinerynetworkauctions.com

PLEASE VISIT OUR WEBSITE FOR MORE DETAILED LISTINGS



Amada Manual Hyd. Punch Press



Laufer RPS160 Hydraulic Press



Komatsu Stamping Press



Strippit 30/30 Manual Punch



Lawson Mustang Flat Bed Silkscreen Printing Press



Coil Handler



Rapid Air Slide Feeder



Electronic Roll Feed



Orie Coil Feed Line



High Speed Pipe Cutter



Power Straightener



Electro-Steam Generator



Landa Wash Line



Spray Systems Down Draft Paint Booth



Rockwell Delta Vert. Bandsaw



Kalamazoo Horizontal Bandsaw



Rodger Long Belt Surface Sander



Landa Wash Tank




Chevalier Surface Grinder



Harig Surface Grinder

- **Strippit 30/30 Manual Punch Press**, w/ 48"x72" table, Throat: 30", 1/4" Max cap, 165 SPM, S/N 1573122277, w/Assorted Strippit Punch Tooling
- **Kalamazoo Horizontal Band Saw**, Mdl. 816S, 120/240 Volt
- **Rockwell Delta Vertical Band Saw**, Mdl. 28-3X5, w 24-1/4"x24-1/4" Table, 20" Throat, Blade Welder, Cutter and Grinder, S/N 1519504
- **Rodger Long Belt Surface Sander**, Mdl. 76, Stroke Sander, 89" cap, 8" wide belt
- **Chevalier Semi Auto Surface Grinder**, Mdl. FSG-3A1224H, 3 x 230 volt 60Hz 25 amp Operating Power, Combo Dust Collector and Coolant System w/Magnetic Separator, 3-Axis Semi Auto Feed 12 x 24 Electric Chuck, s/n 23879003, New 1999
- **Cincinnati Pedestal Grinder/Buffer**, w/ 24 HP motor, 1750 RPM
- **Harig Surface Grinder**, Mdl. 612, w/6"x12" Magnetic Chuck, 208-220/440 Volt, 3 Phase
- **Birkestrand Supercutter High Speed Pipe Cutter**, Mdl. K-600USA6, w/1.5HP Motor, 120/220 Volt
- **Lawson Mustang Flat Bed Silkscreen Printing Press**, Mdl. 3040, 320"x 40" Max Print Area, 18" Min. Print Stroke, 39"x52" Vacuum Bed, 97"x65" Overall Floor Area, 57"x 56" Max Frame Size, 35" Min Frame Size, 120 Volts, 1 phase, 18 amps, Air=2CFM, S/N N01022418300
- **Electro-Steam Generator**, Mdl. LB-60, 100 max PSI, 38"x 38"x 40" wash station, s/n 35955, New 2001
- **Landa Wash Tank**, Mdl. SJ-15G, Top Load Washer with heater, oil skimmer, timer
- **Landa Wash Line**, Mdl. PWC-400SS, w/2-Stage Conveyor Wash System, Wash Tank, Rinse Tank, Hot air dry, Max Cap 20" w x 12" h
- **(2) Spray Systems Down Draft Paint Booths**, w/42" Exhaust Fans, (8) 48" 4-Tube Vapor Tight Fluorescent Light Fixtures, Stairs with hand rails and doors for each end of the booth, disassembled on pallets
- **Hastings Makeup Air Unit**, Mdl. 215-16-1100, Natural gas fired, 1,100,000 BTU, 15HP Motor, 16,000 CFM, Indoor location S/N L-11413-H
- **Hastings Makeup Air Unit**, Mdl. SBD HP-227-35.0-3693, Natural gas fired, 3,698,000 Max BTU, 176,095 Min BTU, 25HP Motor, 35,000 CFM, S/N 54567
- **Hasting Makeup Air Unit**, Mdl. LU-218-16-16909, Natural Gas fired, 1,690,000 Max BTU, 10 HP Motor, 16,000 CFM, outdoor location w/intake bird screen, S/N 54569
- **Durant Tool Company Manual Coil Handler**, Mdl. DSC-2, S/N 110891HS
- **Crown Electric Pallet Jack**, w/6000lb Cap Charger, S/N 6A167912
- **Wood Ford MFG Co Dock Plate**, w/15,000lb Cap.

SURPLUS TO THE ONGOING NEEDS OF A MAJOR CUSTOM FABRICATOR



Low Hours

Amada CNC Turret Punch Press & Load/Unload System



15910 Ventura Blvd, Suite 1410
Encino, CA 91436



WA Auction License #2424

ONLINE AUCTION:
Bid Online Thru: Tuesday, August 18, 2015
Bids Start Closing at 11:00am (PDT)

ASSET LOCATION:
3808 Sullivan Road, Bldg. 14, Spokane, WA



UPCOMING AUCTION CALENDAR

ONSITE & WEBCAST: Surplus to the Ongoing Operations of a Fastener Manufacturer
AUCTION: Thursday, August 13 • **LOCATION:** 6606 Variel Avenue, Canoga Park, CA
FEATURED EQUIPMENT: (3) Nakamura SC 250 CNC Turning Centers, (4) Miyano LX01 CNC Turning Centers, (10) Omniturn GT 75 CNC Turning Centers, (4) Hardinge Cobra 65 CNC Turning Centers, 5,000 Lbs. Hyster S50E Forklift, Yale L83C-060-SBT-083-LP Forklift

AUCTION DATE
11:00 AM PDT
AUGUST
13

ONSITE & WEBCAST: Plant Closure of an Aerospace Job Shop
AUCTION: Wednesday, September 9 • **LOCATION:** 1021 N. Grove Street Anaheim, CA
FEATURED EQUIPMENT: (2) OKK VM511 4axis, (1) OKK PCC-510 VMCs, (2) OKUMA L1410, (1) OKUMA LB15, CHEVILIER FCL-1840 CNC Lathes, Huge Toolroom with EZTrak Mill, Several Bridgeports, Grinders, Inspection Equipment, Saws, Forklifts, Scrap Office, and much more.

AUCTION DATE
11:00 AM PDT
SEPTEMBER
9

ONSITE & WEBCAST: Plant Closure of Major Plastic Injection & Blow Molding Facility
AUCTION: Tuesday, September 15 • **LOCATION:** 115 Plasticraft Drive, Albertville, AL
FEATURED EQUIPMENT: Over 50+ Plastic Injection & Blow Molders up to 1,500 Ton as new as 2005, Nissei, Van Dorn, Toshiba, Sterling, Newbury & Trueblood, Huge Tool Room w/CNC Machines, (5) EDM Machines, (8) Vertical Mills, Compressors & Dryers, Grinders, Welders, (9) Forklifts up to 24,000 Lbs., 30,000 lb. Truck Crane Mfg. 2007, CMM's, Comparators, Quality Support Equipment & More.

AUCTION DATE
11:00 AM CDT
SEPTEMBER
15



Amada FabriVISION



Komatsu Press

REMOVAL DATE: Items Must be Removed by Aug. 28, No Exceptions

TERMS: Payment: Bidders are required to pay in full within 24 hours of final invoice date. Applicable sales tax will be added to the purchase price and the buyer's premium of all taxable items. Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice and any deficiency, together with all expenses of that resale, will be charged to the defaulting purchaser. The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase. The auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. Auctioneer reserves the right to withdraw items, alter the order of the sale, accept bids from the Seller and group lots as it may deem appropriate. All resellers be prepared to provide Resale Certificate on the day of auction. Everything will be sold "AS IS," "WHERE IS," "AS AVAILABLE." ALL SALES ARE FINAL. The Auctioneer and seller expressly disclaim, without limitation, any warranty of merchantability or fitness for a particular purpose. These terms are merely meant to be representative; by registering for and/or bidding in this auction, you are expressly agreeing to these Terms as well as all of the Terms and Conditions in both the Bid Card and the Auction Catalogue. **Removal:** RIGGING/REMOVAL IS THE RESPONSIBILITY OF THE BIDDER/ BUYER AND ALL RIGGERS ARE REQUIRED TO BE LICENSED AND APPROVED BY THE AUCTIONEER. Every effort will be made to facilitate removal. All removal activity must be in accordance with OSHA guidelines and safety standards. Removal may begin when the auction has been completed & Payment IN FULL has been made. **BUYER'S PREMIUM: 18%**

