2 ONLINE AUCTIONS



Surplus to the Ongoing Operations of a Major U.S. Copier, Printer, and Cartridge Manufacturer

Sale Location: 12000 Canon Blvd., Newport News, Virginia 23606

SALE 1 — PRISTINE AMADA & TRUMPF FAB EQUIPMENT, INSERTION PRESSES, SPOT WELDERS & NORDSON POWDER COAT LINE

FEATURING: 2007 TRUMPF Trumatic 2020R w/SHEETMASTER Load Unload, 2002 AMADA Apelio III 357V Punch/Laser, (3) AMADA HDS-8025NT Press Brakes, PEMSERTER & HAEGER 824 Plus & 412 Insertion Presses, (2) LORS 175AP-DV & 11-0AR-1-DV Spot Welders, Full Powder Coat Line w/Wash, Dry, NORDSON Powder Booth, Cure Oven, Cantilever & Pallet Storage Racks & More

Sale Closing Date:

Wednesday, September 23, 2015 at 2:00 PM EDT

Inspection: By Appointment Only. See information on last page for details.

SALE 2 — INJECTION MOLDING & ROBOT AUCTION

FEATURING: 680-Ton ENGEL ES4400/750AH, 650-Ton JSW J50EII, (2) 350-Ton SUMITOMO SG350, & 225-Ton ENGEL 700/250 Injection Molding Machines w/STAR TWS-1000 FM-4 & TW-1400FM-3 Robots & State-of -the-Art MEGTEC Solvent Recovery/Carbon Adsorption System

Sale Closing Date:

Tuesday, October 6, 2015 at 2:00 PM EDT Inspection: By Appointment Only.
See information on last page for details.

Online Bidding at www.perfectionindustrial.com



ph 847-427-3333 • fax 847-427-8884 **www.perfectionindustrial.com**



20-TON TRUMPF TRUMATIC 2020R CNC PUNCHING MACHINE



33-TON AMADA APELIO 357V CNC LASER PUNCH PRESS



(3) 80-TON AMADA HDS-8025NT CNC PRESS BRAKE

SALE 1 — PRISTINE AMADA & TRUMPF FAB EQUIPMENT, INSERTION PRESSES, SPOT WELDERS & NORDSON POWDER COAT LINE

CNC PUNCHING MACHINE

20 TON TRUMPF TRUMATIC 2020R CNC PUNCHING MACHINE W/SHEETMASTER COMPACT LOAD/UNLOAD, S/N A0030A0435, (2007), 100" x 50" Working Range, 1/4" Max. Sheet Thickness, 20 Ton Max. Force, 90m/Min. X-Axis Speed, 60m/Min. Y-Axis Speed, 108m/Min. Simultaneous Speed X and Y, 180 RPM C-Axis, 900 1/Min. Max. Stroke Rate Punching (E=1 min), 2,200 1/Min. Max. Stroke Rate Marking, (19) Tools Linear Magazine, 3.5 Sec. Tool Change Time, Tooling Cartridges and Multiset Included, CE Marked

CNC LASER PUNCH PRESS

33 TON AMADA APELIO 357V CNC LASER PUNCH PRESS, S/N AP357001, (2002), 50" x 72" Travels, (58) Stations, 50" x 144" Worksheet Size (1 Reposition), 220 Max. Sheet Weight, 1968"/Min. Max. Table Speed, 590"/Min. Max. Cutting Speed, 30 RPM Turret Speed, 1.575" Max. Ram Stroke, 220 HPM Max. Punch Rate, (2) Auto Index, 2,000 Watt Fanuc AF2000E Laser, Koolant Kooler HCV10 Chiller, Yuken 150L Hydraulic Unit, Donalson Torit ADF-4 Collection System

LARGE ASSORTMENT OF AMADA PUNCH TOOLING AND CLAMPING



(3) 80-TON AMADA HDS-8025NT CNC PRESS BRAKE



(3) 80-TON AMADA HDS-8025NT CNC PRESS BRAKE

CNC PRESS BRAKES

(3) 80 TON AMADA HDS-8025NT CNC PRESS BRAKE, S/N's 82500134, (2003), 82500026, (2001), 82500001, (2000), 102.4" Table Length, 100.4" Max. Bending Length, 87" Between Housings, 16.3" Throat, 7.9" Stroke, 19.7" Open Height, AMNC PC Control, 3-Axis Back Gauge

LARGE SELECTION OF PRESS BRAKE TOOLING

INSERTION MACHINES

8 TON HAEGER 824-PLUS-1L INSERTION MACHINE, S/N 8PL-10721, (2003), 24" Throat, Haeger Modular Autofeed System, 16.4 AMP, 208/240V, 3-Phase

4 TON HAEGER 412-110 INSERTION MACHINE, S/N 4HM10596, (2005), 12" Throat, Single-Phase

3 TON PEMSERTER LT/4 IN-SERTION MACHINE, S/N 0321, 10" Throat, 3" Stroke



12000 Canon Blvd., Newport News, Virginia 23606

SALE 1 —
Closing Date:
Wednesday,
September 23, 2015
at 2:00 PM EDT
Inspection:
By Appointment Only.
See information on last
page for details.

To discuss your requirements for an auction, please call Perfection Industrial 847.427.3333



8-TON HAEGER 824-PLUS-1L INSERTION MACHINE



4-TON HAEGER 412-110 INSERTION MACHINE



3-TON PEMSERTER LT/4
INSERTION MACHINE

SALE 1 – Closing Date: Wednesday,

September 23, 2015 at 2:00 PM EDT

Inspection:

By Appointment Only. See information on last page for details.



100 KVA LORS 1100AR-I-DV SPOT WELDER

SPOT WELDERS

100 KVA LORS 1100AR-I-DV SPOT WELDER, S/N 1205-7476, 36" Throat, Unitrol 9180L-600E Welding Control

75 KVA LORS 175AP-DV-R S SPOT WELDER, S/N 507-7598, 30" Throat, Unitrol 9180L-600E Welding Control

75 KVA LORS 175AP-DV SPOT WELDER, S/N 1104-7393, 30" Throat, Unitrol 9180L-600E Welding Control



75 KVA LORS 175AP-DV-R S SPOT WELDER



75 KVA LORS 175AP-DV SPOT WELDER

S/N 1104-7393, 30" Throat, Unitrol 9' 600E Welding Control POWDER COAT SYSTEM

PRODUCTION SYSTEMS SINGLE-STAGE PLAFORIZATION AUTOLINE WASHER (2007), 27"W x 43"H x 46"L Max. Part Size, 42" x 60" Silhouette Opening, 28'3" L x 11'7" W, Shelco Microguardian Filtration System, Allen Bradley Panelview Plus 1000 Control (2007)

PRODUCTION SYSTEMS DRY-OFF OVEN AND CURE OVEN (2007), Current Setting of 10 Min. @ 400, 32' 1-1/2" L, Cincinnati HDBI-120 Exhaust Fan, 1,500 CFM Quick Purge Exhaust, 1,000 CFM Standard Exhaust, Air Seal, Cure Oven – 21.25 Minutes @ 450 Degree F, 58' L x 15' W, 2.5 Million BTU Natural Gas Burner

NORDSON XL-2001 ELECTROSTATIC POWDER COATING BOOTH (2007), Diagram No. E-000593928, 29' L x 7' 11"W, 5' 9" W Opening, Arrow Dryer, Nordson Excel 2000 Model 2001H Color/Reclaim Module, Single Nordson SureCoat Manual Gun and Control, (4) Versa-Spray Automatic Guns

APPROX 500' LINEAR CHAIN SYSTEM, 6 FPM

Sale Location:

12000 Canon Blvd., Newport News, Virginia 23606

To discuss your requirements for an auction, please call Perfection Industrial 847.427.3333

View our current auction schedule at www.perfectionindustrial.com







MISCELLANEOUS PAINT EQUIPMENT, BURN-OFF OVEN, WASH STATION

SALE 1 –

Closing Date: Wednesday, September 23, 2015 at 2:00 PM EDT

Inspection: By Appointment Only. See information on last page for details.



DEIMCO 9' X 8' X 101" SPRAY BOOTH



POLLUTION CONTROL PRODUCTS PRCIII5954 INDUSTRIAL BURN-OFF FURNACE



(3) NORDSON HR-16-150 POWDER FEED HOPPERS



PRESSURE ISLAND 6'X 12'
POWER WASHING STATION



Sale Location:

12000 Canon Blvd., Newport News, Virginia 23606

(3) ITW GEMA AG
MANUAL ELECTROSTATIC
POWDER FINISHING SYSTEM
W/EASY SELECT PAINT GUN
AND EASTRONIC CONTROL

MISCELLANEOUS PAINT EQUIPMENT

(2) NORDSON XL2001 COLOR RECLAIM MODULES

DEIMCO 9' X 8' X 101" SPRAY BOOTH

(3) NORDSON HR-16-150 POWDER FEED HOPPERS

(3) ITW GEMA AG MANUAL ELECTROSTATIC POWDER FINISHING SYSTEM W/EASY SELECT PAINT GUN AND EASTRONIC CONTROL

BURN-OFF OVEN

POLLUTION CONTROL PRODUCTS PRCIII5954 INDUSTRIAL BURN-OFF FURNACE

WASH STATION

PRESSURE ISLAND 6' X 12' POWER WASHING STATION
ALSO AVAILABLE: Cantilever Racks and Heavy Duty
Steel Rolling Carts

INJECTION MOLDING MACHINES

SALE 2 – INJECTION MOLDING & ROBOT AUCTION

Sale Location: 12000 Canon Blvd.,

Newport News, Virginia 23606

SALE 2 -

Closing Date: Tuesday, October 6, 2015 at 2:00 PM EDT Inspection: By Appointment Only. See information on

last page for details.

INJECTION MOLDING MACHINES

680 TON ENGEL ES4400/750 AH INJECTION MOLDER, S/N 0536/750/98, (1998), 93 Oz. Shot Size, 40-1/2" Tie Bar Spacing, 3-1/2" Screw Diameter

650 TON JSW J50EII INJECTION MOLDER, S/N 298205201, (1990), 120 Oz. Shot Size, 37" Tie Bar Spacing, 3-5/8" Screw Diameter

350 TON SUMITOMO SG350 INJECTION MOLDER, S/N 0037, (1990), 29 Oz. Shot Size, 28" Tie Bar Spacing, 2.5" Screw Diameter



650-TON JSW J50EII INJECTION MOLDER

350 TON SUMITOMO SG350 INJECTION MOLDER, S/N 0109, (1990), 29 Oz. Shot Size, 28" Tie Bar Spacing, 2.5" Screw Diameter

225 TON ENGEL 700/250 INJECTION MOLDER, S/N 6394-250-94, 12 Oz. Shot Size, 22-1/2" Tie Bar Spacing



680-TON ENGEL ES4400/750 AH INJECTION MOLDER



350-TON SUMITOMO SG350 INJECTION MOLDER



350-TON SUMITOMO SG350 INJECTION MOLDER



225-TON ENGEL 700/250 INJECTION MOLDER

ROBOTS, SOLVENT RECOVERY SYSTEM/CARBON ADSORPTION SYSTEM



STAR AUTOMATION TW-1400FMII-3 ROBOT



STAR AUTOMATION TW-1400FM-3 ROBOT



STAR AUTOMATION TW-1000FM-3 ROBOT



STAR AUTOMATION TWS-1000 FM-4 ROBOT

SOLVENT RECOVERY SYSTEM/CARBON ADSORPTION SYSTEM

MEGTEC SOLVENT RECOVERY SYSTEM (2008), Solvent Adsorbing System from Continuous Solvent Laden Air Stream from CVI Mfg Process. Steam Regeneration of a Saturated Absorber Producing a Liquid Water/ Solvent. Carbon Adsoption System Consisting of a SLA Fan, (2) Carbon Bed Adsorbers, 5,500 SCFM Each (1 Adsorbing. 1 Regeneration Stand-By), Purge Drying and Cooling System, Regeneration System Consisting of a Steam Header, Steam Flow Control Valve, Adsorber Steam Valves, Distillate Valves, Distillate Duct, Chill Water Cooled Condenser/Sub-Cooler, 3000-Gallon Desorbate Storage Tank and Export Pump, Solvent Loading and Compostion - 12.84 Lbs/Hr Monchlorobenzene, 19.87 Lbs/Hr Dimethoxymethane (Methylal), Desgined Operating Time - 24 Hrs/Day, 7 Days Per Week, 365 Days/Year

SALE 2

Closing Date: Tuesday, October 6, 2015

at 2:00 PM EDT

Inspection: By Appointment Only.

See information on last page

for details.

ROBOTS

STAR AUTOMATION TW-1400FMII-3 ROBOT, S/N T10F-0443, w/STAR STEC-400M Control

STAR AUTOMATION TW-1400FM-3 ROBOT, S/N T10F-0443, w/STAR STEC-400M Control

STAR AUTOMATION TW-1000FM-3 ROBOT, S/N T10F-0140, w/STAR STEC-400M Control

STAR AUTOMATION TWS-1000 FM-4 ROBOT, S/N T10F-0216, w/STAR STEC-400M Control



MEGTEC SOLVENT RECOVERY SYSTEM

Sale Location: 12000 Canon Blvd., Newport News, Virginia 23606



Surplus to the Ongoing Operations of a Major U.S. Copier, Printer, and Cartridge Manufacturer

2 ONLINE AUCTIONS

Sale 1 Closing Date: Wednesday, September 23, 2015 at 2:00 PM EDT Inspection:

By Appointment Only. See information on last page for details.

Sale 2 Closing Date: Tuesday, October 6, 2015 at 2:00 PM EDT Inspection:

By Appointment Only. See information on last page for details.

*INSPECTION

Inspection will be held by appointment only. To schedule an inspection appointment, please contact John Bopp at (708) 606.3240 or via email at John@PerfectionIndustrial.com

FOR FURTHER INFORMATION

For futher information contact John Bopp at (708) 606-3240 or Email: John@PerfectionIndustrial.com

REMOVAL

All removal will be handled by W.O. Grubb at the buyers expense. Please contact Frank Natale for quotes.

W.O. Grubb, Frank Natale (804) 513-5800 frankn@wogrubb.com

SALE 1: All items must be removed on or before Friday, October 9. **SALE 2:** All items must be removed on or before Friday, October 23.

TERMS OF SALE

Payment: An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied.

To discuss your requirements for an auction, please call Perfection Industrial 847.427.3333



Perfection Industrial Sales ph 847-427-3333 • fax 847-427-8884 www.perfectionindustrial.com Online Bidding at www.perfectionindustrial.com