

PERFECTION ONLINE AUCTION

SURPLUS STAMPING, FABRICATION, MACHINING, WOOD WORKING, **MATERIAL HANDLING & UPHOLSTERY MACHINERY**



135-TON PACIFIC J135-10 PRESS BRAKE



DAHLSTROM 360-1810R ROLL FORMER



Sale Closing Date: Tuesday, September 22, 2015 at 1:00 PM CDT

Sale Location: Cedartown Georgia & Muscatine Iowa

Cedartown, Georgia, Monday, September 21, 2015 from 8:00 AM to 4:00 PM **Inspection:**

Muscatine, Iowa, By Appointment



Perfection Industrial Sales ph 847-427-3333 • fax 847-427-8884 www.perfectionindustrial.com

Online Bidding at www.perfectionindustrial.com



150-TON MINSTER P2-150 PRESS



150-TON MINSTER P2-150 PRESS



150 TON MINSTER P2-150 PRESS, S/N P2-150-29509 (1998), 60" x 40" Bed, 0–100 SPM, 6" Stroke, 4" Slide Adjustment, 23" Shut Height

150 TON MINSTER P2-150 PRESS, S/N P2-150-29133 (1997), 60" x 40" Bed, 0–100 SPM, 6" Stroke, 4" Slide Adjustment, 23" Shut Height

150 TON MINSTER P2-150 PRESS, S/N P2-150-28925 (1996), 60" x 40" Bed, 0–100 SPM, 6" Stroke, 4" Slide Adjustment, 23" Shut Height

100 TON MINSTER PS2-100 PRESS, S/N PS2-100-25241 (1983), 48" x 31" Bed, 0–160 SPM, 4" Stroke, 4" Slight Adjustment, 20" Shut Height

300 TON CHICAGO DREIS & KRUMP SS-300-48-96 PRESS, S/N P9723, 48" x 96" Bed

100 TON BLISS S2-100-60-30 STRAIGHT SIDE DOUBLE CRANK PRESS, S/N H-42191-HP-27108-9-1955, 60" x 30" Bed, 6" Stroke, 6" Adjustment, 20" Shut Height, 32 SPM



100-TON MINSTER PS2-100 PRESS


100 TON FEDERAL OBI PRESS, 42" x 27" Table, 6" Stroke, 20.5" Die Space, 45 SPM

100 TON MAGNUM HFP-100-63-3 PRESS, S/N 20178, 63" x 36" Bed Area, 10" Ram Bore, 2,500 PSI, Dual Palm Buttons

60 TON BLISS C60 OBI PRESS, S/N H71784 (1998), 21" x 34" Bed, 4" Stroke, 4" Slide Adjustment, 15-1/4" Shut Height

60 TON NIAGARA PN60-48-30 PRESS, S/N 49405, 48" x 30" Bed, 4" Stroke, 5" Slide Adjustment, 40 SPM, 14-1/2" Shut Height

3000 PSI NEFF PRESS, S/N 11970 (2004), 24" x 20" Bed, 16" x 14" Ram



100-TON BLISS S2-100-60-30 STRAIGHT SIDE DOUBLE CRANK PRESS



60-TON BLISS C60 OBI PRESS



60-TON NIAGARA PN60-48-30 PRESS

COIL EQUIPMENT, CUT-TO-LENGTH LINE, ROLL FORMERS, JIG BORER



VIEW OF COIL REELS AND BUGGIES



DAHLSTROM 360-1810R ROLL FORMER

COIL EQUIPMENT

20,000 LB STRILICH COIL BUGGY, S/N 14251102

30,000 LB ROWE BGY-30 COIL BUGGY, S/N 18537

(3) 16,000 LB ROWE BGY-16 COIL BUGGIES

20,000 LB STRILICH DUAL COIL REEL, S/N 1425-1302

 $\textbf{16,000 LB ROWE 16050-DSVO-DE DUAL COIL REEL,} \ \text{S/N} \ 28320$

(3) 16,000 LB ROWE 16040-DSJ COIL REELS

ROWE C-40 POWERED STRAIGHTENER, S/N 19933, .020" Min. Thickness, .110" Max. Thickness Capacity

ROWE C3-40 40" X .086" POWERED STRAIGHTENER, S/N 23043, .030" Min. Thickness, .086" Max. Thickness Capacity

CUT-TO-LENGTH LINE

ROWE CUT-TO-LENGTH LINE COMPRISING, 20,000 Lb ROWE Coil Buggy, 20,000 Lb STRILICH Dual Coil Reel, S/N 1425-1102, Approx. 42" W x 72" OD Coil Capacity, ROWE 34" Straightener Feeder, ROWE CB & FSH Flying Shear, S/N 28321, 16 Ga. x 50" W Capacity, VOSS KEYSTONE 66/1.687-19/5 Leveler, S/N 5624, .024" to .080" Thickness, 60" W, 180 FPM, (2) ROWE STKR-DT-50-8 Stackers, Min. 15" W x 36" L, Max. 50" W x 86' L, ROWE VET 14-50, S/N 16068, .020" to .110" x 52" Capacity, 50" x 12' Dual Belt Parts Conveyor, 54" x 96" Roller Conveyor

ROLL FORMERS

DAHLSTROM 360-1810R ROLL FORMER, S/N 1364, 18-Station, 1.750" Shaft Diameter, 26" Roll Space, 8" Horizontal Center, 4.5" Roll Range, 20 FPM, 20 HP

TRU-TECH ROLL FORMER, S/N 1200R (2007), 14-Station, 8" Roll Space, 1.5" Shaft Diameter, 3/8" Key Size, R-L, 4–6 Vertical Centers, 8" Horizontal Centers, 20 HP

TRU-TECH ROLL FORMER, (No Plate Present), 16-Station, Approx. 14" Roll Space, 4.5" Roll Range, 10 HP



TRU-TECH ROLL FORMER



TRU-TECH ROLL FORMER



SIP HYDROPTIC 6A JIG BORER

JIG BORER

SIP HYDROPTIC 6A JIG BORER, S/N 5812, 33" x 43" Table, 2,000 RPM Max. Spindle Speed

View our current auction schedule at www.perfectionindustrial.com

PRESS BRAKES



175-TON WYSONG MTH 175-120 PRESS BRAKE

PRESS BRAKES

175 TON WYSONG MTH 175-120 PRESS BRAKE, S/N MTH-113, 8" Stroke, 9" Adjustment, 17" Max. Die Space, 120" Overall, 102" Between Housings

140 TON WYSONG THS140-120 PRESS BRAKE, S/N TH7-102, 8" Stroke, 9" Adjustment, 17" Max. Die Space, 10' OA

135 TON PACIFIC J135-10 PRESS BRAKE, S/N A1188, 120" Overall, 100" Between Housings, 90 Ton Punch Capacity

110 TON WYSONG THS-100-144 PRESS BRAKE, S/N TH4-101, 8" Stroke, 9" Adjustment, 17" Die Space, 144" Overall, 126" Between Housings

100 TON WYSONG THS100-96 PRESS BRAKE, S/N TH2-103, 8" Stroke, 9" Adjustment, 17" Max. Die Space, 100" Overall, 78" Between Housings

90 TON PACIFIC J90-10 HYDRAULIC PRESS BRAKE, S/N 9019, 10 Ga. x 10' Capacity, 60 Ton Punch Capacity, 120" Overall, 120" Between Housings

60 TON WYSONG THS-60-96 PRESS BRAKE, S/N TH8-104, 6" Stroke, 9" Adjustment, 15" Max. Die Space, 96" Overall, 78" Between Housings

60 TON CHICAGO DREIS & KRUMP 368-L PRESS BRAKE, S/N L-10093

(7) 40 TON WYSONG H-4072 PRESS BRAKES, 2-1/2" Stroke, 3" Adjustment, 9" Max. Die Space, 72" Overall, 62" Between Housings

40 TON WYSONG H-4052 PRESS BRAKE, S/N HPB18-153, 6" Stroke, 9" Adjustment, 15" Max. Die Space, 52" Overall, 37-1/2" Between Housings

(3) 20 TON WYSONG H-2072 PRESS BRAKES, 2-1/2" Stroke, 3" Adjustment, 9" Max. Die Space, 72" Overall, 38" Between Housings



110-TON WYSONG THS-100-144 PRESS BRAKE



90-TON PACIFIC J90-10 HYDRAULIC PRESS BRAKE

(3) 20 TON WYSONG H-2052 PRESS BRAKES, 2-1/2" Stroke, 3" Adjustment, 9" Max. Die Space, 52" Overall, 38" Between Housings



135-TON PACIFIC J135-6 PRESS BRAKE



100-TON WYSONG THS100-96 PRESS BRAKE



60-TON WYSONG THS-60-96 PRESS BRAKE

TOOL ROOM MACHINERY, WELDING, POST FORMING, WOOD WORKING

TOOL ROOM MACHINERY

SHARP SH-1224 SURFACE GRINDER, S/N 70407-05

SUNNEN MBB-1660 PRECISION HONING MACHINE, S/N 81782

MILWAUKEE H NO.3 VERTICAL MILL, S/N 292952, 13-1/2" x 62" Table

LAGUN MILLAMATIC III DELUXE MILLING MACHINE, 11" x 58" Table, Anilam 3300 MK Control, 10" Throat

DELTA 20 DRILL PRESS, 23-1/2" x 36" Table, 125-1,250 RPM, 10" Throat

PROCUNIER DRILL PRESS W/PROCUNIER SIZE 3 TAPPING ATTACHMENT AND (4) SCREW SPINDLE

5 TON JET NO.5 ARBOR PRESS

CAT 40 AND 50 TOOL HOLDERS

WELDING

12-HEAD SPOT WELDER CELL COMPRISING (8) PINCH STYLE SPOT WELDERS, (4) Straight Gun Welders, Allen Bradley Panelview 550 DRO w/Weldtronic Wt-900 Weld Control

 ${\bf HONCOMPANY15-HEADCRADLEWELDERW/ENTRONEN100CASCADEMULTI-VALVE\ CONTROL}$

MILLER DELTAWELD 154 MIG WELDER, S/N KA762224

MILLER CP302 MIG WELDER, S/N LG380460C

MILLER MILLERMATIC 300 MIG WELDER, S/N LA074728

(3) MILLER CP250TS MIG WELDERS
(2) MILLER CP200 MIG WELDERS
(3) MILLER INVISION 304P ARC




ARC WELDERS



SUNNEN MBB-1660 PRECISION HONING MACHINE





LAGUN MILLAMATIC III DELUXE MILLING MACHINE



DELTA 20 DRILL PRESS



HOMAG VFL 75 FLOW-THRU POST FORMING MACHINE

POST FORMING

HOMAG VFL 75 FLOW-THRU POST FORMING MACHINE, S/N 0-206-15-1727 (2000), 45mm Max. Workpiece Thickness, 1700mm Length of Pressing Zone, 700mm Min. Workpiece Length, 150mm Min. Workpiece Width, 110mm Foil Extension Max., .08mm Max. Laminate Thickness, Single Sided Postforming, Pressure Rollers, w/Ligmatech ZHR 01 Return Conveyor and Belt Conveyors



SHODA NC516-2434 MULTIPLE SPINDLE CNC ROUTER

WOOD WORKING

(2) SHODA NC516-2434 MULTIPLE SPINDLE CNC ROUTERS, S/N W10A80801 (1998), 102" x 53" Moving Table, (4) Wrench Type Routing Spindles

CR ONSRUB 00210 INVERTED ROUTER, S/N 36030401
VITAP 35 HEAD MULTIDRILL
VITAP ALFA21 MULTIDRILL

FORKLIFTS, SEA CONTAINERS, PAINT LINE WASH SYSTEM



VIEW OF FORKLIFTS

FORKLIFTS

(24) YALE, KOMATSU, AND TOYOTA FORKLIFTS, Up to 5,000 Lb Capacity

SPARES FORK SETS

(16) CRIBMASTER INVENTORY MANAGEMENT
SYSTEM TOOL VENDING MACHINE

View our current auction schedule at www.perfectionindustrial.com

TERMS OF SALE

Payment: An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied.

SEA CONTAINERS

(7) 40' SEA CONTAINERS 20' SEA CONTAINER

THERMA-TRON-X WASH SYSTEM

PAINT LINE WASH SYSTEM

THERMA-TRON-X WASH SYSTEM, (3) Sections Approx. 100' Total Length, w/Filters and Tank

ALSO AVAILABLE: Large Selection of Upholstery Presses, Riveters, Stitching Machines, Sewing Machines, Pallet Racking, Sealers, Pallet Wrappers, Vises, and Much More.

To discuss your requirements for an auction, please call Perfection Industrial 847.427.3333

REMOVAL

All items must be removed from the Muscatine location by October 9, 2015. All items must be removed from the Cedartown facility by October 9, 2015 unless approved by the Auctioneer. All items must be removed by LPWI rigging company from the Muscatine locations that currently house production. Contact the rigger for removal quotes.

FOR FURTHER INFORMATION

For futher information contact John Bopp at (708) 606-3240 or Email: John@PerfectionIndustrial.com

RIGGING

MUSCATINE REMOVAL — L.P.W.-I. Inc., Davenport, IA 52806 Dwayne Rupp, Project Manager/Superintendent Cell: (563) 210-5285, Fax: (563) 391-9978 or Email: Dwayne@LPW-I.com

CEDARTOWN REMOVAL — Morrison Construction Scott Greene (706) 506-2660 or Email: lsq21854@comcast.net

Sale Closing Date: Tuesday, September 22, 2015 at 1:00 PM CDT

Sale Location: Cedartown Georgia & Muscatine Iowa

Inspection: Cedartown, Georgia, Monday, September 21, 2015 from 8:00 AM to 4:00 PM

Muscatine, Iowa, By Appointment



Perfection Industrial Sales ph 847-427-3333 • fax 847-427-8884 www.perfectionindustrial.com Online Bidding at www.perfectionindustrial.com