



PERFECTION
Industrial Sales

LIVE WEBCAST AUCTION

2001



AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS & COIL LINE



MURAMOTO

COMPLETE FACILITY CLOSURE OF ELECTRONIC PARTS MANUFACTURER

(21) AIDA, SEYI & CHIN FONG
STAMPING PRESSES,
MACHINE TOOLS, (19) HAEGER
INSERTION PRESSES WITH
SAILOR ROBOTS, EDM, CMM,
MATERIAL HANDLING
& PLANT SUPPORT
EQUIPMENT

1997-1998



(12) AIDA NC1-200(2) GAP FRAME PRESSES

2010



CHIN FONG G2-250 DOUBLE CRANK,
GAP FRAME PRESS

Sale Date: Tuesday, June 24 at 10:00 AM PDT

Location: Calle Tres Sur No. 1085, Cd. Industrial, Tijuana, BC 22444

Inspection: Monday, June 23, 10:00 AM-4:00 PM PDT

Online Bidding Available Through

BidSpotter.com



PERFECTION
Industrial Sales

Perfection Industrial Sales
ph 847-427-3333 • fax 847-427-8884
www.perfectionindustrial.com

Sale is Being Held in
Conjunction With:

M-N
MACHINERY NETWORK

A
AUCTIONS

AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING
888-998-4440
EMAIL: info@machinerynetworkauctions.com
www.machinerynetworkauctions.com

AMERICAN AUCTIONEERS GROUP

AIDA PRESS LINE—OFFERED COMPLETE OR AS INDIVIDUAL PRESSES, W/(7) ORII RY-120L-2GS TRANSFER ROBOTS, (6) SINGLE CRANK, GAP FRAME PRESSES

**VIDEOS OF PRESSES
BEING RUN UNDER POWER
AVAILABLE ONLINE AT
www.perfectionindustrial.com**



**UNDER POWER
INSPECTIONS
AVAILABLE BY
APPOINTMENT**

**FURTHER
INFORMATION:**

Please contact
John Bopp for
further questions
regarding the
auction, rigging
and transportation
companies.

<
(7) ORII RY-120L-2GS
TRANSFER ROBOTS

1997–1998



(7) AIDA NC1-200(2) GAP FRAME PRESS W/ORII TRANSFER ROBOTS

**1997–
1998**



(12) AIDA NC1-200(2) GAP FRAME PRESSES



(2) AIDA C1-110(2) GAP FRAME PRESSES

2006



(2) AIDA NC1-80(2) GAP FRAME PRESSES

2006



SEYI SN1-80 GAP FRAME PRESS

2010



CHIN FONG G2-250 DOUBLE CRANK, GAP FRAME PRESS AND COIL LINE

**AIDA PRESS LINE—OFFERED COMPLETE
OR AS INDIVIDUAL PRESSES**

(12) 220 TON AIDA NC1-200(2) GAP FRAME PRESSES, (1997–1998), 9.84" Slide Stroke, 25–45 SPM, 17.71" Die Height, 4.33" Slide Adjustment, 34.6" x 25.6" Slide Area, 54.7" x 33" Bolster Area, (7) with Cushions, Hydraulic Clamping, Die Rails, 20 HP Main Motor, w/(7) ORII RY-120L-2GS Transfer Robots

(6) SINGLE CRANK, GAP FRAME PRESSES

(2) 121 TON AIDA C1-110(2) GAP FRAME PRESSES, S/N 00211-3014, 3015, (1980), 7.08" Slide Stroke, 50 SPM, 13.77" Die Height, 3.54" Slide Adjustment, 23.62" x 20.47" Slide Area, 42.51" x 26.77" Bolster Area, Cushion, 10 HP Main Motor

(2) 88 TON AIDA NC1-80(2) GAP FRAME PRESSES, S/N 00208-8051, 00208-8055, (1991), 6.29" Slide Stroke, 40–75 SPM, 13.77" Die Height, 3.14" Slide Adjustment, 18.50" x 21.25" Slide Area, 23.50" x 37.25" Bolster Area, Cushion, 10 HP Main Motor

(2) 88 TON SEYI SN1-80 GAP FRAME PRESS, S/N EW80-2579, EW80-2580, (2006), 5.90" Slide Stroke, 40–75 SPM, 12.99" Die Height, 3.14" Slide Adjustment, 22.04" x 18.11" Slide Area, 41.33" x 23.62" Bolster Area, 15 HP Main Motor

(2) DOUBLE CRANK, GAP FRAME PRESSES, STRAIGHT SIDE MECHANICAL PRESS, (3) AIDA & ORII COIL LINES,
(4) ROBOTS, WIRE & SMALL HOLE DRILL EDM MACHINERY



SEYI SN2-160 DOUBLE CRANK, GAP FRAME PRESS AND COIL LINE



ORII MH-08HKA-DZK UNCOILER, LHJ08ACAB-X STRAIGHTENER, ACB08NAFX ROLL FEEDER



SEYI SN2-160 DOUBLE CRANK, GAP FRAME PRESS



ORII LCC 08HP2JBX-YHS UNCOILER, STRAIGHTENER AND ROLL FEEDER



AIDA LFL-300E UNCOILER, STRAIGHTENER AND ROLL FEEDER

(2) DOUBLE CRANK, GAP FRAME PRESSES

275 TON CHIN FONG G2-250 DOUBLE CRANK GAP FRAME PRESSES, S/N B00926, (2010), 11.02" Slide Stroke, 20-35 SPM, 21.65" Die Height, 4.72" Slide Adjustment, 82.67" x 27.55" Slide Area, 106.29" x 31.49" Bolster Area, 30 HP Main Motor

176 TON SEYI SN2-160 DOUBLE CRANK GAP FRAME PRESS, S/N EW-D160-492, (2007), 7.87" Slide Stroke, 30-50 SPM, 17.71" Die Height, 3.93" Slide Adjustment, 61.41" x 22.83" Slide Area, 80.31" x 29.92" Bolster Area, 20 HP Main Motor

STRAIGHT SIDE MECHANICAL PRESS

330 TON AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS, S/N 12903-0943, (2001), 5.90" Slide Stroke, 50-120 SPM, 16.92" Die Height, 3.93" Slide Adjustment, 84.64" x 39.30" Slide Area, 84.64" x 39.30" Bolster Area, 49.61 HP Main Motor

(4) ROBOTS

(4) PANASONIC YA-1MA161 ROBOTS, (2001)



2001

(3) AIDA & ORII COIL LINES

ORII MH-08HKA-DZK UNCOILER, LHJ08ACAB-X STRAIGHTENER, ACB08NAFX ROLL FEEDER, (1997), 3.93"-31.4" Width x 0.01"-0.09" Thick

ORII LCC 08HP2JBX-YHS UNCOILER, STRAIGHTENER AND ROLL FEEDER, S/N 50044, (1990)

AIDA LFL-300E UNCOILER, STRAIGHTENER AND ROLL FEEDER, S/N 14310-2271, (2010), 1.18"-11.81" Coil Width, 0.001"-0.125" Coil Thickness, 6,000 Lb Coil Weight, 20" Coil I.D., 31.4"-47.24" Coil O.D., 0.39"-11.81"

WIRE & SMALL HOLE DRILL EDM MACHINERY

MITSUBISHI FA20S WIRE EDM, S/N J20M1243, (2008), 41.3" x 3.15" x 11.6" Max. Workpiece Dimensions, 3,300 Lb Max. Workpiece Weight, 30.7" x 24.8" Table Size, X-19.7" x Y-13.8" x Z-11.8" Axis Travel, U-3" x V-3"± Machining Travel, .0004"-0.12" Wire Diameter

SODICK K1C HIGH-SPEED SMALL HOLE DRILL EDM W/X-ACT SDS2 READOUT CONTROL, (2008), 9.84" x 13.78" Work Table Size, 220.5 Lb Max. Workpiece Weight, X-7.87" x Y-11.81" x Z-11.81" x W-9.84" Axis Travel, .010"-.12" Electrode Diameter

< (4) PANASONIC YA-1MA161 ROBOTS



> SODICK K1C HIGH-SPEED SMALL HOLE DRILL EDM



AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS

LATE-MODEL INSPECTION EQUIPMENT—AS LATE AS (2012), INJECTION MOLDING MACHINE & SECONDARY EQUIPMENT, HARDWARE INSERTION MACHINES, AIR COMPRESSORS



ZEISS CONTURA G2 CMM



NISSUI KAKO NB-045-222
HOPPER/DRYER



HAEGAR INSERTION MACHINES & SAILOR ROBOTS



NIKON VMR-6555 VIDEO
MEASURING SYSTEM

LATE-MODEL INSPECTION EQUIPMENT—AS LATE AS (2012)

ZEISS CONTURA G2 CMM (2012); NIKON
VMR-6555 VIDEO MEASURING SYSTEM (2011);
NIKON MM-400 MICROSCOPE (2011); IMADA
MX-5000N-E FORCE MEASURING MACHINE (2011)

INJECTION MOLDING MACHINE & SECONDARY EQUIPMENT

125 TON SUMITOMO SG125-HIIRO-M11A
INJECTION MOLDING MACHINE, S/N MOGJ0134,
(1991), 18.11" x 18.11" Tie Bar Space, 26.37" x 26.37"
Platen Size, 7.08" x 17.71" Mold Space, 1.25"
Screw Diameter

NISSUI KAKO TA-030 TEMPERATURE
CONTROLLER, S/N 122133, (1991), 10.2kW, 3.1 L Tank

NISSUI KAKO NB-045-222 HOPPER/DRYER,
S/N 121061, (1991), 4.75kW, 3 Phase, 56/60 Hz



SAILOR ROBOTS



125 TON SUMITOMO SG125-HIIRO-M11A
INJECTION MOLDING MACHINE



IMADA MX-5000N-E
FORCE MEASURING
MACHINE



NIKON MM-400 MICROSCOPE



MITUTOYO
WIZHARD
HARDNESS
TESTER

HARDWARE INSERTION MACHINES

(12) 8 TON HAEGER 824 WINDOWS TOUCH, 24" Throat,
S/N 8WT30891, 8WT30903, 8WT30869, 8WT30866, 8WT30867,
8WT30875, 8WT30850, 8WT30863, 8WT30846, 8WT30854,
8WT30862, 8WT30852, (All New 2006)

(7) 8 TON HAEGER 824 ONE TOUCH, 24" Throat, (4) Bowls,
S/N 8OT30530, 8OT30532, 8OT30518, 8OT30523, 8OT30517,
8OT30526, 8OT30873, (All New 2006)

Each Haeger will be offered for sale with a Sailor Robot.

(18) SAILOR MODEL OE-3079, OE-3115R AND OE-3115T
TRANSFER ROBOTS

NOTE: Haeger Insertion Machines have been moved and are being
sold remotely, located in Anaheim California. For further information,
please contact Ms. Raleigh K. Burke, Tel: (818) 788-2260

AIR COMPRESSORS

(2) 223 HP ATLAS COPCO GA160FF AIR COMPRESSORS,
S/N APF151377, (2856 Loaded Hours), S/N APF151402 (2959 Loaded Hours),
(Both 2010), 129 PSIG Mac. Working Pressure, 166kW Input Pressure

(2) ATLAS COPCO OSC600 OIL WATER SEPARATORS, S/N AP1023273,
AP1022959, (2009)

1,550-GALLON ROY E. HASON MFG AIR TANK, S/N 425261, (2006),
MAWP 150 PSIG @ 400 Degrees F, MDMT -20 Degree F @ 150 PSIG

Sale Date: Tuesday, June 24 at 10:00 AM PDT **Inspection:** Monday, June 23, 10:00 AM–4:00 PM PDT

HOTELS

Tijuana Marriott Hotel..... Tel +52 664 662 6600
Blvd. Agua Caliente 11553, Chapultepec Este, 22420
Tijuana, BC, Mexico

Fiesta Inn..... Tel +52 664 979 1900
Rampa Aeropuerto 16000 Col Ot
Tijuana, 22000 Mexico

Holiday Inn Express Hotel & Suites
San Diego Otay Mesa..... Tel (619) 710-0900
2296 Niels Bohr Court, San Diego, CA 92154

FURTHER INFORMATION

Please contact John Bopp for further questions
regarding the auction, rigging and transportation
companies, Email: john@perfectionindustrial.com
or +1.708.606.3240

For Further Information regarding auction accounting
please contact Raleigh Burkhe, at (818) 788-2260
or Email: Raleigh@machinerynetwork.com

REMOVAL TIMES

All items to be removed by Friday, July 18, 2014. Hours:
Monday–Friday between 9:00 am – 4:30 pm. Weekends
and extended hours by appointment. No items may be
removed during auction. NO EXCEPTIONS.

*This brochure is meant merely as a guide.
Perfection Industrial Sales and Machinery Network
Auctions make no guarantee, expressed or implied,
as to the accuracy of the information in this brochure.
Buyers should inspect the goods beforehand to
satisfy themselves.*

RIGGING & TRANSPORTATION

Skytruck Air & Sea Transport/Campillo Rigging
Contact Joe Balcazar (956) 645-3019

Joe Balcazar, JOEB@SKYTRUCK.COM

Sermaq-Maniobras de Precision

Contact Patty Gonzalez..... (619) 671-9214

Patricia Gonzalez, p.gonzalez@sermaq.com.mx

TERMS OF SALE

All prospective bidders must register and be approved by Perfection Industrial Sales and Machinery Network Auctions no later than 24 hours prior to the start of the auction. All equipment described herein will be sold "as is", to the highest bidder or bidders for payment in accordance, with our regular terms and conditions of sale. Neither seller nor auctioneer makes any warranty, express or implied, as to the nature, quality, value or condition of any asset. Auctioneer and seller expressly disclaim any warranty of merchantability, fitness for a particular purpose or non-infringement. All payments must be made in US Dollars. Each successful buyer must pay a 25% deposit toward the purchase price immediately following the successful bid made by cash, check or wire transfer only. Company and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to federal, state and/or local taxes. All taxes must be paid by buyer. A VAT or import tax may be applicable for companies in Mexico. In the event a 16% or 11% I.V.A. tax is applicable as a result of the sale, such tax shall be paid exclusively by Buyer. 0% for Assets temporarily imported into Mexico under a Maquiladora (IMMEX) Program, unless the assets stay in Mexico, in which case an I.V.A. of 16% and taxes for nationalization will have to be paid by the Buyer. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply, with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website. 18% ONLINE BUYER'S PREMIUM.

TOOL ROOM MACHINERY, MATERIAL HANDLING & WAREHOUSE



ACRA 1440V TOOL ROOM LATHE



(7) YOSHIKAWA US-66
AND US-1 RIVETING MACHINES



(2) FUTABA ARV100C AUTO COIL REELS



GRINDERS AND DRILLS



< LAGUN
FTV-4L
VERTICAL
MILLING
MACHINE

> KIWA
KUB-560FS
DRILL
PRESS



ROLL-IN SAW EF1459
VERTICAL BANDSAW



YOSHIKAWA
US-66 RIVETING
MACHINE



FUTABA UR-150-2
LEVELER



WELDERS



10 TON DEMAG 50' X 23' APPROX. FREE STANDING BRIDGE CRANE



ACRA ASG-1020HS
SURFACE GRINDER



KURODA GS-BMHFL SURFACE GRINDER

TOOL ROOM MACHINERY

ACRA 1440V TOOL ROOM LATHE, S/N 22082, 14" Swing, 40" Between Centers, 6" 3-Jaw Chuck, 30–2,500 RPM Spindle Speed, Newall C80 DRO
LAGUN FTV-4L VERTICAL MILLING MACHINE, 58–4,200 RPM Spindle Speed, 11" x 58" Table, Newall DP700 DRO

ACRA ASG-1632HS SURFACE GRINDER, S/N 0643111, 32" x 16" Kanetsu Magnetic Chuck

ACRA ASG-1020HS SURFACE GRINDER, S/N 0723053, (2008), 20" x 10" Kanetsu Magnetic Chuck, Sony DRO

KURODA GS-BMHFL SURFACE GRINDER, S/N 3030, (1999), 2,800 RPM, 11.5" x 5" Magnetic Chuck

ROLL-IN SAW EF1459 VERTICAL BANDSAW, S/N 06038EF, (2006), 75–300 FPM Cutting Speed, 30" x 18" Table, 12" Throat

KIWA KUB-560FS DRILL PRESS, S/N 610439, 52–1,710 RPM Spindle Speed, 16" Dia. Table, 10" Throat

JET 8" JBG-8A BENCH GRINDER, S/N 0020348, 3,450 RPM

WILTON 4002 1" BELT SANDER, S/N CH041519

WILTON 20" DRILL PRESS, 150–4,200 RPM Spindle Speed, 12-Speed, 14" x 16" Table, 10" Throat

INFRA MM261 ARC WELDER, S/N B-237-1825

INFRA SRH 444 ARC WELDER, S/N B-206-1229

MILLER DYNASTY 200 TIG WELDER, S/N LH170154L

AIKOH ENGINEERING 1314 TEST STAND, S/N 6663

(5) YOSHIKAWA US-66 RIVETING MACHINES, (2004–2006)

(2) YOSHIKAWA US-1 RIVETING MACHINES, S/N 106376, 106263, (2005)

FUTABA UR-150-2 LEVELER, S/N 328222190001, (2012), 6" Max. Width Capacity

(2) FUTABA ARV100C AUTO COIL REEL, S/N 328222450002, 32822250001, (2012), 220 Lb Weight Capacity, 6" Max. Width

MATERIAL HANDLING & WAREHOUSE

10 TON DEMAG 50' X 23' APPROX. FREE STANDING BRIDGE CRANE, S/N 06336, (2006), 18' Under Bridge

3 TON DEMAG 100' X 32" APPROX. FREE STANDING BRIDGE CRANE, S/N P1988, (2010), 17' Under Bridge

LANTECH Q300 STRETCH WRAPPING MACHINE, S/N QM029414, (2012), 65" Dia. Table 120V, Single Phase



3 TON DEMAG 100' X 32" APPROX.
FREE STANDING BRIDGE CRANE

View our current auction schedule at
www.perfectionindustrial.com



**PERFECTION
Industrial Sales**

Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007
888.241.4577 (U.S. & Canada) – 847.427.3333 (outside U.S. & Canada) – 847.427.8884 (fax)
www.perfectionindustrial.com



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

**COMPLETE FACILITY CLOSURE OF ELECTRONIC PARTS MFR. – (21) AIDA, SEYI & CHIN
FONG Stamping Presses, Machine Tools, (19) HAEGER Insertion Presses with SAILOR
Robots, EDM, CMM, Material Handling & Plant Support Equipment**

**LIVE WEBCAST
AUCTION**

Sale Date: Tuesday, June 24 at 10:00 AM PDT **Inspection:** Monday, June 23, 10:00 AM–4:00 PM PDT

**COMPLETE FACILITY CLOSURE
OF ELECTRONIC PARTS MFR.**



(7) AIDA NC1-200(2) GAP FRAME PRESS
W/ORII TRANSFER ROBOTS

**COMPLETE FACILITY CLOSURE OF ELECTRONIC PARTS MFR. – (21) AIDA, SEYI & CHIN
FONG Stamping Presses, Machine Tools, (19) HAEGER Insertion Presses with SAILOR
Robots, EDM, CMM, Material Handling & Plant Support Equipment**

**LIVE WEBCAST
AUCTION**



HAEGER 824 INSERTION MACHINES



MITSUBISHI FA20S WIRE EDM



(2) 223 HP ATLAS COPCO
GA160FF AIR COMPRESSORS



ZEISS CONTURA G2 CMM

Sale Date: Tuesday, June 24 at 10:00 AM PDT

Location: Calle Tres Sur No. 1085, Cd. Industrial, Tijuana, BC 22444

Inspection: Monday, June 23, 10:00 AM–4:00 PM PDT



**PERFECTION
Industrial Sales**

Perfection Industrial Sales
ph 847-427-3333 • fax 847-427-8884
www.perfectionindustrial.com

Sale is Being Held in
Conjunction With:

