



PERFECTION
Industrial Sales

LIVE WEBCAST AUCTION

2001



AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS & COIL LINE



MURAMOTO

**COMPLETE FACILITY
CLOSURE–
PRISTINE CONDITION
MURAMOTO USA, INC.**

**(21) AIDA, SEYI & CHIN
FONG STAMPING PRESSES,
CNC MACHINE TOOLS,
EDM, VISUAL INSPECTION,
MATERIAL HANDLING
& PLANT SUPPORT
EQUIPMENT**

1997–1998



(12) AIDA NC1-200(2) GAP FRAME PRESSES

2000



CHIN FONG G2-250 DOUBLE CRANK,
GAP FRAME PRESS

Sale Date: Tuesday, June 24 at 10:00 AM PDT

Location: Calle Tres Sur No. 1085, Cd. Industrial, Tijuana, BC 22444

Inspection: Monday, June 23, 10:00 AM–4:00 PM PDT

Online Bidding Available Through

BidSpotter.com



PERFECTION
Industrial Sales

Perfection Industrial Sales
ph 847-427-3333 • fax 847-427-8884
www.perfectionindustrial.com

Sale is Being Held in Conjunction With:



MACHINERY NETWORK AUCTIONS
www.MACHINERYNETWORKAUCTIONS.COM

888-998-4440

EMAIL: info@machinerynetworkauctions.com
www.machinerynetworkauctions.com

AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING

AIDA PRESS LINE—OFFERED COMPLETE OR AS INDIVIDUAL PRESSES, W/(7) ORII RY-120L-2GS TRANSFER ROBOTS, (6) SINGLE CRANK, GAP FRAME PRESSES

**VIDEOS OF PRESSES
BEING RUN UNDER POWER
AVAILABLE ONLINE AT
www.perfectionindustrial.com**

**UNDER POWER
INSPECTIONS
AVAILABLE BY
APPOINTMENT**

**FURTHER
INFORMATION:**

Please contact
John Bopp for
further questions
regarding the
auction, rigging
and transportation
companies.

<
**(7) ORII RY-120L-2GS
TRANSFER ROBOTS**



(7) AIDA NC1-200(2) GAP FRAME PRESS W/ORII TRANSFER ROBOTS



AIDA NC1-200(2) GAP FRAME PRESS



(2) AIDA C1-110(2) GAP FRAME PRESSES



(2) AIDA NC1-80(2) GAP FRAME PRESSES



SEYI SN1-80 GAP FRAME PRESS



CHIN FONG G2-250 DOUBLE CRANK, GAP FRAME PRESS AND COIL LINE

2006

2006

2010

**AIDA PRESS LINE—OFFERED COMPLETE
OR AS INDIVIDUAL PRESSES**

(12) 220 TON AIDA NC1-200(2) GAP FRAME PRESSES, (1997–1998),
9.84" Slide Stroke, 25–45 SPM, 17.71" Die Height, 4.33" Slide Adjustment,
34.6" x 25.6" Slide Area, 54.7" x 33" Bolster Area, 20 HP Main Motor,
w/(7) ORII RY-120L-2GS Transfer Robots

(6) SINGLE CRANK, GAP FRAME PRESSES

(2) 121 TON AIDA C1-110(2) GAP FRAME PRESSES, S/N 00211-3014, 3015,
(1980), 7.08" Slide Stroke, 50 SPM, 13.77" Die Height, 3.54" Slide
Adjustment, 23.62" x 20.47" Slide Area, 42.51" x 26.77" Bolster Area, 10 HP
Main Motor

(2) 88 TON AIDA NC1-80(2) GAP FRAME PRESSES, S/N 00208-8051,
00208-8055, (1991), 6.29" Slide Stroke, 40–75 SPM, 13.77" Die Height,
3.14" Slide Adjustment, 18.50" x 21.25" Slide Area, 23.50" x 37.25"
Bolster Area, 10 HP Main Motor

(2) 88 TON SEYI SN1-80 GAP FRAME PRESS, S/N EW80-2579, EW80-2580,
(2006), 5.90" Slide Stroke, 40–75 SPM, 12.99" Die Height, 3.14" Slide
Adjustment, 22.04" x 18.11" Slide Area, 41.33" x 23.62" Bolster Area, 15 HP
Main Motor

(2) DOUBLE CRANK, GAP FRAME PRESSES, STRAIGHT SIDE MECHANICAL PRESS, (3) AIDA & ORII COIL LINES, (22) ROBOTS & TRANSFERS

2007



SEYI SN2-160 DOUBLE CRANK, GAP FRAME PRESS AND COIL LINE

1997



ORII MH-08HKA-DZK UNCOILER, LHJ08ACAB-X STRAIGHTENER, ACB08NAFX ROLL FEEDER



2007

SEYI SN2-160 DOUBLE CRANK, GAP FRAME PRESS



1990

ORII LCC 08HP2JBX-YHS UNCOILER, STRAIGHTENER AND ROLL FEEDER



2010

AIDA LFL-300E UNCOILER, STRAIGHTENER AND ROLL FEEDER

(2) DOUBLE CRANK, GAP FRAME PRESSES

275 TON CHIN FONG G2-250 DOUBLE CRANK GAP FRAME PRESSES, S/N B00926, (2010), 11.02" Slide Stroke, 20-35 SPM, 21.65" Die Height, 4.72" Slide Adjustment, 82.67" x 27.55" Slide Area, 106.29" x 31.49" Bolster Area, 30 HP Main Motor

176 TON SEYI SN2-160 DOUBLE CRANK GAP FRAME PRESS, S/N EW-D160-492, (2007), 7.87" Slide Stroke, 30-50 SPM, 17.71" Die Height, 3.93" Slide Adjustment, 61.41" x 22.83" Slide Area, 80.31" x 29.92" Bolster Area, 20 HP Main Motor

STRAIGHT SIDE MECHANICAL PRESS

330 TON AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS, S/N 12903-0943, (2001), 5.90" Slide Stroke, 50-120 SPM, 16.92" Die Height, 3.93" Slide Adjustment, 84.64" x 39.30" Slide Area, 84.64" x 39.30" Bolster Area, 49.61 HP Main Motor

(3) AIDA & ORII COIL LINES

ORII MH-08HKA-DZK UNCOILER, LHJ08ACAB-X STRAIGHTENER, ACB08NAFX ROLL FEEDER, (1997), 3.93"-31.4" Width x 0.01"-0.09" Thick

ORII LCC 08HP2JBX-YHS UNCOILER, STRAIGHTENER AND ROLL FEEDER, S/N 50044, (1990)

AIDA LFL-300E UNCOILER, STRAIGHTENER AND ROLL FEEDER, S/N 14310-2271, (2010), 1.18"-11.81" Coil Width, 0.001"-0.125" Coil Thickness, 6,000 Lb Coil Weight, 20" Coil I.D., 31.4"-47.24" Coil O.D., 0.39"-11.81"

(22) ROBOTS & TRANSFERS

(4) PANASONIC YA-1MA161 ROBOTS, (2001)

(18) SAILOR MODEL OE-3079, OE-3115R AND OE-3115T TRANSFER ROBOTS



2001

(4) PANASONIC YA-1MA161 ROBOTS

2001



AIDA PMX-L2-3000 (1) STRAIGHT SIDE PRESS



SAILOR ROBOTS




SAILOR ROBOTS

View our current auction schedule at
www.perfectionindustrial.com

LATE-MODEL INSPECTION EQUIPMENT—AS LATE AS (2012), WIRE & SMALL HOLE DRILL EDM MACHINERY, INJECTION MOLDING MACHINE & SECONDARY EQUIPMENT, HARDWARE INSERTION MACHINES, AIR COMPRESSORS



ZEISS CONTURA G2 CMM



NIKON VMR-6555 VIDEO MEASURING SYSTEM



SODICK K1C HIGH-SPEED SMALL HOLE DRILL EDM



125 TON SUMITOMO SG125-HIIRO-M11A INJECTION MOLDING MACHINE



NIKON MM-400 MICROSCOPE



IMADA MX-5000N-E FORCE MEASURING MACHINE



MITSUBISHI WIZARD HARDNESS TESTER



MITSUBISHI FA20S WIRE EDM

LATE-MODEL INSPECTION EQUIPMENT—AS LATE AS (2012)

ZEISS CONTURA G2 CMM (2012); NIKON VMR-6555 VIDEO MEASURING SYSTEM (2011); NIKON MM-400 MICROSCOPE (2011); IMADA MX-5000N-E FORCE MEASURING MACHINE (2011)

WIRE & SMALL HOLE DRILL EDM MACHINERY

MITSUBISHI FA20S WIRE EDM, S/N J20M1243, (2008), 41.3" x 3.15" x 11.6" Max. Workpiece Dimensions, 3,300 Lb Max. Workpiece Weight, 30.7" x 24.8" Table Size, X-19.7" x Y-13.8" x Z-11.8" Axis Travel, U-3" x V-3"± Machining Travel, .0004"–0.12" Wire Diameter

SODICK K1C HIGH-SPEED SMALL HOLE DRILL EDM W/X-ACT SDS2 READOUT CONTROL, (2008), 9.84" x 13.78" Work Table Size, 220.5 Lb Max. Workpiece Weight, X-7.87" x Y-11.81" x Z-11.81" x W-9.84" Axis Travel, .010"–.12" Electrode Diameter

INJECTION MOLDING MACHINE & SECONDARY EQUIPMENT

125 TON SUMITOMO SG125-HIIRO-M11A INJECTION MOLDING MACHINE, S/N MOGJ0134, (1991), 18.11" x 18.11" Tie Bar Space, 26.37" x 26.37" Platen Size, 7.08" x 17.71" Mold Space, 1.25" Screw Diameter

NISSUI KAKO TA-030 TEMPERATURE CONTROLLER, S/N 122133, (1991), 10.2kW, 3.1 L Tank

NISSUI KAKO NB-045-222 HOPPER/DRYER, S/N 121061, (1991), 4.75kW, 3 Phase, 56/60 Hz



NISSUI KAKO NB-045-222 HOPPER/DRYER



(2) 223 HP ATLAS COPCO GA160FF AIR COMPRESSORS



HAEGER 824 INSERTION MACHINES



HAEGER 824 INSERTION MACHINES

HARDWARE INSERTION MACHINES

(12) 8 TON HAEGER 824 WINDOWS TOUCH, 24" Throat, S/N 8WT30891, 8WT30903, 8WT30869, 8WT30866, 8WT30867, 8WT30875, 8WT30850, 8WT30863, 8WT30846, 8WT30854, 8WT30862, 8WT30852

(7) 8 TON HAEGER 824 ONE TOUCH, 24" Throat, (4) Bowls, S/N 8OT30530, 8OT30532, 8OT30518, 8OT30523, 8OT30517, 8OT30526, 8OT30873

AIR COMPRESSORS

(2) 223 HP ATLAS COPCO GA160FF AIR COMPRESSORS, S/N APF151377, (2856 Loaded Hours), S/N APF151402 (2959 Loaded Hours), (Both 2010), 129 PSIG Mac. Working Pressure, 166kW Input Pressure

(2) ATLAS COPCO OSC600 OIL WATER SEPARATORS, S/N AP1023273, AP1022959, (2009)

1,550-GALLON ROY E. HASON MFG AIR TANK, S/N 425261, (2006), MAWP 150 PSIG @ 400 Degrees F, MDMT -20 Degree F @ 150 PSIG

To discuss your requirements for an auction,
please call Perfection Industrial **847.427.3333**

TOOL ROOM MACHINERY, MATERIAL HANDLING & WAREHOUSE



ACRA 1440V TOOL ROOM LATHE



(7) YOSHIKAWA US-66
AND US-1 RIVETING MACHINES



(2) FUTABA ARV100C AUTO COIL REELS



GRINDERS AND DRILLS



< LAGUN
FTV-4L
VERTICAL
MILLING
MACHINE

> KIWA
KUB-560FS
DRILL
PRESS



ROLL-IN SAW EF1459
VERTICAL BANDSAW



YOSHIKAWA
US-66 RIVETING
MACHINE



FUTABA UR-150-2
LEVELER



WELDERS



10 TON DEMAG 50' X 23' APPROX. FREE STANDING BRIDGE CRANE



ACRA ASG-1020HS
SURFACE GRINDER



KURODA GS-BMHFL SURFACE GRINDER

TOOL ROOM MACHINERY

ACRA 1440V TOOL ROOM LATHE, S/N 22082, 14" Swing, 40" Between Centers, 6" 3-Jaw Chuck, 30–2,500 RPM Spindle Speed, Newall C80 DRO
LAGUN FTV-4L VERTICAL MILLING MACHINE, 58–4,200 RPM Spindle Speed, 11" x 58" Table, Newall DP700 DRO

ACRA ASG-1632HS SURFACE GRINDER, S/N 0643111, 32" x 16" Kanetsu Magnetic Chuck

ACRA ASG-1020HS SURFACE GRINDER, S/N 0723053, (2008), 20" x 10" Kanetsu Magnetic Chuck, Sony DRO

KURODA GS-BMHFL SURFACE GRINDER, S/N 3030, (1999), 2,800 RPM, 11.5" x 5" Magnetic Chuck

ROLL-IN SAW EF1459 VERTICAL BANDSAW, S/N 06038EF, (2006), 75–300 FPM Cutting Speed, 30" x 18" Table, 12" Throat

KIWA KUB-560FS DRILL PRESS, S/N 610439, 52–1,710 RPM Spindle Speed, 16" Dia. Table, 10" Throat

JET 8" JBG-8A BENCH GRINDER, S/N 0020348, 3,450 RPM

WILTON 4002 1" BELT SANDER, S/N CH041519

WILTON 20" DRILL PRESS, 150–4,200 RPM Spindle Speed, 12-Speed, 14" x 16" Table, 10" Throat

INFRA MM261 ARC WELDER, S/N B-237-1825

INFRA SRH 444 ARC WELDER, S/N B-206-1229

MILLER DYNASTY 200 TIG WELDER, S/N LH170154L

AIKOH ENGINEERING 1314 TEST STAND, S/N 6663

(5) YOSHIKAWA US-66 RIVETING MACHINES, (2004–2006)

(2) YOSHIKAWA US-1 RIVETING MACHINES, S/N 106376, 106263, (2005)

FUTABA UR-150-2 LEVELER, S/N 328222190001, (2012), 6" Max. Width Capacity

(2) FUTABA ARV100C AUTO COIL REEL, S/N 328222450002, 32822250001, (2012), 220 Lb Weight Capacity, 6" Max. Width

MATERIAL HANDLING & WAREHOUSE

10 TON DEMAG 50' X 23' APPROX. FREE STANDING BRIDGE CRANE, S/N 06336, (2006), 18' Under Bridge

3 TON DEMAG 100' X 32" APPROX. FREE STANDING BRIDGE CRANE, S/N P1988, (2010), 17' Under Bridge

LANTECH Q300 STRETCH WRAPPING MACHINE, S/N QM029414, (2012), 65" Dia. Table 120V, Single Phase



3 TON DEMAG 100' X 32" APPROX.
FREE STANDING BRIDGE CRANE

View our current auction schedule at
www.perfectionindustrial.com



PERFECTION
Industrial Sales

Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007
888.241.4577 (U.S. & Canada) – 847.427.3333 (outside U.S. & Canada) – 847.427.8884 (fax)
www.perfectionindustrial.com



COMPLETE FACILITY CLOSURE—PRISTINE CONDITION—MURAMOTO USA, INC.
(21) AIDA, SEYI & CHIN FONG Stamping Presses, CNC Machine Tools, EDM,
Visual Inspection, Material Handling & Plant Support Equipment

LIVE WEBCAST
AUCTION

Sale Date: Tuesday, June 24 at 10:00 AM PDT **Inspection:** Monday, June 23, 10:00 AM–4:00 PM PDT

COMPLETE FACILITY CLOSURE—
PRISTINE CONDITION



AIDA & SEYI GAP FRAME PRESSES

COMPLETE FACILITY CLOSURE—PRISTINE CONDITION—MURAMOTO USA, INC.
(21) AIDA, SEYI & CHIN FONG Stamping Presses, CNC Machine Tools, EDM,
Visual Inspection, Material Handling & Plant Support Equipment

LIVE WEBCAST
AUCTION

DIRECTIONS
To come

HOTELS

Tijuana Marriott Hotel..... Tel +52 664 662 6600
Blvd. Agua Caliente 11553, Chapultepec Este, 22420
Tijuana, BC, Mexico
Fiesta Inn.....Tel +52 664 979 1900
Rampa Aeropuerto 16000 Col Ot
Tijuana, 22000 Mexico
Holiday Inn Express Hotel & Suites
San Diego Otay Mesa..... Tel (619) 710-0900
2296 Niels Bohr Court, San Diego, CA 92154



TERMS OF SALE

Payment: All payments must be in Cash, Certified Funds, Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to **MACHINERY NETWORK AUCTIONS**. Online Buyers must register by **3 pm March 25, 2014**. A 18% buyers premium will be added to all onsite purchases (21% Online). A 25% deposit is required at time of purchase, balance due by **12 pm, Friday, March 28, 2014**. NO EXCEPTIONS. All goods are sold "As Is, Where Is", ALL SALES ARE FINAL. All subject to prior sale. Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

REMOVAL TIMES

All small items removed by **Wednesday, April 2, 2014**. All major items removed by **Friday, April 18, 2014**. Hours: Monday–Friday between 8:00 am – 4:30 pm. Weekends and extended hours by appointment. No items may be removed during auction. NO EXCEPTIONS.
This brochure is meant merely as a guide. Perfection Industrial Sales and Heritage Global Partners make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.

FURTHER INFORMATION

Please contact John Bopp for further questions regarding the auction, rigging and transportation companies, Email: john@perfectionindustrial.com or +1.708.606.3240
For Further Information regarding auction accounting please **contact name to come**, at (818) 465-9700 or Email: name to come@machinerynetwork.com

Sale Date: Tuesday, June 24 at 10:00 AM PDT

Location: Calle Tres Sur No. 1085, Cd. Industrial, Tijuana, BC 22444

Inspection: Monday, June 23, 10:00 AM–4:00 PM PDT

Online Bidding Available Through

BidSpotter.com



PERFECTION
Industrial Sales

Perfection Industrial Sales
ph 847-427-3333 • fax 847-427-8884
www.perfectionindustrial.com



MACHINERY NETWORK AUCTIONS
www.MACHINERYNETWORKAUCTIONS.COM

888-998-4440

EMAIL: info@machinerynetworkauctions.com
www.machinerynetworkauctions.com

AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING