

# 2 SALES PRIVATE TREATY & AUCTION

2005



H&F PRESS SIDE PROFILE

2005



REAR DOOR LINE-DUAL STATION HEM PRESS


## SALE 1 – PRIVATE TREATY

Hirotec Australia Pty. Ltd



### SURPLUS TO CONTINUING OPERATIONS – LEADING SUPPLIER OF AUTOMOTIVE DOORS – FULL FACILITY CLOSURE

Pristine Assets Including–  
H&F 1,800-Ton Press Line, Die-Spotting,  
FANUC Robots for Welding & Sealing,  
Tool Room, Inspection  
& Material Handling



47 AVAILABLE

AS LATE AS 2013

ASSORTMENT OF FANUC ROBOTS

**PLEASE NOTE:** ASSETS IN PRODUCTION  
UNTIL END OF OCTOBER.  
FINAL CLOSE DATE FOR OFFERS ON  
PRIVATE TREATY ASSETS MUST BE  
SUBMITTED BY MONDAY, OCTOBER 2,  
UNLESS SOLD PREVIOUSLY.

**Sale Location:** 25 Hewittson Road, Edinburgh North, SA 5113, Australia  
**Inspection:** Strictly By Appointment Only



**PERFECTION  
Industrial Sales**

Perfection Industrial Sales  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Sale is Being Held in Conjunction With:



[www.slatteryassetadvisory.com.au](http://www.slatteryassetadvisory.com.au)  
+61-418-585-792  
[msloan@slatteryassetadvisory.com](mailto:msloan@slatteryassetadvisory.com)



# 2005 HITACHI ZOSEN FUKUI TANDEM PRESS LINE

## 2005 HITACHI ZOSEN FUKUI TANDEM PRESS LINE COMPRISING

**DESTACKING FEEDER**, 0.6mm–2.3mm Thickness Capacity, One Blank Feed: 3600mm x 1800mm Max. Sheet Size, 800mm x 400mm Min. Sheet Size, 5000kg Stack Weight, 40kg Blank Sheet Weight, Two Blank Feed: 1600mm x 1800mm Max. Size, 800mm x 400mm Min. Size, 2500kg Stack Weight, 20kg Blank Sheet, 400mm Stack Height for Either One or Two Blank Feeds, (2) Stacks, 1550mm Pass Line Height

**1) 1,800-TON H&F MFL18000 LINK 4-POINT SINGLE ACTION PRESS**, s/n 13163, 900mm Slide Stroke, 10–20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Die Cushion: 32-Ton Capacity, 300mm Stroke, Automatic Die Change System

**2) 1,800-TON H&F MFL18000 LINK 4-POINT SINGLE ACTION PRESS**, s/n 13163, 900mm Slide Stroke, 10–20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Die Cushion: 32-Ton Capacity, 300mm Stroke, Automatic Die Change System

**3) 800-TON H&F MFE8000 CRANKLESS 4-POINT SINGLE ACTION PRESS**, s/n 13164, 900mm Slide Stroke, 20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Automatic Die Change System

**4) 800-TON H&F MFE8000 CRANKLESS 4-POINT SINGLE ACTION PRESS**, s/n 13164, 900mm Slide Stroke, 20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Automatic Die Change System

**(5) MOTOMAN EP4000 6-AXIS TRANSFER ROBOTS**, 200kg Capacity, Yasnac XRC Controller



H&F PRESS SIDE PROFILE



H&F PRESS SIDE PROFILE



H&F ROLLING BOLSTER



H&F PRESS CUSHION



H&F MATERIAL DESTACKING ROBOT TRANSFER



H&F PRESS CROWNS AND WALKWAYS



H&F EXIT CONVEYOR AND ROBOT



H&F ROLLING BOLSTERS



H&F DESTACKING FEEDER

## SALE 1 – PRIVATE TREATY

### PLEASE NOTE:

ASSETS IN PRODUCTION  
UNTIL END OF OCTOBER.  
FINAL CLOSE DATE FOR  
OFFERS ON PRIVATE TREATY  
ASSETS MUST BE SUBMITTED  
BY MONDAY, OCTOBER 2,  
UNLESS SOLD PREVIOUSLY.

To view videos of the above press line under power, please visit [www.perfectionindustrial.com](http://www.perfectionindustrial.com), or email [pressline@perfectionindustrial.com](mailto:pressline@perfectionindustrial.com) for further information, or to arrange an under power inspection of the line.

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374



DIE SPOTTING PRESS, DOOR & HOOD LINES, (47) ROBOTS, MEASUREMENT & LASER MARKING, MATERIAL HANDLING

SALE 1 – PRIVATE TREATY

DIE SPOTTING PRESS

2005 150-TON LIEN CHIEH LDSM-150 DIE SPOTTING PRESS, s/n KHM08531, 1800mm Stroke, 2500mm Daylight, 4200mm x 2500mm Slide and Bolster Area, 60-Ton Raising Capacity, 70mm/sec Down and Up, 5mm/sec Pressing



150-TON LIEN CHIEH LDSM-150 DIE SPOTTING PRESS



FANUC R-2000iB/165EW ROBOTS



FANUC R-2000iA/165EW ROBOT



ROFIN DLO28Q CONTROLS



30-TON JON MONOCRANE BRIDGE CRANE



REAR DOOR LINE

DOOR & HOOD LINES- LINES CAN BE SOLD COMPLETE OR BY PIECEMEAL

2005 FRONT DOOR LINE-DUAL STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iA/200EW (Qty 3-2004), Fanuc R-2000iA/165EW (Qty 10-2004), Fanuc M-16iB/20 (Qty 2-2004)

2005 REAR DOOR LINE-DUAL STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R2000iB/210F (Qty 2-2013), Fanuc R-2000iA/200EW (Qty 1-2004), Fanuc R-2000iA/165EW (Qty 7-2004), Fanuc M-16iB/20 (Qty 2-2004)



SINGLE STATION HEM PRESS

2005 HOOD LINE-SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iA/200EW (Qty 1-2004), Fanuc R-2000iB/200EW (Qty 1-2012), Fanuc R-2000iA/165EW (Qty 2-2004), Fanuc M-16iB/20 (Qty 2-2004), Fanuc R2000iB/210F (Qty 2-2012)

2005 DECK LID LINE-SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iB/200EW (Qty 1-2004), Fanuc R-2000iA/200EW (Qty 1-2004), Fanuc R-2000iB/165EW (Qty 4-2004), Fanuc R-2000iA/165EW (Qty 1-2004), Fanuc R-2000iA/165F (Qty 1-2004)

2005 SP LINE-SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iB/200EW (Qty 1-2012), Fanuc R-2000iB/165EW (Qty 1-2007), Fanuc R-2000iA/165EW (Qty 1-2004)

(47) ROBOTS BY MODEL

FANUC R-2000iB/200EW (QTY 3-2012/ 2004)

FANUC R-2000iA/200EW (QTY 5-2004)

FANUC R-2000iB/165EW (QTY 5-2004)

FANUC R-2000iA/165EW (QTY 23-2004)

FANUC R-2000iA/165F (QTY 1-2004)

FANUC R-2000iB/210F (QTY 4-2013/ 2012)

FANUC M-16iB/20 (QTY 6-2004)

The above robots are currently associated with the Front, Rear Door, Hood and Deck Lid Assembly and SP Sealing Lines

MEASUREMENT & LASER MARKING

2005 DEA PRIMA C1 40 16 21 COORDINATE MEASURING MACHINE, s/n HM-PRO00026

2006 ROFIN DLO28Q LASER MARKING SYSTEM



DEA PRIMA C1 40 21 CMM



INSIDE ROFIN LASER – MOTOMAN ROBOT

MATERIAL HANDLING

30-TON JON MONOCRANE BRIDGE TYPE, DOUBLE GIRDER TOP RUNNING CRANE, w/10-Ton Auxiliary Hoist

30-TON JON MONOCRANE BRIDGE TYPE, DOUBLE GIRDER TOP RUNNING CRANE



# SALE 2 – AUCTION SALE



GRACO PAINT MIXER



GRACO PAINT MIXERS



FANUC ROBOTS

A selection of the above assets will be sold by Auction if previously unsold by Private Treaty.

**GENERAL ASSETS FOR SALE INCLUDE:** MACHINE TOOLS, GRACO PAINT MIXERS AND SEALING SYSTEMS, INSPECTION EQUIPMENT, MAINTENANCE DEPARTMENT, FANUC WELDING AND SEALING ROBOTS, ROBOT SPARES, FACILITY SPARES, MOBILE EQUIPMENT AND OFFICE FURNITURE



JLG E400AJP BOOM LIFT



ROMER  
ABSOLUTE ARM  
PORTABLE CMM

To discuss your requirements for an auction, please call  
Perfection Industrial  
+1-847-545-6374

The Auction sale will be conducted by Slattery Asset Advisory.  
Further information and specifics will be available shortly.  
Slattery Asset Advisory can be contacted below:

Michael Sloan: [msloan@slatteryassetadvisory.com](mailto:msloan@slatteryassetadvisory.com) • Mobile: +61-418-585-792

**Sale Closing From:** Wednesday, November 29, 2017 at 10:00 AM

**Location:** 25 Hewittson Road  
Edinburgh North, SA 5113, Australia

**Inspection:** Tuesday, November 28 from 9:00 AM–4:00 PM

**PLEASE NOTE:** ASSETS AVAILABLE  
IMMEDIATELY FOR SALE. FINAL CLOSE  
DATE FOR OFFERS ON PRIVATE TREATY  
ASSETS MUST BE SUBMITTED BY  
MONDAY, OCTOBER 2,  
UNLESS SOLD PREVIOUSLY.



**PERFECTION  
Industrial Sales**

Perfection Industrial Sales  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Sale is Being Held in Conjunction With:



[www.slatteryassetadvisory.com.au](http://www.slatteryassetadvisory.com.au)  
+61-418-585-792  
[msloan@slatteryassetadvisory.com](mailto:msloan@slatteryassetadvisory.com)