

ONLINE AUCTION

NONFERROUS METAL FINES RECYCLING EQUIPMENT

LATE MODEL ADVANCED SEPARATION & RECOVERY OF MICRO FINES FACILITY CLOSURE

FEATURING: (3) 2015 VDL SYSTEMS Separation Lines, Including (1) Eddy Current EC-III Separation Line, (1) Shaker Separation Line, & (1) Washer Separation Line, CARDINAL 200,000 Lb. Electronic Truck Scale w/80' Deck



VDL SYSTEMS SPECIAL BUILT METAL RECOVERY SHAKER SEPARATION LINE



SALE CLOSING FROM

Thursday, July 22,
at 10:00 AM CT

INSPECTION

Wednesday, July 21,
By Appointment

SALE LOCATION

501 North 16 Street,
Beresford, South Dakota 57004

VDL SYSTEMS SPECIAL BUILT
METAL RECOVERY EDDY CURRENT
SEPARATION LINE

COMPLETE CATALOG & INFORMATION: <https://perfection.global/metalfines>

**Pre-Auction Offers
Invited on
Major Assets**



Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Bidding Available Through
BidSpotter.com

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY SHAKER SEPARATION LINE

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY WASHER SEPARATION LINE

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY SHAKER SEPARATION LINE

- 2015 LUBO SYSTEMS 9M3 BUNKER HOPPER**, s/n 800108-0100, 9m³ Volume, I-Beam Supports
- 2015 SCREENING MACHINES HLOGO-60/300-25 SHAKER SCREEN**, s/n 1512A2186-2, 600 x 3000 x 250mm Trough, 4-Gummi Springs, 265/460 V, 50 Hz, 42 Deg. Angle (ALPHA), 2 x 1.7 kW Power Input, (2) Italtibras G.Silingardi MVSI 15/2410-S08 1,800 RPM/60 Hz Motors
- 2015 LUBO SYSTEMS TBL 1000X15000 INCLINED BELT CONVEYOR**, s/n 800108-0040, 1000mm x 15000mm, SEW 3.7 kW Drive Motor
- 2015 HEIN LEHMANN LF 1.5-5.04/16 DD-MIN SCREENING MACHINE**, s/n 3025, 2178 x 6075 x 1786mm, (16) Screen Panels, 1770 x 355 x 3mm Screen Panel Size, 23 x 23mm Screen Mat Perforation, 7.56m³ Screen Area, 315mm Cross-Beam Pitch, 12mm Eccentricity, 18 Deg. Inclination, 480 V/60 Hz, 30 kW Max. Power, I-Beam Supports, Catwalk
- 2015 LUBO SYSTEMS TBL 1000X5000 INCLINED BELT CONVEYOR**, s/n 800108-080, 1000mm x 5000mm, SEW 3.7 kW Drive Motor
- DISCHARGE HOPPER**, w/(4) Approx. 15"W x 30"L x 24"H Bins
- INDUSTRIAL CONTROL PANEL**, w/SIEMENS Simatic Panel Touch Screen PLC, 85 A, 480/270 V, 3 Phase + GND 60 Hz, Class J Max. 100A, Type 1 Enclosure



VDL SYSTEMS SPECIAL BUILT METAL RECOVERY SHAKER SEPARATION LINE



SCREENING MACHINES
HLOGO-60/300-25
SHAKER SCREEN,
w/BUNKER
HOPPER



2015 HEIN
LEHMANN LF
1.5-5.04/16
DD-MIN
SCREENING
MACHINE



M.W. WATERMARK FILTER PRESS

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY WASHER SEPARATION LINE

- 2015 LUBO SYSTEMS 9M3 BUNKER HOPPER**, s/n 800108-0300, 9m³ Volume, I-Beam Supports
- 2015 SCREENING MACHINES HLOGO-60/300-25 SHAKER SCREEN**, s/n 1512A2186, 600 x 3000 x 250mm Trough, 4-Gummi Springs, 265/460 V, 50 Hz, 42 Deg. Angle (ALPHA), 2 x 1.7 kW Power Input, (2) Italtibras G.Silingardi MVSI 15/2410-S08 1,800 RPM/60 Hz Motors
- 2015 LUBO SYSTEMS TBL 600X9500 INCLINED BELT CONVEYOR**, s/n 800108-0130, 600mm x 9500mm, SEW 3.7 kW Drive Motor
- BAKKER MAGNETICS 28.073/01/1 OVERBELT MAGNET**, s/n 15381042
- 2015 LUBO SYSTEMS WASHING DRUM 1800X5000 ROTARY WASHING DRUM**, s/n 800108-0160, 2 x 3.7 kW Drive, 1.8 m Drum Dia., 1.1 m Input/ Mixing Length, 3.1 m De-Watering Length, 0.8 m Output Length, 16.4 RPM at 60 Hz Speed, 40mm Cleat Height, No. Cleats: 24x/Per 1.0 m, No. Screendeck: 8x Per 1.0 m, 2mm Screendeck Perforation, 50 m³/hr Waterpipe Capacity, DN50 Waterpipe Connection, I-Beam Supports, Catwalk
- 2015 SCREENING MACHINES HLE0ZB-61/300-45 DEWATERING SCREEN**, s/n 1512A2186-1, 610 x 3000 x 450mm Trough, 4-Gummi Springs, 265/460 V, 50 Hz, 30 Deg. Angle (ALPHA), 2 X 1.7 kW Power Input, (2) Italtibras G.Silingardi MVSI 15/2410-S08 1,800 RPM/60 Hz Motors,
- 2015 LUBO SYSTEMS WATER CONT. 2000X9400 SETTling TANK**, s/n 800108-0182, 20m³ Waterbath Capacity, 60 Deg. Sidewall Angle, 184 x 1168mm Waste Water Hose, DN32 Connection, 2.2 kW Motor, Chain Type: 4" 12,000 Lb Breaking Strength, 9.4 m/Min. Chain Speed
- 2015 LUBO SYSTEMS WATER CONT. 2000X9400 SETTling TANK**, s/n 800108-0181, 20m³ Waterbath Capacity, 60 Deg. Sidewall Angle, 184 x 1168mm Waste Water Hose, DN32 Connection, 2.2 kW Motor, Chain Type: 4" 12,000 Lb Breaking Strength, 9.4 m/Min. Chain Speed
- M.W. WATERMARK FILTER PRESS**, s/n NA, w/20 Filter Plates, Air Hydraulics
- 5,000 GALLON POLY TANK**, w/Centrifugal Pump
- INDUSTRIAL CONTROL PANEL**, w/Siemens Simatic Panel Touch Screen PLC, 85 A, 480/270 V, 3 Phase + GND 60 Hz, Class J Max. 100A, Type 1 Enclosure



VDL SYSTEMS SPECIAL BUILT METAL RECOVERY WASHER SEPARATION LINE



2015 SCREENING
MACHINES
HLE0ZB-61/300-45
DEWATERING SCREEN

Pre-Auction
Offers
Invited on
Major Assets

2015 LUBO SYSTEMS
WASHING DRUM
1800X5000 ROTARY
WASHING DRUM



SALE CLOSING FROM
Thursday, July 22,
at 10:00 AM CT

INSPECTION
Wednesday, July 21,
By Appointment

View our current auction
schedule at
www.perfectionindustrial.com

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY EDDY CURRENT SEPARATION LINE & MORE

VDL SYSTEMS SPECIAL BUILT METAL RECOVERY EDDY CURRENT SEPARATION LINE

2015 LUBO SYSTEMS 2.5M3 BUNKER HOPPER, s/n 800108-370, 2.5m³ Volume, I-Beam Supports

2015 SCREENING MACHINES HLOGO-60/200-25 SHAKER SCREEN, s/n 1512A2186-5, 600 x 2000 x 250mm Trough, 4-Gummi Springs, 265/460 V, 50 Hz, 42 Deg. Angle (ALPHA), 2 x 1.2 kW Power Input, (2) Italvibras G.Silingardi MVSI 15/2410-S08 1800RPM/60 Hz Motors

2015 LUBO SYSTEMS TBL 600X4500 INCLINED BELT CONVEYOR, s/n 800108-0230, 600mm x 4500mm, SEW 3.7 kW Drive Motor

2016 VDL TR84824-01 DIRECTLY DRIVEN SHAKER, s/n 1174063-00, 25"W x 55"L x 10"D Pan, w/(2) Italvibras G.Silingardi MVSI 075/400-S02 900 RPM/60 Hz Motors

2015 BAKKER MAGNETICS 29.723/18/BM50/3 NON-FERROUS MAGNET SEPARATOR, s/n 15381037, Approx. 30"W x 100"L Conveyor, SEW 4 kW Drive Motor, SEW 7.5 kW Separator Motor,

2015 LUBO SYSTEMS TBL 600X3500 INCLINED BELT CONVEYOR, s/n 800108-0220, 600mm x 3500mm, SEW 3.7 kW Drive Motor

2015 LUBO SYSTEMS TBL 600X3500 INCLINED BELT CONVEYOR, s/n 800108-0280, 600mm x 3500mm, SEW 3.7 kW Drive Motor

INDUSTRIAL CONTROL PANEL, w/Siemens Simatic Panel Touch Screen PLC



2016 VDL TR84824-01 DIRECTLY DRIVEN SHAKER



VDL SYSTEMS SPECIAL BUILT METAL RECOVERY EDDY CURRENT SEPARATION LINE



INGERSOLL RAND 2-2545E10-P 20 HP AIR COMPRESSOR

ALSO AVAILABLE

INGERSOLL RAND 2-2545E10-P 20 HP AIR COMPRESSOR, s/n CBV475831

CARDINAL 10080-EPR 80' X 200,000 LB ABOVE GROUND TRUCK SCALE, s/n S0387008, 5-Section Steel Deck, (2) Digital Read Outs

APPROX. (20) CEMENT BLOCKS

PALLET RACKING, Approx. (3) Uprights, (10) Beams, and (10) Sections of Wire Deck Shelves



CARDINAL 10080-EPR 80' X 200,000 LB ABOVE GROUND TRUCK SCALE

SALE CLOSING FROM
Thursday, July 22, at 10:00 AM CT

INSPECTION
Wednesday, July 21, By Appointment

SALE LOCATION
501 North 16 Street, Beresford, South Dakota 57004

**NONFERROUS
METAL FINES
RECYCLING
EQUIPMENT**

LATE MODEL ADVANCED SEPARATION & RECOVERY OF MICRO FINES FACILITY CLOSURE

FEATURING: (3) 2015 VDL SYSTEMS Separation Lines, Including (1) Eddy Current EC-III Separation Line, (1) Shaker Separation Line, & (1) Washer Separation Line, CARDINAL 200,000 Lb. Electronic Truck Scale w/80' Deck

To discuss your requirements for an auction, please call Perfection Industrial **+1-847-545-6374**

REMOVAL
ALL ITEMS MUST BE REMOVED NO LATER THAN FRIDAY, AUGUST 20. ALL REMOVAL IS STRICTLY ON AN APPOINTMENT ONLY BASIS.
Rigging Note: All Buyers must use specified rigging company, Sioux Falls Crane & Hoist, for all rigging services. Rigger contact information can be found below and will be included with all invoices. Please contact the rigger directly for rigging information and quotes.
Sioux Falls Crane & Hoist
Phone: (605) 330-2724
<http://sfcrane.com/>

TERMS OF SALE
An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

**Pre-Auction Offers
Invited on
Major Assets**

FOR MORE INFORMATION
Please contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com.