

# LIVE WEBCAST **ONLINE ONLY** AUCTION



## COMPLETE OFFERING OF SHOW ROOM CONDITION MACHINE TOOLS & EQUIPMENT



2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER



MCCOY CLEBU 1500 15" TYPE III BUCKING UNIT

### SALE DATE

Tuesday, May 11,  
at 10:00 AM MT

### SALE LOCATION

8412 15th Street NW,  
Edmonton, AB  
T6P-0B9

### INSPECTION

Monday, May 10,  
from 8:30 AM to  
4:30 PM MT or  
By Appointment

**Pre-Auction  
Offers Invited  
on Major Assets**

**(250 LOTS) FEATURING:** (2) 2011 OKUMA LOC650 & LOC550, (2) 2012 OKUMA LB35II, & (2) 2012 OKUMA LB4000 EX Turning Centers, 2012 McCOY Bucking Machine, 2012 MR&E 500-Ton Hydraulic Swager, 2012 HYD-MECH H22A Horizontal Bandsaw, 2012 PHOSPHATING Line, 2012 BONE Frontier 75 KVA Stress Relieving Unit, QA Department, Machine Tools, 2012 PETTIBONE 1530 Extendo Pipe Telehandler, Factory Support Equipment

**AUCTION CONDUCTED IN U.S. FUNDS**



**Perfection Industrial Sales**  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

In Conjunction with:



AUCTIONS • APPRAISALS • LIQUIDATIONS  
+1-416-558-8890 • [www.assetservices.ca](http://www.assetservices.ca)



+1-713-462-5800  
[www.harrismachinetools.com](http://www.harrismachinetools.com)

Bidding Available Through **BidSpotter.com**

# (6) TURNING CENTERS


## (6) TURNING CENTERS

2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER, s/n 153028, w/OSP-P200L Control, 14.74" Bore, SCHUNK ROTA-TB LH 850-375 3-Jaw Pneumatic Front and Rear Chucks, Max. Turning Dia. 25.59", Swing Over Bed 31.50", Centers 68.90", 5-500 RPM, 12-Tool Top Turret, 8-Tool Bottom Turret, Tailstock, NOTE: 1,540 Cutting Hours

**AUCTION CONDUCTED IN U.S. FUNDS**



OKUMA LOC 650 WORK ENVELOPE



OKUMA LOC 650 "SCHUNK" REAR CHUCK



2011 OKUMA SIMULTURN LOC 500 4-AXIS TURNING CENTER

**10.83" BORE**



OKUMA LOC 500 WORK ENVELOPE



OKUMA LOC 500 "SCHUNK" REAR CHUCK

Bidding Available Through  
**BidSpotter.com**



2012 OKUMA LB35-II TURNING CENTER

**1,543 CUTTING HRS.**



OKUMA LB35-II WORK ENVELOPE



OKUMA LB35-II "SCHUNK" REAR CHUCK



**SALE DATE**

Tuesday,  
May 11, at  
10:00 AM MT

**SALE LOCATION**

8412 15th  
Street NW,  
Edmonton,  
AB T6P-0B9

**INSPECTION**

Monday,  
May 10, from  
8:30 AM to  
4:30 PM MT  
or By Appt.

2012 OKUMA LB35-II TURNING CENTER

**2011 OKUMA SIMULTURN LOC 500 4-AXIS TURNING CENTER**, s/n 156470, w/OSP-P200L Control, 10.83" Bore, SCHUNK ROTA-TB 600-275-LH 3-Jaw Pneumatic Front and Rear Chucks, Max. Turning Dia. 21.85" Swing Over Bed 33.7", Swing Over Carriage 21.85", Centers 75.98", 10-1,000 RPM, 12-Tool Top Turret, 10-Tool Bottom Turret, Tailstock, NOTE: 2,646 Cutting Hours

**(2) 2012 OKUMA LB35-II TURNING CENTERS**, s/n 166500, 163796, w/OSP-P200L Control, 7" Bore, SCHUNK 600 mm 4-Jaw Front Chuck, SCHUNK ROTA-LH 500-230-LH 3-Jaw Pneumatic Rear Chuck, Max. Turning Dia. 21.65", Swing Over Bed 27.56", Swing Over Carriage 16.93", Centers 36.22", 12-2,800 RPM, 12-Tool Turret, Tailstock, NOTE: 1,543 and 1,057 Respective Cutting Hours



OKUMA LB35-II WORK ENVELOPE



OKUMA LB35-II "SCHUNK" REAR CHUCK



2012 OKUMA SPACE TURN LB4000 EX TURNING CENTER

**2012 OKUMA SPACE TURN LB4000 EX TURNING CENTER**, s/n 163014, w/OSP-P200LA Control, 3.5" Bore, SCHUNK ROTA NC 400-120 3-Jaw Hydraulic Chuck, Swing Over Bed 26.38", Swing Over Carriage 18.90", Centers 30.31", 30-3,000 RPM, Tailstock, NOTE: 1,003 Cutting Hours

**2012 OKUMA SPACE TURN LB4000 EX CNC CHUCKER**, s/n 161411, w/OSP-P200LA Control, 3.5" Bore, SCHUNK ROTA NC 400-120 3-Jaw Hydraulic Chuck, Swing Over Bed 26.38", Swing Over Carriage 18.90", 30-3,000 RPM, NOTE: 512 Cutting Hours

**NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION**



2012 OKUMA SPACE TURN LB4000 EX CNC CHUCKER



OKUMA LB4000 EX WORK ENVELOPE



OKUMA LB4000 EX WORK ENVELOPE

# BUCKING UNIT, SWAGE PRESS, PHOSPHATIZING SYSTEM



McCOY BUCKING UNIT TONGS AND BACKUP DIES



McCOY OFFSET BUCKING RISERS



**2012**

McCOY CLEBU 1500 15" TYPE III BUCKING UNIT, SIDE VIEW



McCOY BUCKING UNIT HYDRAULIC POWER PACK

**75 HP**

## BUCKING UNIT

2012 McCoy CLEBU 1500 15" TYPE III BUCKING UNIT, s/n 8988, w/PLC Control, Size Range: 15"-2.0625", Max. Low Gear Torque and Speed: 50,000 ft/lb and 6 RPM, Max. High Gear Torque and Speed: 25,000 ft/lb and 12 RPM, Backup Size Range: 15"-2.0625", Backup Max. Torque: 50,000 ft/lb @ 3,000 PSI, Backup Travel: 75", Offset Bucking Risers, Full Complement of CLINCHER Tongs and Backup Dies, CLINCHER PU7560 75 HP Hydraulic Power Unit w/3,000 PSI, 60 GPM



**2012**

MR&E 500-TON HYDRAULIC SWAGING PRESS



MR&E HYDRAULIC POWER PACK

**60 HP**



(12) SWAGING PRESS DIE SETS, 2-7/8" TO 13-3/8"

## SWAGE PRESS

2012 MECHANICAL REPAIR AND ENGINEERING INC. 500-TON HORIZONTAL HYDRAULIC SWAGING PRESS, s/n 21587, w/(12) Swage Die Sets: 2-7/8", 3-1/2", 4", 4-1/2", 5", 5-1/2", 7", 7-5/8", 9-5/8", 10-3/4", 11-3/4" and 13-3/8", PARKER HANNIFIN 60 HP Hydraulic Power Unit

## PHOSPHATIZING SYSTEM

2015 CUSTOM 6 STAINLESS STEEL JACKETED TANK PHOSPHATIZING SYSTEM, w/(6) 48" Cube Stainless Steel Jacketed Tanks, (1) Each: Wash Bath, Hot Rinse Bath, Activator Bath, Manganese Phosphate Bath, Cold Rinse Bath, Oil Bath, FILTER SOLUTIONS Filtration System, NOTE: To Be Sold Separately (12) Unopened 54-Gallon Drums of HD Diesel Antifreeze/Coolant (Glycol)



CUSTOM 6 SS JACKETED TANK PHOSPHATIZING SYSTEM

**NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION**

# MISCELLANEOUS MACHINERY & EQUIPMENT



**2012**  
HYD-MECH H-22A AUTOMATIC HORIZONTAL BANDSAW

## MISCELLANEOUS MACHINERY & EQUIPMENT

**2012 HYD-MECH H-22A AUTOMATIC HORIZONTAL BANDSAW**, s/n C0312364S, w/22" x 22" Cap., 10 HP, Auto Shuttle and Clamp, Infeed and Outfeed Roller Conveyor

**2012 SUMMIT 20X80B GAP BED ENGINE LATHE**, s/n 8052, w/Taper Attachment, Quick Change Tool Post, Steady and Follow Rests, 4-Jaw Chuck, Inch and Metric Threading, 11.5-1,400 RPM, NEWALL DP700 DRO

**2012 SUMMIT VS-350B 3 HP MILL**, s/n 8052, w/3-Axis Power Table, 50-4,200 Vari-Speed RPM, NEWALL DP700 DRO

**KING KC-450 18" VERTICAL BANDSAW**, s/n 1246141, w/45 Deg. ± Table Tilt, Blade Grinder/Welder

**(2) 2012 MOD-U-BLAST P4836-6FM SHOT BLAST CABINETS**, s/n 30597, 30595, w/Dust Collector, (1) w/Stainless Steel Phosphate Spray Booth

**LINCOLN POWER MIG 350MP MIG WELDER**

**2012 SCHERR TUMICO 20-2400 24" OPTICAL COMPARATOR**, s/n K123201, w/HEIDENHAIN QUADRA CHECK DRO

**2012 GAGEMASTER MIC TRAC MT 3000 MEASUREMENT CENTER**, s/n NA

**2011 MECCO MC2000 SUPERFAST MARKING SYSTEM**, s/n 119982, w/ COUTH MC2000 T2 Controller, Bar Code Scanner



**(1 OF 2) MOD-U-BLAST P4836-6FM SHOT BLAST CABINETS**



**SUMMIT LATHE ATTACHMENTS**



**2012**  
**SUMMIT 20X80B GAP BED ENGINE LATHE**



**2012 GAGEMASTER MIC TRAC MT 3000 MEASUREMENT CENTER**



**VIEW OF QA EQUIPMENT**



**2012 SCHERR TUMICO 20-2400 24" OPTICAL COMPARATOR**

**2011 MECCO MC2000 SUPERFAST MARKING SYSTEM**



**VICES**

**ROTARY INDEXING CHUCK**



**3 HP**

**2012 SUMMIT VS-350B MILL**

### AUCTION CONDUCTED IN U.S. FUNDS

**ALSO:** KURT VISES, ROTARY INDEX CHUCKS, ANGLE PLATES, 4-JAW CHUCKS, MAG BASE DRILLS, CARBIDE INSERTS, BORING BARS, CLAMPING TOOLS, SOFT JAWS, PERISHABLE TOOLING, DIGITAL HEIGHT GAUGE, MICROMETER SETS, DIGITAL VERNIERS AND CALIPERS, THREAD GAUGES

### SALE DATE

Tuesday,  
May 11, at  
10:00 AM MT

# INDUCTION POWER STRESS RELIEVING UNIT, FACTORY SUPPORT EQUIPMENT



2012

BONE FRONTIER COMPANY  
INDUCTION POWER STRESS RELIEVING UNIT

AUCTION CONDUCTED IN U.S. FUNDS



STRESS RELIEVER COOLING TOWER



STRESS RELIEVER COILS

## INDUCTION POWER STRESS RELIEVING UNIT

2012 BONE FRONTIER COMPANY CNC TS5L 75 3-10SUM INDUCTION POWER STRESS RELIEVING UNIT, s/n 730, w/EVOLUTION 5 75 kW Power Supply and Tool Matching System, Max. Power Output 75 kW, Output Frequency Range: 3-10 kHz, Size Range Capacity: 13-3/8" to 2-3/8", (4) Coils: (1) 5X031 CS02 16" Coil w/15" Refractory Opening, (1) 5X031 CS03 13" Coil w/12" Refractory Opening, (1) 5X031 CS04 10" Coil w/9" Refractory Opening, (1) 5X046 CS05 6-5/8" Coil, w/5-1/2" Refractory Opening, Water Cooled Cables Connect to Induction Coils, DRY COOLERS AQUA-VENT CSX-150-120MP Coolant Recirculation System and AVR-25-22 Air Cooled Cooling Tower



2012

INGERSOLL RAND 30 HP AIR COMPRESSOR SYSTEM



1,916 HRS.

2012 INGERSOLL RAND 30 HP AIR COMPRESSOR SYSTEM

## FACTORY SUPPORT EQUIPMENT

(2) 2012 INGERSOLL RAND UP6-30-150 30 HP AIR COMPRESSOR SYSTEM, s/n CBV185765, CBV185766, w/Built-In Air Dryer and Accumulator Tank, NOTE: 1,916 and 11,812 Respective Load Hours

U-LINE 10,000 LB DIGITAL PLATFORM SCALE, w/60"x 60" Low Profile Platform

KARCHER BR 40/25 ELECTRIC FLOOR SCRUBBER  
METALIA WORK BENCH CENTER

ALSO: CUB CADET 28" SNOWBLOWER, CUB CADET 21" PUSH MOWER, POWERJET/HONDA PRESSURE WASHER, METAL WORK BENCHES/CABINETS, FLAMMABLE LIQUID STORAGE CABINETS, SPILL CONTAINMENT PALLETS AND KITS, STACKING WIRE MESH BASKETS, PNEUMATIC, POWER AND HAND TOOLS, ADJUSTABLE PALLET RACKING, METAL SHELVING, EYE WASH STATIONS, PIPE STANDS, CONCRETE DUNNAGE, ROLLING TOOL CHESTS, SECURITY FENCE, OXY/ACE TORCH GAUGES AND CARTS, DRILL PRESSES, MITER SAWS, PIPE STANDS, SAFETY LANYARDS, FATIGUE FLOOR MATS, ASSORTED HARDWARE AND CONSUMABLES, ETC.



KARCHER BR 40/25 ELECTRIC SCRUBBER



ROLLING TOOL CHEST



METALIA WORKBENCH CENTER



MAG BASE DRILL



DEWALT MITER SAW

To avoid any public gatherings, there will be no onsite participation in this Webcast-only auction. All bidders will be able to place live, real-time bids using a desktop or mobile device (the exact same way Webcast bidders have participated in previous sales) and can listen live in real-time to the auctioneer's audio stream.

# ROLLING STOCK & MATERIAL HANDLING, VEHICLES

## ROLLING STOCK & MATERIAL HANDLING

**2012 PETTIBONE 1530 EXTENDO DIESEL PIPE TELEHANDLER**, s/n EX10230-12, w/Pipe Clamp Forks, Max. Load 15,433 Lb, Max. Lift 30', Max. Reach 17', 2-Wheel, 4-Wheel and Crab Steer, CUMMINS 130 HP Diesel, NOTE: 5,402 Hours

**2012 KOMATSU FG25T-16 8,500 LB LPG FORKLIFT**, s/n A224476, w/188" Tri-Mast, Side Shifter and Fork Spreader, NOTE: 256 Hours

**TEKO 1-TON FREE STANDING JIB CRANE**, w/KITO 1-Ton Chain Hoist

**TEKO 1/4-TON FREE STANDING JIB CRANE**, w/KITO 1/4-Ton Chain Hoist

**O'BRIEN 1/4-TON FREE STANDING JIB CRANE**, w/KITO 1/4-Ton Chain Hoist

**CRANEGUY GANTRY CRANE**, w/KITO Electric Hoist

**2017 KINSHOFER KM420 6,000 LB CRANE FORKS**, s/n CLO1397



**15,000 LB. CAP.**

2012 PETTIBONE 1530 EXTENDO DIESEL PIPE TELEHANDLER



**2012**

KOMATSU FG25T-16 8,500 LB. LPG FORKLIFT



TEKO 1/4-TON FREE STANDING JIB CRANE

**ALSO: PALLET JACKS, HAND CARTS, LIFTING MAGNETS, WEB AND WIRE ROPE SLINGS, ETC.**

## VEHICLES

**2012 CHEVROLET SILVERADO 3500 HD FLAT DECK DUALY TRUCK**, VIN 1GB3KZCGCF155813, w/VORTEX Engine, Automatic Transmission, NOTE: Only 21,451 km

**2013 TRAILTECH H370-30 TRI-AXLE GOOSENECK TRAILER**, VIN 2CU24AXE2D2032523, w/30' Wood Deck

**BUYERS SNOW DOGG HD SNOWPLOW AND KIT**



TEKO 1-TON FREE STANDING JIB CRANE



O'BRIEN 1/4-TON FREE STANDING JIB CRANE



CRANEGUY GANTRY CRANE

**NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION**



**21,451 KM**

2012 CHEVROLET SILVERADO 3500 HD DUALY



**2013**

TRAILTECH TRI-AXLE GOOSENECK TRAILER



BUYERS SNOW DOGG HD SNOWPLOW



**PERFECTION  
Industrial Sales**

Perfection Industrial Sales –2550 Arthur Ave., Elk Grove Village, IL 60007  
Phone: +1-847-545-6374 – Fax: +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)



Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

# LIVE WEBCAST **ONLINE ONLY** AUCTION

**SALE DATE** Tuesday, May 11, at 10:00 AM MT

**SALE LOCATION** 8412 15th Street NW, Edmonton, AB T6P-0B9



**COMPLETE OFFERING OF SHOW ROOM CONDITION  
MACHINE TOOLS & EQUIPMENT**



**14.74" BORE**

2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER

# LIVE WEBCAST **ONLINE ONLY** AUCTION

**TERMS OF SALE**

AUCTION CONDUCTED IN US FUNDS. An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

**REMOVAL**

All items must be removed no later than Friday, May 28, at 4:30 MT. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

**SALE DATE**

Tuesday, May 11, at 10:00 AM MT

**SALE LOCATION**

8412 15th Street NW,  
Edmonton, AB T6P-0B9

**FOR FURTHER INFORMATION**

Please contact Jennifer Reiner at +1-847-545-6374 or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com).

**NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION**

**AUCTION CONDUCTED IN U.S. FUNDS**

Complete Catalog & Information Available at <https://perfection.global/summitmachine>



**PERFECTION  
Industrial Sales**

Perfection Industrial Sales  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

In Conjunction with:



AUCTIONS • APPRAISALS • LIQUIDATIONS  
+1-416-558-8890 • [www.assetservices.ca](http://www.assetservices.ca)



+1-713-462-5800  
[www.harrismachinetools.com](http://www.harrismachinetools.com)

Bidding Available Through **BidSpotter.com**