

LIVE WEBCAST **ONLINE ONLY** AUCTION



COMPLETE OFFERING OF SHOW ROOM CONDITION MACHINE TOOLS & EQUIPMENT



2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER



McCOY CLEBU 1500 15" TYPE III BUCKING UNIT

SALE DATE

Tuesday, May 11,
at 10:00 AM MT

SALE LOCATION

8412 15th Street NW,
Edmonton, AB
T6P-0B9

INSPECTION

Monday, May 10,
from 8:30 AM to
4:30 PM MT or
By Appointment

**Pre-Auction
Offers Invited
on Major Assets**

(400 LOTS) FEATURING: (2) 2011 OKUMA LOC650 & LOC550, (2) 2012 OKUMA LB35II, & (2) 2012 OKUMA LB4000 EX Turning Centers, 2012 McCOY Bucking Machine, 2012 MR&E 500-Ton Hydraulic Swager, 2012 HYD-MECH H22A Horizontal Bandsaw, 2012 PHOSPHATING Line, 2012 BONE Frontier 75 KVA Stress Relieving Unit, QA Department, Machine Tools, 2012 PETTIBONE 1530 Extendo Pipe Telehandler, Factory Support Equipment

AUCTION CONDUCTED IN U.S. FUNDS



Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

In Conjunction with:



AUCTIONS • APPRAISALS • LIQUIDATIONS
+1-416-558-8890 • www.assetservices.ca



+1-713-462-5800
www.harrismachinetools.com

Bidding Available Through **BidSpotter.com**

(6) TURNING CENTERS

(6) TURNING CENTERS

2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER, s/n 153028, w/OSP-P200L Control, 14.74" Bore, SCHUNK ROTA-TB LH 850-375 3-Jaw Pneumatic Front and Rear Chucks, Max. Turning Dia. 25.59", Swing Over Bed 31.50", Centers 68.90", 5-500 RPM, 12-Tool Top Turret, 8-Tool Bottom Turret, Tailstock, NOTE: 1,540 Cutting Hours

AUCTION CONDUCTED IN U.S. FUNDS



OKUMA LOC 650 WORK ENVELOPE



OKUMA LOC 650 "SCHUNK" REAR CHUCK



2011 OKUMA SIMULTURN LOC 500 4-AXIS TURNING CENTER



OKUMA LOC 500 WORK ENVELOPE



OKUMA LOC 500 "SCHUNK" REAR CHUCK


Bidding Available Through
BidSpotter.com



2012 OKUMA LB35-II TURNING CENTER



OKUMA LB35-II WORK ENVELOPE



OKUMA LB35-II "SCHUNK" REAR CHUCK



SALE DATE

Tuesday,
May 11, at
10:00 AM MT

SALE LOCATION

8412 15th
Street NW,
Edmonton,
AB T6P-0B9


INSPECTION

Monday,
May 10, from
8:30 AM to
4:30 PM MT
or By Appt.


2012 OKUMA LB35-II TURNING CENTER

2011 OKUMA SIMULTURN LOC 500 4-AXIS TURNING CENTER, s/n 156470, w/OSP-P200L Control, 10.83" Bore, SCHUNK ROTA-TB 600-275-LH 3-Jaw Pneumatic Front and Rear Chucks, Max. Turning Dia. 21.85" Swing Over Bed 33.7", Swing Over Carriage 21.85", Centers 75.98", 10-1,000 RPM, 12-Tool Top Turret, 10-Tool Bottom Turret, Tailstock, NOTE: 2,646 Cutting Hours

(2) 2012 OKUMA LB35-II TURNING CENTERS, s/n 166500, 163796, w/OSP-P200L Control, 7" Bore, SCHUNK 600 mm 4-Jaw Front Chuck, SCHUNK ROTA-LH 500-230-LH 3-Jaw Pneumatic Rear Chuck, Max. Turning Dia. 21.65", Swing Over Bed 27.56", Swing Over Carriage 16.93", Centers 36.22", 12-2,800 RPM, 12-Tool Turret, Tailstock, NOTE: 1,543 and 1,057 Respective Cutting Hours



OKUMA LB35-II WORK ENVELOPE



OKUMA LB35-II "SCHUNK" REAR CHUCK



2012 OKUMA SPACE TURN LB4000 EX TURNING CENTER

2012 OKUMA SPACE TURN LB4000 EX TURNING CENTER, s/n 163014, w/OSP-P200LA Control, 3.5" Bore, SCHUNK ROTA NC 400-120 3-Jaw Hydraulic Chuck, Swing Over Bed 26.38", Swing Over Carriage 18.90", Centers 30.31", 30-3,000 RPM, Tailstock, NOTE: 1,003 Cutting Hours

2012 OKUMA SPACE TURN LB4000 EX CNC CHUCKER, s/n 161411, w/OSP-P200LA Control, 3.5" Bore, SCHUNK ROTA NC 400-120 3-Jaw Hydraulic Chuck, Swing Over Bed 26.38", Swing Over Carriage 18.90", 30-3,000 RPM, NOTE: 512 Cutting Hours

NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION



2012 OKUMA SPACE TURN LB4000 EX CNC CHUCKER



OKUMA LB4000 EX
WORK ENVELOPE



OKUMA LB4000 EX
WORK ENVELOPE

BUCKING UNIT, SWAGE PRESS, PHOSPHATIZING SYSTEM



McCOY BUCKING UNIT TONGS AND BACKUP DIES



McCOY OFFSET BUCKING RISERS



McCOY CLEBU
1500 15" TYPE III
BUCKING UNIT,
SIDE VIEW

McCOY BUCKING
UNIT HYDRAULIC
POWER PACK


75 HP



2012

BUCKING UNIT

2012 McCoy CLEBU 1500 15" TYPE III BUCKING UNIT, s/n 8988, w/PLC Control, Size Range: 15"-2.0625", Max. Low Gear Torque and Speed: 50,000 ft/lb and 6 RPM, Max. High Gear Torque and Speed: 25,000 ft/lb and 12 RPM, Backup Size Range: 15"-2.0625", Backup Max. Torque: 50,000 ft/lb @ 3,000 PSI, Backup Travel: 75", Offset Bucking Risers, Full Complement of CLINCHER Tongs and Backup Dies, CLINCHER PU7560 75 HP Hydraulic Power Unit w/3,000 PSI, 60 GPM



MR&E 500-TON
HYDRAULIC
SWAGING PRESS

MR&E HYDRAULIC
POWER PACK



60 HP

2012



(12) SWAGING PRESS DIE SETS, 2-7/8" TO 13-3/8"



CUSTOM 6 SS JACKETED TANK PHOSPHATIZING SYSTEM

SWAGE PRESS

2012 MECHANICAL REPAIR AND ENGINEERING INC. 500-TON HORIZONTAL HYDRAULIC SWAGING PRESS, s/n 21587, w/(12) Swage Die Sets: 2-7/8", 3-1/2", 4", 4-1/2", 5", 5-1/2", 7", 7-5/8", 9-5/8", 10-3/4", 11-3/4" and 13-3/8", PARKER HANNIFIN 60 HP Hydraulic Power Unit

PHOSPHATIZING SYSTEM

2015 CUSTOM 6 STAINLESS STEEL JACKETED TANK PHOSPHATIZING SYSTEM, w/(6) 48" Cube Stainless Steel Jacketed Tanks, (1) Each: Wash Bath, Hot Rinse Bath, Activator Bath, Manganese Phosphate Bath, Cold Rinse Bath, Oil Bath, FILTER SOLUTIONS Filtration System, NOTE: To Be Sold Separately (12) Unopened 54-Gallon Drums of HD Diesel Antifreeze/Coolant (Glycol)

NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION

MISCELLANEOUS MACHINERY & EQUIPMENT



2012
HYD-MECH H-22A AUTOMATIC HORIZONTAL BANDSAW

MISCELLANEOUS MACHINERY & EQUIPMENT

2012 HYD-MECH H-22A AUTOMATIC HORIZONTAL BANDSAW, s/n C0312364S, w/22" x 22" Cap., 10 HP, Auto Shuttle and Clamp, Infeed and Outfeed Roller Conveyor

2012 SUMMIT 20X80B GAP BED ENGINE LATHE, s/n 8052, w/Taper Attachment, Quick Change Tool Post, Steady and Follow Rests, 4-Jaw Chuck, Inch and Metric Threading, 11.5–1,400 RPM, NEWALL DP700 DRO

2012 SUMMIT VS-350B 3 HP MILL, s/n 8052, w/3-Axis Power Table, 50–4,200 Vari-Speed RPM, NEWALL DP700 DRO

KING KC-450 18" VERTICAL BANDSAW, s/n 1246141, w/45 Deg. ± Table Tilt, Blade Grinder/Welder

(2) 2012 MOD-U-BLAST P4836-6FM SHOT BLAST CABINETS, s/n 30597, 30595, w/Dust Collector, (1) w/Stainless Steel Phosphate Spray Booth

LINCOLN POWER MIG 350MP MIG WELDER

2012 SCHERR TUMICO 20-2400 24" OPTICAL COMPARATOR, s/n K123201, w/HEIDENHAIN QUADRA CHECK DRO

2012 GAGEMASTER MIC TRAC MT 3000 MEASUREMENT CENTER, s/n NA

2011 MECCO MC2000 SUPERFAST MARKING SYSTEM, s/n 119982, w/COUTH MC2000 T2 Controller, Bar Code Scanner



(1 OF 2) MOD-U-BLAST P4836-6FM SHOT BLAST CABINETS



SUMMIT LATHE ATTACHMENTS



2012
SUMMIT 20X80B GAP BED ENGINE LATHE



2012
GAGEMASTER
MIC TRAC MT
3000
MEASUREMENT
CENTER



VIEW OF QA EQUIPMENT



2012 SCHERR
TUMICO
20-2400
24" OPTICAL
COMPARATOR





2011 MECCO
MC2000
SUPERFAST
MARKING SYSTEM



2012
VISES

ROTARY
INDEXING
CHUCK



2012 SUMMIT VS-350B MILL

AUCTION CONDUCTED IN U.S. FUNDS

ALSO: KURT VISES, ROTARY INDEX CHUCKS, ANGLE PLATES, 4-JAW CHUCKS, MAG BASE DRILLS, CARBIDE INSERTS, BORING BARS, CLAMPING TOOLS, SOFT JAWS, PERISHABLE TOOLING, DIGITAL HEIGHT GAUGE, MICROMETER SETS, DIGITAL VERNIERS AND CALIPERS, THREAD GAUGES

SALE DATE

Tuesday,
May 11, at
10:00 AM MT

INDUCTION POWER STRESS RELIEVING UNIT, FACTORY SUPPORT EQUIPMENT



2012

BONE FRONTIER
COMPANY
INDUCTION STRESS
RELIEVING UNIT

AUCTION
CONDUCTED
IN
U.S. FUNDS

STRESS RELIEVER
COOLING TOWER



STRESS RELIEVER COILS

INDUCTION POWER STRESS RELIEVING UNIT

2012 BONE FRONTIER COMPANY CNC TS5L 75 3-10SUM INDUCTION POWER STRESS RELIEVING UNIT, s/n 730, w/EVOLUTION 5 75 kW Power Supply and Tool Matching System, Max. Power Output 75 kW, Output Frequency Range: 3-10 kHz, Size Range Capacity: 13-3/8" to 2-3/8", (4) Coils: (1) 5X031 CS02 16" Coil w/15" Refractory Opening, (1) 5X031 CS03 13" Coil w/12" Refractory Opening, (1) 5X031 CS04 10" Coil w/9" Refractory Opening, (1) 5X046 CS05 6-5/8" Coil, w/5-1/2" Refractory Opening, Water Cooled Cables Connect to Induction Coils, DRY COOLERS AQUA-VENT CSX-150-120MP Coolant Recirculation System and AVR-25-22 Air Cooled Cooling Tower



2012

INGERSOLL RAND 30 HP
AIR COMPRESSOR SYSTEM



1,916 HRS.

2012 INGERSOLL RAND 30 HP
AIR COMPRESSOR SYSTEM



ROLLING TOOL CHEST



METALIA WORKBENCH CENTER

FACTORY SUPPORT EQUIPMENT

(2) 2012 INGERSOLL RAND UP6-30-150 30 HP AIR COMPRESSOR SYSTEM, s/n CBV185765, CBV185766, w/Built-In Air Dryer and Accumulator Tank, NOTE: 1,916 and 11,812 Respective Load Hours

U-LINE 10,000 LB DIGITAL PLATFORM SCALE, w/60"x 60" Low Profile Platform

KARCHER BR 40/25 ELECTRIC FLOOR SCRUBBER
METALIA WORK BENCH CENTER

ALSO: CUB CADET 28" SNOWBLOWER, CUB CADET 21" PUSH MOWER, POWERJET/HONDA PRESSURE WASHER, METAL WORK BENCHES/CABINETS, FLAMMABLE LIQUID STORAGE CABINETS, SPILL CONTAINMENT PALLETS AND KITS, STACKING WIRE MESH BASKETS, PNEUMATIC, POWER AND HAND TOOLS, ADJUSTABLE PALLET RACKING, METAL SHELVING, EYE WASH STATIONS, PIPE STANDS, CONCRETE DUNNAGE, ROLLING TOOL CHESTS, SECURITY FENCE, OXY/ACE TORCH GAUGES AND CARTS, DRILL PRESSES, MITER SAWS, PIPE STANDS, SAFETY LANYARDS, FATIGUE FLOOR MATS, ASSORTED HARDWARE AND CONSUMABLES, ETC.



KARCHER BR 40/25
ELECTRIC SCRUBBER



MAG BASE DRILL



DEWALT MITER SAW

To avoid any public gatherings, there will be no onsite participation in this Webcast-only auction. All bidders will be able to place live, real-time bids using a desktop or mobile device (the exact same way Webcast bidders have participated in previous sales) and can listen live in real-time to the auctioneer's audio stream.

ROLLING STOCK & MATERIAL HANDLING, VEHICLES

ROLLING STOCK & MATERIAL HANDLING

2012 PETTIBONE 1530 EXTENDO DIESEL PIPE TELEHANDLER, s/n EX10230-12, w/Pipe Clamp Forks, Max. Load 15,433 Lb, Max. Lift 30', Max. Reach 17', 2-Wheel, 4-Wheel and Crab Steer, CUMMINS 130 HP Diesel, NOTE: 5,402 Hours

2012 KOMATSU FG25T-16 8,500 LB LPG FORKLIFT, s/n A224476, w/188" Tri-Mast, Side Shifter and Fork Spreader, NOTE: 256 Hours

TEKO 1-TON FREE STANDING JIB CRANE, w/KITO 1-Ton Chain Hoist

TEKO 1/4-TON FREE STANDING JIB CRANE, w/KITO 1/4-Ton Chain Hoist

O'BRIEN 1/4-TON FREE STANDING JIB CRANE, w/KITO 1/4-Ton Chain Hoist

CRANE GUY GANTRY CRANE, w/KITO Electric Hoist

2017 KINSHOFER KM420 6,000 LB CRANE FORKS, s/n CLO1397



15,000 LB. CAP.

2012 PETTIBONE 1530 EXTENDO DIESEL PIPE TELEHANDLER

ALSO: PALLET JACKS, HAND CARTS, LIFTING MAGNETS, WEB AND WIRE ROPE SLINGS, ETC.

VEHICLES

2012 CHEVROLET SILVERADO 3500 HD FLAT DECK DUALY TRUCK, VIN 1GB3KZCGCF155813, w/VORTEX Engine, Automatic Transmission, NOTE: Only 21,451 km

2013 TRAILTECH H370-30 TRI-AXLE GOOSENECK TRAILER, VIN 2CU24AXE2D2032523, w/30' Wood Deck

BUYERS SNOW DOGG HD SNOWPLOW AND KIT



2012

KOMATSU FG25T-16 8,500 LB. LPG FORKLIFT



TEKO 1/4-TON FREE STANDING JIB CRANE



TEKO 1-TON FREE STANDING JIB CRANE



O'BRIEN 1/4-TON FREE STANDING JIB CRANE



CRANE GUY GANTRY CRANE

NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION



21,451 KM

2012 CHEVROLET SILVERADO 3500 HD DUALY



2013

TRAILTECH TRI-AXLE GOOSENECK TRAILER



BUYERS SNOW DOGG HD SNOWPLOW



**PERFECTION
Industrial Sales**

Perfection Industrial Sales –2550 Arthur Ave., Elk Grove Village, IL 60007
Phone: +1-847-545-6374 – Fax: +1-847-427-8884
www.perfectionindustrial.com



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

LIVE WEBCAST **ONLINE ONLY** AUCTION

SALE DATE Tuesday, May 11, at 10:00 AM MT

SALE LOCATION 8412 15th Street NW, Edmonton, AB T6P-0B9



Summit Machine

**COMPLETE OFFERING OF SHOW ROOM CONDITION
MACHINE TOOLS & EQUIPMENT**



14.74" BORE

2011 OKUMA SIMULTURN LOC 650 4-AXIS TURNING CENTER

LIVE WEBCAST **ONLINE ONLY** AUCTION

TERMS OF SALE

AUCTION CONDUCTED IN US FUNDS. An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

REMOVAL

All items must be removed no later than Friday, May 28, at 4:30 MT. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

SALE DATE

Tuesday, May 11, at 10:00 AM MT

SALE LOCATION

8412 15th Street NW,
Edmonton, AB T6P-0B9

FOR FURTHER INFORMATION

Please contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com.

NOTE: ALL SPECIFICATIONS ARE SUBJECT TO BUYER VERIFICATION

AUCTION CONDUCTED IN U.S. FUNDS

Complete Catalog & Information Available at <https://perfection.global/summitmachine>



**PERFECTION
Industrial Sales**

Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

In Conjunction with:



AUCTIONS • APPRAISALS • LIQUIDATIONS

+1-416-558-8890 • www.assetservices.ca



+1-713-462-5800

www.harrismachinetools.com

Bidding Available Through

