

PERFECTION ONLINE AUCTION



HEAVY FABRICATION & WELDING FACILITY CLOSURE

FEATURING: Over 300 Lots Including Plate Bending Rolls, Oxy/Plasma Cutter, Press Brake, Bandsaws, Ironworker, (100+) Welding Power Supplies, Conventional Machine Tools & Factory Support Equipment



DAVI PROMAU MCB 4058 4-ROLL CNC PLATE BENDING ROLL







LARGE ASSORTMENT OF WELDERS AND CONSUMABLES

Sale Closing From: Tuesday, July 25, at 1:00 PM EDT

Sale Location: 19380 Old Military Road, Mt. Vernon, Alabama 36560

Inspection: Monday, July 24, from 8:00 AM-4:00 PM EDT



Perfection Industrial Sales ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com

Online Bidding at www.perfectionindustrial.com

Sale is Being Held in Conjunction With:



PLATE BENDING ROLLS, PLASMA/FLAME CUTTER, PRESS BRAKE,

BANDSAWS & CHOP SAW



BERTSCH CENTURY II 3-ROLL INITIAL PINCH PLATE BENDING ROLL

PLATE BENDING ROLLS

DAVI PROMAU MCB 4058 4-ROLL CNC PLATE BENDING ROLL, s/n 20740214, 2008, $12' \times 1-3/4"$ Capacity, 90 HP

BERTSCH CENTURY II 3-ROLL INITIAL PINCH PLATE BENDING ROLL, s/n M-10629, 12' x 3/4" Capacity, 15-1/2" Roll Dia., 30 HP, 14 FPM Plate Feed Speed, Rear Roll Direct Hydraulic Cylinder Adjustment, Wedge-Type Adjusting Blocks on Lower Front Pinch Roll, Micrometer Limit Switch Pinch Setting, Pedestal Control



ESAB AVGXP2-VIS PC CNC PLASMA AND FLAME CUTTING TABLE

PLASMA/FLAME CUTTER

ESAB AVGXP2-VIS PC CNC PLASMA AND FLAME CUTTING TABLE, s/n 0560941255, 2006, (1) Plasma Height, (2) Torch Heads w/(4) Head Capacity, ESAB Precision Plasmarc 400 Power Source, PCC-10 Coolant Circulator, Vision 200 Control, 18'-6" x 52' Table

PRESS BRAKE

PACIFIC K350-14 HYDRAULIC PRESS BRAKE, s/n 8981, 350-Ton Capacity, 14' OA, 149" Between Housings, 12" Stroke, 20" Open Height, 8" Closed Height, 10" Throat Depth, Autogauge G24 Backgauge, w/Die Deflector and 4-Way Die Set



PACIFIC K350-14 HYDRAULIC PRESS BRAKE



BEHRINGER HBP500A AUTOMATIC HORIZONTAL BANDSAW



FMB PEGASUS SEMI-AUTOMATIC HORIZONTAL BANDSAW

BANDSAWS & CHOP SAW

BEHRINGER HBP500A DOUBLE COLUMN AUTOMATIC HORIZON-TAL BANDSAW, s/n 1180132, 23" x 19" Capacity

FMB PEGASUS SEMI-AUTOMATIC HORIZONTAL BANDSAW, s/n M0011, 2009, 10-1/2" x 20" Capacity, 50–400 FPM Blade Speed, Mitre to 60 Degrees

HYD-MECH S-20 HORIZONTAL BANDSAW, s/n 60802037H, 13" x 18" Capacity, 75–400 FPM Blade Speed, 162" Blade Length, Mitre to 45 Degrees, 4,000 Lb Workload Capacity

EVERETT 1416 ABRASIVE CHOP SAW, s/n 955-2, 16" Max. Blade Dia., 2,100 RPM Blade Speed, 2" Solid/5" Shapes Cutting Capacity



EVERETT 1416 ABRASIVE CHOP SAW



HYD-MECH S-20 HORIZONTAL BANDSAW

CONVENTIONAL MACHINE TOOLS



GIDDINGS & LEWIS FRASER T-5 TABLE-TYPE HORIZONTAL BORING MILL



SCHIESS VERTICAL TURRET LATHE



PIRANHA P-120 IRONWORKER



NORTH ALABAMA PIPE D6 BIG CUT PIPE CUTTING SYSTEM



LEBLOND REGAL 19" X 96" SERVO SHIFT LATHE



CARLTON 8'X 19" RADIAL ARM DRILL

CONVENTIONAL MACHINE TOOLS

5" GIDDINGS & LEWIS FRASER T-5 TABLE-TYPE HORIZONTAL BORING MILL, s/n 15070763, 146" x 60" Table, X-132", Y-74", Z-72", 25 HP, 7.5–975 RPM

SCHIESS VERTICAL TURRET LATHE, s/n NA, 57" Chuck Dia., 6–77 RPM, WEG Industrial Control, Trak DRO, 50 HP

PIRANHA P-120 IRONWORKER, s/n 1258, 120-Ton Punch Capacity, 5-1/4" Stroke Length, 40 SPM, 15-1/2" Open Height, 1-1/2–5" Punching Capacity, 12–20" Shear Capacity, 1/2" to 2" Round Bar, 1–2" to 1-3/8" Square Bar, 4" x 6" x 3/8" Notcher Capacity



BRIDGEPORT 1.5 HP VERTICAL MILL



OMCA, GBC AND CEVISA PLATE BEVELERS

CARLTON 8' X 19" RADIAL ARM DRILL, s/n 4A4435, 15" x 1,500 RPM Spindle Speed, 123" x 100" T-Slotted Base Including (2) 36" x 100" Extensions, No. 6 Morse Taper, (2) 20" x 60" x 36" T-Slotted Box-Type Tables

LEBLOND REGAL 19" X 96" SERVO SHIFT LATHE, s/n NA, 12" 3-Jaw Chuck, Tailstock, Steady Rest, Wedge Style Tool Post, Song LH10 DRO, 3" Through Hole, 460V

YANG CL56250G 24" X 96" LATHE, s/n B92582, 12" 3-Jaw Chuck, Tailstock, Steady Rest, Tool Post, 20–1,500 RPM Spindle Speed

BRIDGEPORT 1.5 HP VERTICAL MILL, s/n 122838, 9" x 42" Table, 60–4,200 RPM, Fagor DRO

OMCA, GBC AND CEVISA PLATE BEVELERS, As Late As 2008 NORTH ALABAMA PIPE D6 BIG CUT PIPE CUTTING SYSTEM, s/n 207, Torch Guide, Bevel and Straight Cut, 30' Table, 45 Degree Cutting Capability

BALDOR 1215W 12" DUAL END GRINDER

Sale Closing From:

Tuesday, July 25, at 1:00 PM EDT Sale Location: 19380 Old Military Rd.

Mt. Vernon, Alabama 36560

WELDING, ANALYZING/MEASUREMENT, PLANT SUPPORT



ASSORTED LINCOLN MIG AND TIG WELDERS



CAPITOL WELDERS 9X8
WELDING MANIPULATOR



QUINCY QGB-25 ROTARY AIR COMPRESSOR



JLG 12SP MAN LIFT

Inspection:

Monday, July 24, from 8:00 AM– 4:00 PM EDT



THERMO SCIENTIFIC NITON XL3T ANALYZER



DILLON EDXTREME DYNAMOMETER



EAVES E-300 DIESEL FORKLIFT



OTTAWA 30 4 X 2 YARD TRACTOR SPOTTER TRUCK



MTU ONSITE ENERGY 125KW DIESEL GENSET

www.perfectionindustrial.com



MILLER XMT 304 WELDERS

WELDING

(OVER 100) MILLER AND LINCOLN WELDERS, Including MIG, TIG, Arc, Sub-Arc and Squirt

NELSON NELWELD 6000 STUD WELDER

CAPITOL WELDERS 9X8 WELDING MANIPULATOR, s/n NA, 2011, 9' x 8' Capacity, 150 Lb Max. Capacity

ALSO: WELDING CARRIAGES, WIRE FEEDS, WIRE SPOOLS, ELECTRODES AND MORE



WELDING WIRE SPOOLS

ANALYZING/ MEASUREMENT

THERMO SCIENTIFIC NITON XL3T ANALYZER

DILLON EDXTREME DYNAMOMETER

DISTANCE METERS, ANEMOMETERS, THEODOLITES, THICK-NESS GAGES, CONTOUR PROBES, TRIPODS, MICROMETER SETS, CALIPERS, PRECISION LEVELS AND MORE

PLANT SUPPORT

30,000 LB EAVES E-300 DIESEL FORKLIFT, s/n CE141230019910, 8' Fork Length, 183" Lift Height, 164" Lowered Mast Height, Cabitec E-155-225 Enclosure, Cummins Diesel Engine

OTTAWA 30 4 X 2 YARD TRACTOR SPOTTER TRUCK, s/n 65456

JLG 12SP MAN LIFT, s/n 0900019929, 2003, 500 Lb Capacity, 12' Max. Platform Height, Needs Battery

KONECRANES 60-TON DOUBLE GIRDER BRIDGE CRANE, 60' Span, w/Kone 10-Ton Electric Hoist

20-TON X 36' AND 15-TON X 20' SPREADER BARS

MTU ONSITE ENERGY 125RJC6DT3 125KW DIESEL GENERATOR SET, s/n 319050-1-1-0310, 2010, w/John Deere HF285 Engine, 1,800 RPM, 125 kW, 156 KVA, 277/480V, w/Marathon Electric 125 kW Synchronous AC Motor, w/ZBM EQ633 Tank, 8,850-Gallon Tank, 224,662 Lb Capacity

QUINCY QGB-25 ROTARY AIR COMPRESSOR, s/n NA, 25 HP, 100 PSIG



KONECRANES 60-TON DOUBLE GIRDER BRIDGE CRANE



SPREADER BARS

ALSO AVAILABLE



ASSORTED YARD TRAILERS

ALSO AVAILABLE: TUBE AND PIPE EQUIPMENT, POWER AND HAND TOOLS, RIGGING AND LIFTING EQUIPMENT, YARD TRAILERS, OXY ACETYLENE HOSES, TORCH CARTS, FIBERGLASS EXTENSION AND STEP LADDERS, SHOP FANS, TORPEDO HEATERS, SHOP CABINETS, HAND TRUCKS AND MUCH MORE



View our current auction schedule at www.perfectionindustrial.com

ASSORTED HAND AND POWER TOOLS



FIBERGLASS LADDERS



RIGGING AND LIFTING EQUIPMENT



PIPE STANDS

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

REMOVAL

All items must be removed no later than Friday, August 11. Removal hours are from 8:00 AM to 4:00 PM EDT, Monday through Friday, or by special appointment. All items are sold "As Is, Where Is." Buyers are responsible for all prepping, loading and trucking costs.

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 16% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranty, express or implied.

FOR FURTHER INFORMATION: For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

Sale Closing From: Tuesday, July 25, at 1:00 PM EDT

Sale Location: 19380 Old Military Road, Mt. Vernon, Alabama 36560

Inspection: Monday, July 24, from 8:00 AM-4:00 PM EDT



Perfection Industrial Sales ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Online Bidding at www.perfectionindustrial.com

Sale is Being Held in Conjunction With:

