

# (2) ONLINE AUCTIONS



CITIZEN M32 CNC SWISS-TYPE TURNING CENTER

Surplus to the Operations of a  
**CLINICAL DENTAL**  
MANUFACTURER

**Sale Location:**  
901 W Oakton St.,  
Des Plaines,  
Illinois 60018



BROTHER TC-22B-0 CNC TAPPING CENTER

**AUCTION 1** **Sale Closing From:** Tuesday, April 24  
from 10:00 AM CT  
**Inspection:** Inspection of Assets is STRICTLY BY APPOINTMENT  
ONLY, on Monday, April 23

**FEATURING: CITIZEN SWISS-TYPE LATHES, EDM'S, TAPPING CENTERS, CNC & CONVENTIONAL GRINDERS, BAR FEEDS, CNC LATHES, MACHINING CENTERS, TOOL ROOM MACHINERY, INSPECTION & HIGH-END TESTING EQUIPMENT, PLANT SUPPORT & MORE**

**AUCTION 2** **Sale Closing From:** Wednesday, May 23  
from 1:00 PM CT  
**Inspection:** Inspection of Assets is STRICTLY  
BY APPOINTMENT ONLY, on Tuesday, May 22

**FEATURING: (2) LABEL PRINTING PRESS LINES, PRISM SQZK-780-NH HIGH-SPEED PAPER CUTTER, SLITTERS, SHRINK PACKAGING, (2) PLASTIC BAG PRESS LINES, FORKLIFTS & MORE**



STUDER S33 OD/ID CNC GRINDER



MITSUBISHI MV1200S CNC WIRE EDM



**PERFECTION Industrial Sales**

**Perfection Industrial Sales**  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

**Online Bidding at**  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)



# CNC SWISS-TYPE SCREW MACHINES, BARFEEDS, CNC TAPPING CENTERS

NO. 1

Surplus to the Operations of a  
**CLINICAL DENTAL**  
MANUFACTURER

**Sale Closing From: Tuesday, April 24 from 10:00 AM CT**

**Sale Location: 901 W Oakton St., Des Plaines, Illinois 60018**

**Inspection: Inspection of Assets is STRICTLY BY APPOINTMENT ONLY, on Monday, April 23**



CITIZEN M32 CNC SWISS-TYPE TURNING CENTER

## CNC SWISS-TYPE SCREW MACHINES

(2) 2005 CITIZEN M32 CNC SWISS-TYPE TURNING CENTERS, s/n's P14721 and P14722, w/IEMCA Mini Boss 332-E Barfeeds, 1.25" Max. Machining Diameter, 12.6" Max. Machining Length Per Chuck, .39" Front Drilling Diameter, .94" Spindle Through-Hole Diameter, 200-8,000 RPM Main Spindle Speed, 200-7,000 RPM Back Spindle Speed, 200-5,000 RPM Live Tool Speed, .001 Degree Main Spindle C-Axis, .001 Degree Back Spindle C-Axis

(2) 2000 CITIZEN CINCOM M12 CNC SWISS-TYPE TURNING CENTERS, s/n's P10245 and P10084, w/LNS Tryton 112 Barfeeds, .47" Max. Machining Diameter, 7.87" Max. Machining Length Per Chuck, .24" Max. Front Drilling Diameter, .55" Spindle Through-Hole Diameter, 200-12,000 RPM Main Spindle Speed, 200-10,000 RPM Back Spindle Speed, 200-8,000 RPM Rotary Tool Speed (Gang Tool Holder), 200-6,500 RPM Rotary Tool Speed (Turret), .001 Degree Main Spindle C-Axis, 1 Degree Back Spindle Indexing

1998 CITIZEN CINCOM L20 CNC SWISS-TYPE TURNING CENTER, s/n 01020, w/IEMCA Boss 542 CNC Bar Feed, s/n 98071355, .79" Max. Machining Diameter, 7.87" Max. Machining Length, .39" Front Drilling Diameter, .94" Spindle Through-Hole Diameter, 200-10,000 RPM Main Spindle, 200-8,000 RPM Back Spindle, 200-5,000 RPM Rotary Tool Speed, 1 Degree Main Spindle Indexing, .001 Degree Back Spindle C-Axis

(4) CITIZEN CINCOM F16 AUTOMATIC SWISS-TYPE CNC SCREW MACHINES, s/n's 2374, 2417, 2648, and 2165



CITIZEN CINCOM M12 CNC SWISS-TYPE TURNING CENTER



CITIZEN CINCOM F16 AUTOMATIC CNC SWISS-TYPE SCREW MACHINE

## BARFEEDS

(2) LNS THB 16-37 HYDROBAR BARFEEDS, s/n 10.884

SPEG0 TURNAMIC 64-8.5 BARFEED, s/n 95-12-377

## CNC TAPPING CENTERS

(2) 2008 BROTHER TC-22B-0 CNC TAPPING CENTERS, s/n's 111452 and 111501, CNC B00 Control, 27.6" X, 17.7" Y, 16.1" Z, 9.1-25.2" Distance Between Table Top and Spindle Nose End, 31.5" x 17.7" Work Area, 661 Lb Table Capacity, 16-16,000 RPM Spindle Speeds, 8,000 RPM Max. During Tapping, 7/24 Tapered No. 30 Tapered Hole, 2,756 IPM Rapid Traverse Rate X,Y,Z, .04-787 IPM Cutting Feed Rate, BT30 Tool Shank, 27 ATC, Mist Buster, Chip Blaster High Pressure Coolant System, Nikken 5AX130 5th Axis Rotary Table



SPEG0 TURNAMIC 64-8.5 BARFEED



CITIZEN CINCOM L20 CNC SWISS-TYPE TURNING CENTER



BROTHER TC-22B-0 CNC TAPPING CENTER

[www.perfectionindustrial.com](http://www.perfectionindustrial.com)



# CNC WIRE EDMs, CNC LATHES & TURNING CENTERS, CNC HORIZONTAL MACHINING CENTER, CNC VERTICAL MACHINING CENTERS



**2014**  
MITSUBISHI MV1200S CNC WIRE EDM



**2000**  
CHARMILLES ROBOFIL 230F CNC WIRE EDM



TAKISAWA TC-10 CNC TURNING CENTER



TAKAMATSU MINI-TURN GANG TOOL CNC LATHE



HARDINGE CONQUEST-GT SUPER PRECISION CNC LATHE



**2 AVAILABLE**  
HARDINGE CHNC II+ SUPER PRECISION CNC LATHE



TAKAMAZ X-18 CNC TURNING CENTER



KITAMURA MYCENTER HX250I CNC HMC



**2 AVAILABLE**  
KITAMURA MYCENTER-ZERO CNC VMC

## CNC WIRE EDMS

**2014 MITSUBISHI MV1200S CNC WIRE EDM**, s/n 53DM1767, 15.7"X, 11.8"Y, 8.7"Z, 31.9"W x 27.6"D x 8.5"H Max. Workpiece Dimensions, 1,102 Lbs Max. Submerged Workpiece Weight, 25.2" x 17.7" Table

**2000 CHARMILLES ROBOFIL 230F CNC WIRE EDM**, s/n 920142, 13.78"X, 8.66"Y, 8.66"Z, .004-.012" Wire Diameters, 17.7 Lb Wire Spool Size, 0-30 Degree Taper Capacity

## CNC LATHES & TURNING CENTERS

**HARDINGE CONQUEST-GT SUPER PRECISION CNC LATHE**, s/n GT-768-B, GE Fanuc 18-T CNC Control, 11.96"X, 11.062"Z, 11.76" Swing Over Bed, 60-6,000 RPM Spindle Speed, 472 IPM X-Axis Rapid Traverse, 630 IPM Z-Axis Rapid Traverse

**(2) HARDINGE CHNC II + SUPER PRECISION CNC LATHES**, s/n's CN-2633F and CN-4586-F, GE Fanuc 10T CNC Control, 8" Max. Turning Diameter, 14" Swing, 16C, 1-5/8" Bar Capacity, 5,000 RPM Max. Spindle Speed, 4.5"X, 12"Z, 8-Tool Horizontal Turret

**TAKISAWA TC-10 CNC TURNING CENTER**, s/n TLRX1713, Fanuc Series 21i-T, 12.59" Max. Swing, 8.6" Turning Center, 7.8" Turning Length, 4.750"X, 9.840"Z, 1.650" Bar Capacity, 60-6,000 RPM Spindle Speed, 12-Tool Turret, 785 IPM Rapids X and Z

**TAKAMAZ X-18 CNC TURNING CENTER**, s/n 160071, Takamaz/Fanuc CNC Control, 15.7" Max. Swing, 11.8" Turning Length, 12.6" Max. Turning Diameter, 12-Tool Turret, Gantry Loader, IEMCA VIP70/15 CNC Barfeed, s/n 98072703

**TAKAMATSU MINI-TURN 2-AXIS CNC GANG TOOL TURNING CENTER**, s/n 461681, 11.8" Swing Over Bed, 6" Swing Over Slide, 5" Max. Turning Length, 25-4,500 Spindle RPM, 7.8"X, 7.8"Y, 20" Slide Length

## CNC HORIZONTAL MACHINING CENTER

**KITAMURA MYCENTER HX250I CNC HORIZONTAL MACHINING CENTER**, s/n 81121, Yasnac CNC Control, 12"X, 12"Y, 13"Z, 15,000 RPM Spindle Speed, 40 ATC, BT30, Rigid Tap, (2)12" x 12" Pallets, Full 4th Axis, Through Spindle Coolant

## CNC VERTICAL MACHINING CENTERS

**(2) KITAMURA MYCENTER-ZERO CNC VERTICAL MACHINING CENTERS**, s/n's 00717 and 00718, Fanuc Series O-Mate M CNC Control, 24" x 12.4" Table, 220 Lb Table Capacity, 4.9-16.9" Table Top to Spindle Nose, 12"X, 10"Y, 12"Z, BT30 Spindle Taper, 80-8,000 RPM Spindle Speed, 472 IPM X, 354 IPM Y/Z Rapid Traverse, 16 ATC

Online Bidding at [www.perfectionindustrial.com](http://www.perfectionindustrial.com)



# GRINDING, SERVO ASSEMBLY PRESS, TOOL ROOM MACHINERY

NO. 1 AUCTION

1

Surplus to the Operations of a

**CLINICAL DENTAL**  
MANUFACTURER

**Sale Closing From: Tuesday, April 24 from 10:00 AM CT**

**Sale Location: 901 W Oakton St., Des Plaines, Illinois 60018**

**Inspection: Inspection of Assets is STRICTLY BY APPOINTMENT ONLY, on Monday, April 23**



2005

STUDER S33 UNIVERSAL CNC CYLINDRICAL GRINDER



STUDER S40-12 UNIVERSAL CNC CYLINDRICAL GRINDER

## GRINDING

**2005 STUDER S33 UNIVERSAL CNC CYLINDRICAL GRINDER**, s/n 027.0171, 6.9" Center Height, 25.6" Grinding Length, 13.8" Max. Grinding Diameter, 24,000–120,000 RPM, 4.72" Spindle Diameter, 2.5 Taper

**STUDER S40-12 UNIVERSAL CNC CYLINDRICAL GRINDER**, s/n 2094.10, GE Fanuc Series 18i-T CNC Control, 5" Center Height, 25.6" Distance Between Centers, 25.6" Grinding Length, 9.8" Grinding Diameter, 2–354"/Min. Speed, 15.7" Max. Travel, 0–90 Degree Workhead Swivel Range, 30–675 RPM Freely Programmable Speed Range

**(3) STUDER RM250 CYLINDRICAL GRINDERS**, s/n's 827.35, 802.34, and 649.28, 2.4" Center Height, 9.9" Distance Between Centers, 9.9" Grinding Wheel Diameter, 1" Wheel Width, 3" Bore, 2,850 RPM Wheel Speed, 1,200 RPM Workpiece Spindle Head, w/SBS SB-4500 Balance System

**1998 TSCHUDIN HTG-310 CYLINDRICAL GRINDER**, s/n 31604, 13.4" Distance Between Centers, 4" Center Height, 0–195"/Min., 11 Degree± Swiveling Range, Marposs P3, Paper Filter

**TSCHUDIN HTG-442 ANGLE HEAD GRINDER**, s/n 81.301, 8" Swing, 19" Between Centers, 65–5,000 RPM Work Head Speed, 360 Degree Work Head Swing

**PARKER MAJESTIC UNIVERSAL GRINDER**, s/n 2071-16C-68

**BROWN & SHARPE NO.13 UNIVERSAL AND TOOL GRINDER**, s/n 525-13-1790

**CINCINNATI CENTERLESS GRINDER**, s/n 1M1H5D-59

## SERVO ASSEMBLY PRESS

**SCHMIDT 405 SERVO ASSEMBLY PRESS**, w/PRC 4000



3 AVAILABLE

STUDER RM250 CYLINDRICAL GRINDERS



BROWN & SHARPE  
NO.13  
UNIVERSAL  
TOOL GRINDER



SCHMIDT 405 SERVO ASSEMBLY PRESS



3 AVAILABLE

HARDINGE HLH-H SUPER PRECISION  
TOOL ROOM LATHE



(OVER 100) WORKBENCHES



1998

TSCHUDIN HTG-310 CYLINDRICAL GRINDER

## TOOL ROOM MACHINERY

**(3) HARDINGE HLH-H SUPER PRECISION TOOL ROOM LATHES**, s/n's 4856, 6900P, 10530T

**(6) BRIDGEPORT VERTICAL MILLING MACHINES**, Digital Read Outs, 9" x 42" Tables, 60–4,200 RPM, Power Feed Tables

**RIDGID 535 PIPE THREADER**, s/n 360277

**DI-ACRO NO.2 PUNCH**, s/n 2736

**DI-ACRO NO.2 TAB NOTCHER**, s/n AB-1596

**DI-ACRO NO.24 FINGER BRAKE**, s/n FB-1653

**DI-ACRO NO.4 SHEAR**, s/n EB-1416

**BROWN & SHARPE 510 SURFACE GRINDER**, s/n 523-510-1507, Sony LH31A DRO

**MITSUI HIGH-TEC 250MH SURFACE GRINDER**, s/n 94065847, Sony Magnescale LH11 DRO

**HARIG SUPER 612 SURFACE GRINDER**, s/n 2324, Sony LH31A DRO

**OPTIMA B1523 TOOL AND CUTTER GRINDER**, s/n 1523

**WELLS 8M HORIZONTAL BANDSAW**, s/n 15704

**WF WELLS A HORIZONTAL BANDSAW**, s/n 661251

**DOALL 3613-0 VERTICAL BANDSAW**, s/n 278-70293, w/DBW-15 Blade Welder

**DOALL 1612-H JOB SELECTOR VERTICAL BANDSAW**, s/n 288-71337

**ROTEX 18A55 PUNCH**, s/n 11704

**DELTA ROCKWELL 12" TABLE SAW**, s/n 1252164

**FAMCO NO.3 ARBOR PRESS**

**FAMCO NO.3-1/2 ARBOR PRESS**

**DELTA ROCKWELL 15-000 DRILL PRESS**, s/n 1332530

**ROCKWELL DRILL PRESS W/PROCUNIER TAPPING HEAD**, s/n 106-3422

**(5) OVERBECK MACHINE TOOL TWISTER SPEED LATHES**

**(2) GRAVI-FLO C-4-806 CENTRIFUGAL BARREL FINISHERS**, s/n's 40 and 136

**GUYSON RXS800 BLAST CABINET**, s/n 1684

**TM SS813.111 HIGH VACUUM FURNACE**, s/n 1C1670193

**KH HUPPERT ST OVEN**, Style 12CFMPC1FHT, 220v, 5 kW

View our current auction schedule at [www.perfectionindustrial.com](http://www.perfectionindustrial.com)



# TOOL ROOM MACHINERY, INSPECTION & QUALITY CONTROL



BRIDGEPORT VERTICAL MILLS



MITSUI HIGH-TEC 250MH SURFACE GRINDER



DOALL 3613-0 VERTICAL BANDSAW



5 AVAILABLE

OVERBECK TWISTER SPEED LATHES



2 AVAILABLE

GRAVI-FLO C-4-806 CENTRIFUGAL BARREL FINISHER

**ALSO AVAILABLE:** LARGE SELECTION OF BALDOR, HAMMOND AND WILTON GRINDERS, POLISHERS AND SANDERS, LARGE QUANTITY OF KURT MACHINE VISES AND BENCH VISES, CLAMPING AND HOLD DOWN SETS, WORK BENCHES, HAND TOOLS, POWER TOOLS, AND MUCH MORE



2015

UNIVERSAL UR5 COLLABORATIVE ROBOT ARM



LIGHT MACHINES PROLIGHT MACHINING CENTER



2 AVAILABLE

2013

LLOYD AMETEK LS1 UNIVERSAL MATERIAL TESTING MACHINE




2002

BUEHLER PHOENIX BETA GRINDER/POLISHER



STARRETT HE400 OPTICAL COMPARATOR



KEYENCE LS9000 OPTICAL MICROMETER



GSI LUMONICS HM1400 LASER MARKER



2000

OPTICAL GAGING PRODUCTS AVANTI 300ZIP CNC MEASURING MACHINE



BUEHLER SIMPLIMENT AUTOMATIC MOUNTING PRESS



MITUTOYO OPTICAL COMPARATORS



LARGE SELECTION OF MICS, GAGES, MICROSCOPES AND MORE



MITUTOYO QSE1020 VIDEO MEASURING SYSTEM

ASSORTMENT OF GRANITE PLATES, INDICATOR STANDS AND LEVER PRESSES



## INSPECTION & QUALITY CONTROL

**2015 UNIVERSAL ROBOTS UR5 COLLABORATIVE ROBOT ARM,** s/n 2015350890, 11 Lb Max. Payload, 33.5" Max. Reach, w/Keyence LS 9006 High Accuracy CMOS Micrometer

**LIGHT MACHINES PROLIGHT MACHINING CENTER,** s/n 02508DD 0205, Flatscreen Monitor, Haas Digital Indexing Head

**GSI LUMONICS HM1400 LASER MARKER W/YAG T818/FS/CE LASER,** s/n 00442, LPS 30 CCE Power Supply

**2000 OPTICAL GAGING PRODUCTS AVANTI 300ZIP CNC MEASURING MACHINE,** s/n AZ3001163, Measure Mind 3D Software

**(2) 2013 LLOYD AMETEK LS1 UNIVERSAL SINGLE COLUMN MATERIAL TESTING MACHINES,** s/n's 200471 and 200288, w/Hand Held Remote and Flat Screen Monitor

**BUEHLER PHOENIX BETA 49-5100-115 GRINDER/POLISHER,** s/n 577-PXB-11333, w/ Vector LC Power Head

**BUEHLER SIMPLIMENT AUTOMATIC MOUNTING PRESS,** s/n 580-11K-00471

**(2) HALCO ABSOLUTE CONSOLE SERIES AC6302AC-SP CLEAN BENCHES,** s/n's 10252-1 and 10158-1, 74" x 28.5" x 66"

**WOLPERT WILCON/INSTON 2100B DIGITAL HARDNESS TESTER,** s/n T2100BQ3467

**WILSON ROCKWELL 4TT RB HARDNESS TESTER,** s/n 2323

**STARRETT HE400 OPTICAL COMPARATOR,** s/n 20495, Quadra-Chek 2000

**JONES & LAMSON H-14 OPTICAL COMPARATOR,** s/n E-56134, Micro-Vu Q16

**JONES & LAMSON EPIC 114 OPTICAL COMPARATOR,** s/n C-521361

**SCHERR TUMICO 20-3500 OPTICAL COMPARATOR,** s/n 983302, Quadra-Chek 2000

**MITUTOYO PJ-250B OPTICAL COMPARATOR,** s/n 9359

**MITUTOYO PJ-250C OPTICAL COMPARATOR,** s/n 1991

**NIKON 6C PROFILE PROJECTOR,** s/n 12133

**MITUTOYO QSE1020 VIDEO MEASURING SYSTEM,** s/n 660101

**ZEISS RONDCOM 31A-N FORM TESTER,** s/n 5001JN

**(7) QUINCY LABS 20GC LABORATORY OVENS**

**(4) BLUE-M AND COLE-PARMER ELECTRIC LAB OVENS**

**ALSO AVAILABLE:** LARGE ASSORTMENT OF GRANITE SURFACE PLATES, MICROSCOPES, HEIGHT GAUGES, VERNIERS, MICROMETERS, FORCE GAUGES, PRECISION ARBOR PRESSES, AND MUCH MORE

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374 or [sales@perfectionindustrial.com](mailto:sales@perfectionindustrial.com)



# LASER WELDER SYSTEM, PLANT SUPPORT, FULL SERVICE COMMERCIAL KITCHEN

NO. 1

1

Surplus to the Operations of a

**CLINICAL DENTAL**  
MANUFACTURER

**Sale Closing From:** Tuesday, April 24 from 10:00 AM CT

**Sale Location:** 901 W Oakton St., Des Plaines, Illinois 60018

**Inspection:** Inspection of Assets is STRICTLY BY APPOINTMENT ONLY, on Monday, April 23



**2007**

LASAG INDUSTRIAL LASER SYSTEM

## LASER WELDER SYSTEM

2007 LASAG INDUSTRIAL LASER SYSTEMS W/EASY WELDER SLS200 CL16 LASER WELDER, s/n 10.0478.194



**2 AVAILABLE**

INGERSOLL-RAND SSR-EP30SE AIR COMPRESSOR

## PLANT SUPPORT

(2) 30 HP INGERSOLL-RAND SSR-EP30SE ROTARY SCREW TYPE AIR COMPRESSORS, s/n's SE6621U00095 and JE3255U96355, 127 CFM, 125 PSIG

ATLAS COPCO GA 609 PACK ROTARY SCREW TYPE AIR COMPRESSOR, s/n 80.479M37312

5 HP INGERSOLL-RAND T30 AIR COMPRESSOR, s/n 30T863395

(2) DUSTKOP 20T31-D1 DUST COLLECTION SYSTEMS, s/n's 5376 and 5378

DONALDSON TORIT DF2DF4 4-CARTRIDGE DUST COLLECTION SYSTEM, s/n IG477585

DONALDSON TORIT MC4000 DUST COLLECTION SYSTEM, s/n 243467

(4) AIR FLOW SYSTEM MINI VAC 68-0 INDUSTRIAL AIR CLEANERS

MARS 42 AIR CURTAIN, s/n A0810F42-C

**ALSO AVAILABLE:** LARGE QUANTITY OF AIR HOSE REELS, ELECTRICAL REELS, PALLET JACKS, PARTS WASHERS, AIR FILTER SYSTEMS, LIGHTS AND MUCH MORE



**2 AVAILABLE**

WHITE CAROUSEL AUTOMATIC INVENTORY SYSTEM

## (2) ONLINE AUCTIONS

Online Bidding at

[www.perfectionindustrial.com](http://www.perfectionindustrial.com)



COMMERCIAL REFRIGERATORS AND FREEZERS



DCS NATURAL GAS CONVECTION OVEN

## FULL SERVICE COMMERCIAL KITCHEN

CAFETERIA STAINLESS STEEL SERVING COUNTER, 19'6"L x 42"W, Refrigerated Section, 7' Food Warmer Section, (3) Built-In Hot Plates

SCOTSMAN NDE654AS-1A ICE AND WATER MACHINE, s/n 356983-05C, 115V

AVANTCO 177HWD15G 1.5 GAL HOT WATER DISPENSER, s/n CK-161115r-279

CAFETERIA STAINLESS STEEL SERVING COUNTER, 23'L x 4' W

WELLS G-13 24" FLAT TOP GRIDDLE, s/n 17929

WELLS B-40 GRILL, s/n W6859

WELLS F58 DEEP FRYER, s/n VM1395

HATCO GRSDH-30 WARMING STATION, s/n 2576149601

DCS NATURAL GAS CONVECTION OVEN

VULCAN 7872 OVEN, s/n 82K139

AVANTCO 178A49RHC REFRIGERATOR

COLDTECH CFD-2F FREEZER, s/n FD2F-0710-688, 48 Cu. Ft.

NEXGRILL 720-0864 GRILL

(2) KENMORE 253.6072200 FREEZERS

(128) STACKABLE LUNCH ROOM CHAIRS AND (6) TABLES

**ALSO AVAILABLE:** PROJECTION SCREENS, CAFETERIA TRAY CARTS, SHELVING UNITS



VULCAN 7872 OVEN



FLAT TOP GRIDDLE, GRILL AND DEEP FRYER



(2) CAFETERIA STAINLESS STEEL SERVING COUNTERS



To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374 or [sales@perfectionindustrial.com](mailto:sales@perfectionindustrial.com)



# LABEL PRINTING PRESS LINES, HIGH SPEED PAPER CUTTER, SLITTERS, PAPER CONVERTING MACHINE, SHRINK PACKAGING, PLASTIC BAG PRESS LINES, FORKLIFTS, & MORE

AUCTION

# 2

Surplus to the Operations of a

**CLINICAL DENTAL**  
MANUFACTURER

**Sale Closing From: Wednesday, May 23 from 1:00 PM CT**

**Sale Location: 901 W Oakton St., Des Plaines, Illinois 60018**

**Inspection: Inspection of Assets is STRICTLY BY APPOINTMENT ONLY, on Tuesday, May 22**



MARK ANDY  
4150-10B  
LABEL  
PRINTING  
PRESS



PRISM  
SQZK-780-NH  
HIGH SPEED  
PAPER CUTTER



ALLIED GEAR FM3-104 FLEXOMASTER 3  
LABEL PRINTING PRESS

## LABEL PRINTING PRESS LINES

MARK ANDY 4150-10B 4-COLOR REEL FED LABEL PRINTING PRESS, s/n 1168575

ALLIED GEAR FM3-104 FLEXOMASTER 3 LABEL PRINTING PRESS, s/n 924027

## HIGH SPEED PAPER CUTTER

PRISM SQZK-780-NH HIGH SPEED PAPER CUTTER, s/n 0106-1264-B, Size 78

## SLITTERS

VOORWOOD S64Z SLITTER/REWINDER, s/n 3693

JOHN DUSENBERRY SLITTER, s/n 59594

## PAPER CONVERTING MACHINE

ARPECO PAPER CONVERTING MACHINE

## SHRINK PACKAGING

EASTEY ET1610-36 SHRINK PACKAGING TUNNEL, s/n 39718TLMB

## PLASTIC BAG PRESS LINES

(2) DIELECTIC AUTOMATION SYSTEMS FS-13 PRESSES, s/n 1837SC and 1836SC, w/Indexer and Feedstand

## FORKLIFTS

TOYOTA 5FBE18 ELECTRIC FORKLIFT, 3,500 Lb Capacity

CLARK TM15 ELECTRIC FORKLIFT, 3,000 Lb Capacity

**ALSO AVAILABLE: DALMEC PRC INDUSTRIAL MANIPULATOR, GORBEL FREE STANDING JIB CRANE SYSTEM, LANTECH PALLET WRAPPING MACHINE, PALLET RACKING, WORK BENCHES, AND MORE**



**3,500 LB CAP.**

TOYOTA 5FBE18 ELECTRIC FORKLIFT



**3,000 LB CAP.**

CLARK TM15 ELECTRIC FORKLIFT

GORBEL FREE  
STANDING JIB  
CRANE SYSTEM



LANTECH  
PALLET WRAPPER



VOORWOOD S64Z SLITTER/REWINDER



JOHN DUSENBERRY SLITTER



ARPECO PAPER CONVERTING MACHINE



ASSORTED PALLET RACKING



**PERFECTION Industrial Sales**

Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007

Phone: +1 (847) 545-6374 – Fax: +1 (847) 427-8884

[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Perfection Industrial Sales, IL Auction License #444.000438 & #441.001779



Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

# (2) ONLINE AUCTIONS

Surplus to the Operations of a

**CLINICAL DENTAL**  
MANUFACTURER

**Sale Location:** 901 W Oakton Street,  
Des Plaines, Illinois 60018

AUCTION

1

**Sale Closing From:** Tuesday, April 24  
from 10:00 AM CT

**Inspection:** Inspection of Assets is STRICTLY  
BY APPOINTMENT ONLY, on Monday, April 23

AUCTION

2

**Sale Closing From:** Wednesday, May 23  
from 1:00 PM CT

**Inspection:** Inspection of Assets is STRICTLY  
BY APPOINTMENT ONLY, on Tuesday, May 22

# (2) ONLINE AUCTIONS

Surplus to the Operations of a

**CLINICAL DENTAL**  
MANUFACTURER

**Sale Location:**  
901 W Oakton St.,  
Des Plaines, IL 60018

AUCTION

1

**Sale Closing From:** Tuesday, April 24  
from 10:00 AM CT

**Inspection:** Inspection of Assets is STRICTLY  
BY APPOINTMENT ONLY, on Monday, April 23

**FEATURING: CITIZEN SWISS-TYPE LATHES, EDM'S,  
TAPPING CENTERS, CNC & CONVENTIONAL GRINDERS,  
BAR FEEDS, CNC LATHES, MACHINING CENTERS, TOOL ROOM  
MACHINERY, INSPECTION & HIGH-END TESTING EQUIPMENT,  
PLANT SUPPORT & MORE**

AUCTION

2

**Sale Closing From:** Wednesday, May 23  
from 1:00 PM CT

**Inspection:** Inspection of Assets is STRICTLY  
BY APPOINTMENT ONLY, on Tuesday, May 22

**FEATURING: (2) LABEL PRINTING PRESS LINES, PRISM  
SQZK-780-NH HIGH-SPEED PAPER CUTTER, SLITTERS, SHRINK  
PACKAGING, (2) PLASTIC BAG PRESS LINES, FORKLIFTS & MORE**

**TERMS OF SALE**

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 16% for payments made by means of cashier's check or wire transfer within 48 hours of sale close. If paying by company check, a paid in full invoice will be issued upon the check clearing. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranty, express or implied.

**FOR FURTHER INFORMATION**

For further information, contact Jennifer Reiner at +1-847-545-6374 or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com)

**REMOVAL**

All assets from Sale #1 must be removed no later than Friday, May 11. All assets from Sale #2 must be removed no later than Friday, June 1. All items will be removed by the designated rigger, Rite Industrial Movers. A removal cost will be noted on the lots. This cost will be added to the invoice of the winning bidder. If the items do not list a rigging cost, that item will be loaded at no additional cost to the buyer. Please note these requirements and let Perfection know if there are any questions or further clarification needed.

**EXCLUSIVE SITE RIGGER**

Rite Industrial Movers –  
Chad Boelk (608) 215.9941 or  
[chad@riteindustrialmovers.com](mailto:chad@riteindustrialmovers.com)

View our current auction schedule at [www.perfectionindustrial.com](http://www.perfectionindustrial.com)



**PERFECTION Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Online Bidding at

[www.perfectionindustrial.com](http://www.perfectionindustrial.com)