RFECTION Ustrial Sales LIVE WEBCAST AUCTION

DONCASTERS

Surplus to the Ongoing Operations of Integrated Energy Technologies, Inc., a Delaware Corporation, a Subsidiary of Doncasters US Holdings 2018, Inc.



PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER



HAAS VF-6/40 CNC VERTICAL MACHINING CENTER



PRE-TEC/FANUC M-20IA 6-AXIS ROBOTIC WELDING CELL

PRISTINE MANUFACTURING **ASSETS "AS LATE AS 2018" USED IN THE MANUFACTURE OF COMPLEX FABRICATIONS MADE OF SUPER ALLOY & TITANIUM FOR IGT & AEROSPACE INDUSTRIES**

INCLUDING: PRIMA POWER 5-AXIS LASER SYSTEMS, MACHINING **CENTERS, CNC TURNING CENTERS, PLATE ROLLS,** SHEAR, PLANISHERS, **LONGITUDINAL & CIRCULAR SEAM WELDERS**, **LINCOLN & MILLER** WELDERS, ROBOTIC WELDING SYSTEMS, **FUME & DUST COLLECTORS, HYDRAULIC** CAKE EXPANDERS, CMM'S, **X-RAY INSPECTION & CALIBRATION SYSTEMS & MUCH MORE**

Wednesday, November 14 at 10:00 AM PT Sale Date: Location: Doncasters Mexico, Parque Industrial FINSA, Tijuana, Mexico Inspection: Tuesday, November 13 from 8:00 AM – 4:00 PM PT – BY APPOINTMENT ONLY



Online Bidding Available Through BidSpotter.com



5-AXIS FIBER LASERS, LASER, CNC VERTICAL MACHINING CENTERS, CNC HORIZONTAL MACHINING





PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER

5-AXIS FIBER LASERS

2017 PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER, s/n 795.175, Prima Power System 94P Laser Process Control, 78"X, 39"Y, 39"Z, Beam Director–900 Degree Continuous Motion in C-Axis, 300 Degree Continuous Motion in D-Axis, 90 RPM, 65 Ft./Min., IPG Photonics Ytterbium YLS-2000/20000 Laser System, w/Donaldson Torit Powercore TG6 Collection System, IPG Photonics LC71 Chiller, w/2017 Rusach 2-04D450 4th Axis Rotary Table, 36" x 84" Machine Base Table

2016 PRIMA POWER LASERDYNE 430 5-AXIS FIBER LASER, s/n 430.220, Prima Power System 94P Laser Process Control, 23"X, 16"Y, 20"Z, Beam Director–900 Degree Continuous Motion in C-Axis, 300 Degree Continuous Motion in D-Axis, 90 RPM, 49 Ft./Min., 550 Lb Table Capacity, IPG Photonics Ytterbium YLS-1200/12000 Laser System, w/Donaldson Torit PowerCore TG 2 Collection System, IPG Photonics LC71 Chiller



HAAS VF-6/40 CNC VERTICAL MACHINING CENTER

LASER

PRIMA POWER LASERDYNE 430 5-AXIS FIBER LASER

2000 GSI LUMONICS LASERDYNE 790 LASER, s/n 009, w/AEC Laser Temp Series II Portable Chiller, System 94W Laser Process Control

CNC VERTICAL MACHINING CENTERS

2016 HAAS VF-6/40 CNC VERTICAL MACHINING CENTER, s/n 1132913, Haas CNC Control, 64"X, 32"Y, 30"Z, 28" x 64" Table, 4,000 Lb Table Capacity, 30 HP, 8,100 RPM, 600 In./Min. Rapids, 24 ATC, CAT 40 Spindle Taper, Haas HRT450/P3 4th Axis Rotary Table, s/n 451146 (NEW IN BOX)

LEBLOND MAKINO FNC128-A30 CNC VERTICAL MACHINING CENTER, s/n A95-881, Makino Professional 3 CNC Control, 32" x 71" Table, 49.21"X, 31.5"Y, 27.56"Z, 6,600 Lb Table Capacity, 3,500 RPM, 30 ATC, CAT 50 Spindle Taper, Tsudakoma RNCM-401R 4th Axis Rotary Table, s/n 910937

TREE VMC1260 EZ/32 CNC VERTICAL MACHINING CENTER, s/n 9-14-93-2071, Siemens Acramatic 2100 CNC Control, 21" x 57" Table, 32-ATC, CAT 50 Spindle Taper

CNC HORIZONTAL MACHINING CENTERS

(2) 2001 MORI-SEIKI MH-633 CNC HORIZONTAL MACHINING CENTER, s/n's MH630AE1008, NA, Mori Seiki MSG-502 CNC Control, Chip Blaster High Pressure Coolant System

CINCINNATI 20H CINTIMATIC HORIZONTAL MACHINING CENTER, s/n 5540-3H15Z-0007-RL91, Cincinnati Acramatic 850 CNC Control 30.5" x 101" Table, 7.5 HP Hydraulic Unit

CINCINNATI H-5 MAGNUM-800 CNC HORIZONTAL MACHINING CENTER, s/n ZD00A02990002, Cincinnati A2100 CNC Control, (6) 31.5" x 31.5" Pallets, Pallet Changer, CAT 50 Spindle Taper, 60 ATC

CNC TURNING CENTERS

1999 MORI SEIKI SL600CMC/2000 CNC TURNING CENTER, s/n 34, Mori Seiki MSC-501 CNC Control, 39.1" Swing Over Bed, 90.6" Distance Between Centers, 10.6" Bar Work Capacity, 3–1,000 RPM Spindle Speed, 3,000 RPM Max. Rotary Tool Speed, 31" 3-Jaw Chuck, 10-Position Turret (Live Tooling at All Positions)

OKUMA LB25II CNC TURNING CENTER, s/n 1012.0704, Okuma OSP7000L CNC Control, 16.54" Swing, 26.57" Distance Between Centers, 25.59" Max. Machining Length, 11.81"X, 26.61"Z, 3,500 RPM

2001 MORI SEIKI CL-203 CNC TURNING CENTER, s/n 1868, Mori Seiki MSG-803 CNC Control, 10-Position Turret, 8" 3-Jaw Chuck, 2.55" Bar Capacity, 16" Swing, 3,500 RPM, Turbo Chip Conveyor, Micro Air OM550 Clean Air System

OKUMA & HOWA ACT 35 CNC TURNING CENTER, s/n 00120, Fanuc 18-T CNC Control, 12-Position Turret, 12" 3-Jaw Chuck, 20" Swing, 24" Machining Length, 3,500 RPM

CENTERS, CNC TURNING CENTERS, HYDRAULIC EXPANDERS, HYDRAULIC PRESS BRAKE







MORI SEIKI SL600CMC/2000 CNC TURNING CENTER



OKUMA LB25II CNC TURNING CENTER



LEBLOND MAKINO FNC128-A30 CNC VERTICAL MACHINING CENTER



CINCINNATI 20H CINTIMATIC HORIZONTAL MACHINING CENTER

SALE CONDUCTED IN US FUNDS



PERFECTO EXPANDERS, W/ 24" TABLE AND ENERPAC PUMP

HYDRAULIC EXPANDERS

(2) PERFECTO EXPANDERS, s/n NA, 24" Table Diameter, w/Enerpac PER8418C Hydraulic Pump, s/n C1395C, 10,000 PSI, 12.5 HP

ACROLINE EXPANDER, s/n NA, 16" x 16" Table, w/Vickers 10 HP Hydraulic Unit GROTNES HYDRAULIC EXPANDER, 36" Diameter Table, s/n NA, w/10 HP Hydraulic Unit HYDRAULIC EXPANDER, 42" Diameter Table, 10 HP Lincoln Hydraulic Unit

RING EXPANSION LINE COMPRISING (5) RIPPLERS W/MCLEAN HEAT EXCHANGERS, Eaton Vickers Pumps



PACIFIC J135-10 HYDRAULIC PRESS BRAKE



MORI SEIKI CL-203 CNC TURNING CENTER



ACROLINE EXPANDER

PRESS BRAKE PACIFIC J135-10 HYDRAULIC PRESS BRAKE, s/n 9299, 135-Ton x 10' Capacity, 104" Between Housings, Automec Autogauge CNC 100 Con-

trol, Autogauge G24 Backgauge

HYDRAULIC

SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL REQUIRED INFORMATION FROM ALL BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED ON OUR WEBSITE FOR ALL BUYERS.

BENDING ROLLS, POWER SQUARING SHEAR, ROBOTIC WELDING CELLS, SPOT WELDING



BUILT-RITE NEW DIMENSION P6.250 3-ROLL PLATE BENDING ROLL

BENDING ROLLS

BUILT-RITE NEW DIMENSION P6.250 3-ROLL PLATE BENDING ROLL, s/n 04991701

NIAGARA 5-36 3-ROLL PLATE BENDING ROLL, s/n 57222 GROTNES C-5700-A 3-ROLL UNIVERSAL BENDING MACHINE, s/n 0356

POWER SQUARING SHEAR

PIRANHA M1/4-10 POWER SQUARING SHEAR, s/n 1109, 1/4" x 10' Capacity, 6' Squaring Arm, Programmable Control



PRE-TEC/FANUC M-20IA 6-AXIS ROBOTIC WELDING CELL



GROTNES C-5700-A 3-ROLL UNIVERSAL BENDER



ROBOTIC WELDING CELLS

2016 PRE-TEC/FANUC ROBOT M-201A 6-AXIS ROBOTIC WELDING CELL, s/n A05B-1225-B702, w/Fanuc System R-30iB Robot Controller, s/n E16832412, w/Pendant Control, Pretec Plasma Arc Welding System, Fronius TransTIG 4000 Power Source w/Plasma Module 10, w/High Point Osa-lator T-1000-2X-HT, s/n T-HT-12-16-HP-022, 2-Station, 1400 Lb Payload Total, 3.2 Sec. Indexing Time

2004 DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL, s/n 1L7700-YZ5435708, w/Daihen AX-CMN1-J000 Robot Controller, s/n L8800YZ5435602, w/Pendant Control, Daihen AXPT1001-EC Robot Weld Positioner, s/n L7776YK5266102, K-TIG Welding Control, s/n CON-001 016, K-TIG 1000 Digital Inverter SMAW/TIG Arc Welding Power Source, s/n J1607592003, Daihen Almega 300P Digital Elecon Inverter

2004 DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL, s/n 1L7700-YZ5436518, w/Daihen AXCMN1-J000 Robot Controller, s/n L8800YZ5436213, w/Pendant Control, Daihen AXPT1001-EC Robot Weld Positioner, s/n L7776YK5266101, Lincoln Precision 375 Precision TIG Power Source, s/n U1100600297, Thermal Arc HE150 Coolant Recirculator System, Thermal Arc WC100B Plasma Welding Console, Daihen Almega 300P Digital Elecon Inverter

SPOT WELDING

JANDA PMFD317036 SPOT WELDER


170 KVA JANDA PMFD317036 SPOT WELDER, s/n P3182, w/Medar **DEP100S Weld Control**

100 KVA PEER P-100 SPOT WELDER, s/n 14908, w/Techtronic T2050 Weld Control

75 KVA TELEDYNE PEER P-100 SPOT WELDER, s/n 900076, w/ Entron WS500 Weld Control

50 KVA BANNER 1AP50A12 SPOT WELDER, s/n 4128, w/Technitron T2050 Weld Control





TELEDYNE PEER P-100 SPOT WELDER



DAIHEN AX-MV6 6-AXIS ROBOTIC WELDING CELL

View our current auction schedule at www.perfectionindustrial.com

NO CASH ACCEPTED AT THE AUCTION SITE

GANTRY, SEAM & CIRCULAR WELDING SYSTEMS, WELDING POSITIONERS, WELDERS

GANTRY, SEAM & CIRCULAR WELDING SYSTEMS

MILLER 9' GANTRY WELDER SYSTEM COMPRISING JETLINE ALC-101-6 WELD HEAD, Miller Millermatic Weld Oscillator, Jetline ALC-101 Arc Length Control, Miller Travel Master SB-10D Side Beam Control, Jetline 9029 Wire Feed Control, w/Ransome 5P-B Welding Positioner, s/n 1329276, 30" Diameter Table, 500 Lb Table Capacity

JETLINE ENGINEERING CW5-72Z CIRCULAR WELDER, s/n 940439, w/Jetline ALC-101-6 Weld Head, Miller Maxstar 300DX Power Source, s/n KK286808, Bernard 3500SS Chiller, s/n WC27002, Jetline ALC-101 Arc Length Control, Series 9600 Control and 9026 Carriage Control

ITW WELDING AUTOMATION CIRCULAR WELDER SYSTEM COMPRISING MILLER TRAVEL MASTER GMAW GANTRY, Koike Aronson HD25A/T Weld Positioner, s/n 951785, Jetline ALC-401-6 Weld Head, s/n 080387, Jetline ALC-101 Arc Length Control w/9029 Wire Feed Control, Miller Travel Master SB-10D Side Beam Control, Miller Maxstar 300DX, s/n KK303583, Miller Chiller, and Miller TIB Runner Cart

JETLINE ENGINEERING 24" SEAM WELDER, K-TIG 1000 Digital Inverter SMAW/TIG Arc Weld Power Source, s/n J16125920001K-TIG Thermacool 1000 Chiller, Dual Jetline 9600 Series Wire Feed Controls, Jetline DAM-2-MLR-1 Weld Current Control

JETLINE ENGINEERING 8' SEAM WELDER, s/n NA, w/Jetline Arc Length Control, 9029 Wire Feed Control, 9026 Carriage Control

AIRLINE/ PERFECTO 48" SEAM WELDER, s/n 0569, w/Miller Syncrowave 350 LX Square Wave Power Source, s/n LB010165 w/Versa-Tig Chiller, Jetline Weld Head, Jetline ALC-201 Arc Length Control, Dual 9600 Series Controls w/ MAG-8000 Magnetic Arc Control

WELDING POSITIONERS

KOIKE ARONSON MD5000 WELDING POSI-TIONER, s/n 936, 54" x 54" Table, 11,000 Lb Capacity

ARONSON HD25 WELDING POSITIONER, s/n 54-248, 30" x 30" Table, 2,500 Lb Capacity

PRESTON-EASTIN PA30HD-6 WELDING POSITIONER, s/n PA30HD-158, 36" x 36" Table, 3,000 Lb Capacity

2000 KOIKE ARONSON LD-300KAI TIG WELD POSITIONER, s/n 10408, 18" Diameter Table, 660 Lb Table Capacity

(3) 2016 KOIKE SANSO LD-300R WELD POSITIONERS, s/n's A0427, A0428, A0424, 18" Diameter Table, 300kg Table Capacity

(4) 2012 KOIKE SANSO LD-300R WELD POSITIONERS, s/n's 0210, 0214, 0263, 0218, 18" Diameter Table, 300kg Table Capacity

KOIKE ARONSON LD300N-TIG-1 WELD POSITIONER, s/n 9Z01, 14" Diameter Table, 660 Lb Capacity



PRESTON-EASTIN PA30HD-6 POSITIONER

SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL REQUIRED INFORMATION FROM ALL BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED ON OUR WEBSITE FOR ALL BUYERS.



JETLINE ENGINEERING CW5-72Z CIRCULAR WELDER



ITW WELDING AUTOMATION CIRCULAR WELDER SYSTEM

WELDERS

(14) MILLER MAXSTAR 300 DX POWER SOURCES, w/Miller Chiller on Miller TIG Runner Weld Cart (11) MILLER SYNCROWAVE 350LX SQUARE WAVE POWER SOURCES

(4) MILLER SYNCROWAVE 250 POWER SOURCES, w/Bernard 3500SS Chiller

LINCOLN 375 PRECISION TIG WELDER, s/n U11011006229

LINCOLN POWERWAVE 355M POWER SOURCE, s/n U1040805062, w/Lincoln Power Feed 10M, s/n U1031020260 HOBART ULTRAFLEX 350 POWER SOURCE, s/n 296WS09366, w/Cobra Push-Pull GMAW Wire Feeder, s/n 35121 MILLER DYNASTY 300DX POWER SOURCE, s/n KK272872, Vera-TIG VTSL3400 Multi Torch Selector and Miller Chiller on Miller TIG Runner Weld Cart

MILLER DYNASTY 300DX POWER SOURCE, s/n LF305744 w/Miller Chiller on Miller TIG Runner Weld Cart





MILLER 9' GANTRY WELDER SYSTEM



AIRLINE/PERFECTO 48" SEAM WELDER



KOIKE ARONSON MD5000 POSITIONER

TOOL ROOM, PLANISHERS, FUME COLLECTION SYSTEMS, COORDINATE MEASURING MACHINES

TOOL ROOM

AMERICAN STYLE C 16" X 54" LATHE, s/n 78610, 10" 3-Jaw Chuck, Block Style Tool Post, 23–1,500 RPM, Newall DP700 DRO

AMERICAN PACEMAKER 20" X 48" LATHE, s/n 64991-42, 18" 3-Jaw Chuck, Block Style Tool Post, 13–800 RPM

HARRISON M400 LATHE, s/n NA, 12" 3-Jaw Chuck, 16" Swing x 36" Between Centers, 40–2,000 RPM, Block Style Tool Post

VICTOR 1640 LATHE, s/n 561080, 16" Swing x 40" Between Centers, 65-1,800 RPM

2013 BIRMINGHAM YCL-1640 LATHE, s/n 340038, 9.5" 3-Jaw Chuck, 16" Swing x 40" Between Centers, 35–2,000 RPM, Uniq SDS6-2V DRO

DOALL ZV-3620 VERTICAL BANDSAW, s/n 265-79217, 30" x 36" Table, 35" Throat

ROLL-IN ALL-PURPOSE VERTICAL BANDSAW, s/n NA, 18" x 30.5" Table, 15" Throat

TREE 2UVR VERTICAL MILLING MACHINE, s/n 0394, 10.5" x 42" Table, 60-3,300 RPM Spindle Speed, 1.5 HP

SPRINGFIELD TOOL AND DIE PUNCH PRESS, s/n NA

NIAGARA NO. 180 BEADER CRIMPER, s/n 72427

ALSO AVAILABLE: (5) DIAMOND GROUND PRODUCTS PIRANHA III TUNGSTEN GRINDERS, DISC SANDERS, AND MORE



AMERICAN PACEMAKER 20" X 48" LATHE



ASSORTED FUME COLLECTION SYSTEMS



MICROAIR MX3510 COLLECTION SYSTEMS



AMERICAN 16" X 54" LATHE W/DRO



AIRLINE 72" PLANISHER

PLANISHERS

AIRLINE 72" PLANISHER, s/n 0569, Radiotrol Speed Control PECK 60" PLANISHER, s/n 8574 PANDJIRIS PLANISHER, s/n 12941E00

FUME COLLECTION SYSTEMS

(8) MICROAIR MX3510 COLLECTION SYSTEMS

(4) AIR FLOW SYSTEM VIBRA-PULSE COLLECTION SYSTEMS

(2) MICROAIR TASKMASTER TM 1000 COLLECTION SYSTEMS

COORDINATE MEASURING MACHINES

LK G-90C COORDINATE MEASURING MACHINE, s/n NA, 119" x 62" Table, Renishaw PH10M Probe, Renishaw Pl200 Probe Interface, Renishaw PHC-10-20 Probe Head Controller

MITUTOYO CHN1612 COORDINATE MEASURING MA-CHINE, s/n 9010003, Mitutoyo CMMC-36 Control, Renishaw P14 Probe Interface w/PHC 10 Probe Head Controller

2018 FAROARM QUANTUM S 8-AXIS PORTABLE METROL-OGY ARM



LK G-90C COORDINATE MEASURING MACHINE



MITUTOYO CHN1612 COORDINATE MEASURING MACHINE



To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

X-RAY SYSTEMS & INSPECTION, MISCELLANEOUS



COMET XRS-160 X-RAY SYSTEM



BOSELLO X-RAY SYSTEM



FLUORESCENT PENETRANT INSPECTION LINE

SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL REQUIRED INFORMATION FROM ALL BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED ON OUR WEBSITE FOR ALL BUYERS.

SALE CONDUCTED IN US FUNDS

NO CASH ACCEPTED AT THE AUCTION SITE





GE STRUCTURIX M ECO X-RAY PROCESSOR

X-RAY SYSTEMS & INSPECTION

COMET XRS-160 X-RAY SYSTEM, s/n 627493, Comet XRG Control, 9' x 10' x 10' Booth, w/Willick Engineering EE-LFR30-C X-Ray Head

BOSELLO X-RAY SYSTEM COMPRISING PHILIPS MCN 168 X-RAY GENERATOR, s/n 908669, w/MGC30 Read Out

2017 GE INSPECTION TECHNOLOGIES STRUCTURIX M ECO X-RAY PROCESSOR, s/n 1703

FLUORESCENT PENETRANT INSPECTION LINE W/WASH TANK, Dry Off Oven, Fluorescent Applicator Booth and Lamp Inspection Booth, 30"W x 36"H Capacity

CARESTREAM INDUSTREX HPX-1 DIGITAL RADIOGRAPHY (CR) SYSTEM

MISCELLANEOUS

(2) EMR ACRALINE DRUM PUNCH MACHINES, s/n NA, GE Fanuc Series 18-M CNC Control and Fagor Control

KEMAC INDUSTRIAL HEATED WASH SYSTEM, s/n 0493, 3' Diameter Table x 5'H Capacity, 10 HP, w/Ruud Commercial Storage Tank/ Booster Water Heater

48" UNKNOWN MAKE VIBRATORY FINISHER, s/n NA

28" SWECO VIBRATORY FINISHER, s/n NA

(2) FILTER 1 BENCHTRON BFS32-3 DOWN DRAFT TABLES, s/n's 02-36-30, 02-26-331, 3 HP, 1,200 CFM

DUAL DRAW W116/8/8 WALK-IN AIR STATION, 16'L x 8'W x 8'T, (9) 2 HP Blower Units, Sound Dampening Wall Curtain

ASSORTMENT OF TOOLING







ASSORTMENT OF TOOLING





Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 17

Including: Prima Power 5-Axis Laser Systems, Machining Centers, CNC Turning Centers, Plate Rolls, Shear, Planishers, Longitudinal & Circular Seam Welders, Lincoln & Miller Welders, Robotic Welding Systems, Fume & Dust Collectors, Hydraulic Cake Expanders, CMM's, X-Ray Inspection & Calibration Systems & Much More



Sale Date: Wednesday, November 14 at 10:00 AM PT Inspection: Tuesday, November 13 from 8:00 AM – 4:00 PM PT – BY APPOINTMENT ONLY

Surplus to the Ongoing Operations of Integrated Energy Technologies, Inc., a Delaware Corporation, a Subsidiary of Doncasters US Holdings 2018, Inc.





PRIMA POWER LASERDYNE 795 XL 5-AXIS FIBER LASER

Including: Prima Power 5-Axis Laser Systems, Machining Centers, CNC Turning Centers, Plate Rolls, Shear, Planishers, Longitudinal & Circular Seam Welders, Lincoln & Miller Welders, Robotic Welding Systems, Fume & Dust Collectors, Hydraulic Cake Expanders, CMM's, X-Ray Inspection & Calibration Systems & Much More

TERMS OF SALE

A 15% buyer's premium will be charged on all assets purchased by buyers attending the sale in person, and any Webcast or Online Buyers will be charged an 18% buyer's premium. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the buyer's premium will be increased to 18% (bidders attending the Auction in person) or 21% (Webcast or Online Bidders). Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

PAYMENT

ALL PURCHASES MUST BE PAID WITHIN 48 HOURS OF THE CLOSE OF SALE. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of the total purchases is made on the day of the sale. Contact our office for wire instructions. Only wire transfer or certified check, payable to Perfection Industrial Sales will be accepted. Company checks

payable to Perfection Industrial Sales will be accepted only if accompanied by a bank letter of guarantee. All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions. Auction Conducted in U.S. Funds. **REMOVAL**

All assets must be removed no later than Friday, November 30. Removal hours are Monday through Friday, from 8 AM to 4 PM PT, or by special appointment. Extended hours and weekends may be accommodated with prior appointment. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a 52M General Liability policy, and that certificate must be provided to the auctioneer before removal. Shipping documentation to buyers outside of Mexico, Mexico Maquiladora buyers and Non-Maquiladora buyers will be provided only upon receiving all required information from the buyers. Door-to-Door rigging and shipment services offered via companies listed on our website. **NEAREST AIRPORTS**

Tijuana International Airport (9 miles from auction site) San Diego International Airport (29 miles from auction site)

LIVE WEBCAST AUCTION

SALE CONDUCTED IN US FUNDS NO CASH ACCEPTED AT THE AUCTION SITE

SHIPPING DOCUMENTATION FOR BUYERS OUTSIDE OF MEXICO, MEXICO MAQUILADORA BUYERS AND NON-MAQUILADORA BUYERS WILL BE PROVIDED UPON RECEIVING ALL REQUIRED INFORMATION FROM ALL BUYERS. DOOR-TO-DOOR RIGGING AND SHIPMENT SERVICES OFFERED VIA COMPANIES LISTED ON OUR WEBSITE FOR ALL BUYERS.

FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

Sale Date:Wednesday, November 14 at 10:00 AM PTLocation:Doncasters Mexico, Parque Industrial FINSA, Tijuana, MexicoInspection:Tuesday, November 13 from 8:00 AM – 4:00 PM PT – BY APPOINTMENT ONLY



www.perfectionindustrial.com

Online Bidding Available Through BidSpotter.com In Conjunction With: UNITED ASSETSALES ROY GAMITYAN, AUCTIONEER OFFICE 818.264.4232 | ROY@UNITEDASSETSALES.COM