

PUBLIC AUCTION



(16) VERNON, CLEARING, MINSTER & Other Straight Side Presses to 450-Ton



(14) WARCO, BLISS, CLEARING & Other Gap Frame Presses to 200-Ton



(6) CLEARING & BLISS Automatic Presses to 150-Ton

MARQUETTE TOOL & DIE CO.

3185 South Kingshighway Blvd in St. Louis, Missouri 63139

THURSDAY, DECEMBER 14TH
STARTING AT 10AM CST

Inspection: Day prior to auction from 9AM-4PM



(15) CLEARING, BLISS, FEDERAL & Other OBI Presses to 100-Ton



Large Assortment of Press Feed & Support Equipment – Coil Reels, Straighteners, Cradles & More



LUCAS 441B-72 Horizontal Boring Mill



(2) FADAL VMC6030 & VMC4020 CNC Vertical Machining Centers



LEBLOND MAKINO LS30 EDM



(6) Engine & Other Lathes



(15+) Surface & Other Grinders



(7) Forklifts to 24,000-lb. Capacity



VERSON 450-Ton Straight Side Press



CLEARING 350-Ton Straight Side Press



VERSON 300-Ton Straight Side Press



VERSON 250-Ton Straight Side Press



VERSON 250-Ton Straight Side Press



VERSON 215-Ton Straight Side Press



VERSON 200-Ton Straight Side Press



CLEARING 200-Ton Straight Side Press



MINSTER 150-Ton Straight Side Press



CLEARING 150-Ton Straight Side Press



WARCO 125-Ton Straight Side Press



NIAGARA 100-Ton Straight Side Press



(3) WARCO 200-Ton & 150-Ton Gap Frame Presses



WARCO 125-Ton Gap Frame Press



(6) BLISS 176-B 115-Ton Gap Frame Presses



BLISS 176-B 100-Ton Gap Frame Press



CLEARING 100-Ton OBI Press



(4) BLISS 75-Ton & 60-Ton OBI Presses



(5) FEDERAL 60-Ton OBI Presses



MINSTER 60-Ton OBI Press



MINSTER 60-Ton OBI Press



MARSHALLTOWN 50-Ton OBI Press



BLISS 100-Ton Automatic Press



(2) BLISS 60-Ton Automatic Presses



(6) LITTELL No. 60 Coil Reels to 15,000-lb. Capacity



AMERICAN Model 1000 10,000-lb. Coil Reel



AMERICAN Model 1000 6,000-lb. Coil Reel



AMERICAN Model 60 6,000-lb. Coil Reel

STRAIGHT SIDE PRESSES

VERSON 450-Ton, S/N 10857, 21 SPM, 12" Stroke, 30" Shut Height, 54" x 96" Bed
CLEARING 350-Ton, S/N 47-13960-P, 30 SPM, 10" Stroke, 24" Shut Height, 45" x 60" Bed
VERSON 300-Ton, S/N 22402, 31 SPM, 14" Stroke, 36" Shut Height, 42" x 72" Bed
VERSON 250-Ton, S/N 11077, 12 SPM, 16" Stroke, 20" Shut Height, 48" x 84" Bed
VERSON 250-Ton, S/N 8800, 34 SPM, 14" Stroke, 30" Shut Height, 48" x 120" Bed
CLEARING 250-Ton, S/N 55-18547-P, 12 SPM, 12" Stroke, 37" Shut Height, 42" x 72" Bed
VERSON 250-Ton, S/N 16851, 18 SPM, 16" Stroke, 37" Shut Height, 48" x 84" Bed (parts missing)
VERSON 215-Ton, S/N 4380, 18 SPM, 12" Stroke, 31.875" Shut Height, 44" x 89" Bed
VERSON 200-Ton, S/N 7313, 32 SPM, 16" Stroke, 25.5" Shut Height, 38" x 72" Bed
CLEARING 200-Ton, S/N 54-18123-P, 27 SPM, 12" Stroke, 24.75" Shut Height, 42" x 60" Bed
MINSTER 150-Ton, S/N 50-6-7111, 40 SPM, 12" Stroke, 36" Shut Height, 36" x 72" Bed



(3) BARON BLAKESLEE Vapor Degreasers



WAFIOS AF700 Chamfering Machine



RMG Straightening & Cutting Machine

CLEARING 150-Ton, S/N 56-18782-P, 16 SPM, 16" Stroke, 46" Shut Height, 36" x 72" Bed (parts missing)
WARCO 125-Ton, S/N 5164, 35 SPM, 8" Stroke, 26" Shut Height, 32" x 96" Bed
BLISS 125-Ton, S/N H 35754, 35 SPM, 14" Stroke, 19" Shut Height, 42" x 72" Bed
NIAGARA 100-Ton, S/N 26638, 50 SPM, 10" Stroke, 17.812" Shut Height, 30" x 73" Bed

CLEARING 100-Ton, S/N 55-18831-P, 32 SPM, 10" Stroke, 29.5" Shut Height, 30" x 72" Bed

GAP FRAME PRESSES

CLEARING 250-Ton, 108" Bed
WARCO 200-Ton, 25 SPM, 20" Stroke, 36" Shut Height, 42" x 72" Bed
(2) WARCO 150-Ton, 40 SPM, 10" Stroke,

30" x 60" Bed
WARCO 125-Ton Gap Frame Press, 45 SPM, 14" Stroke, 30" x 72" Bed
(6) BLISS 115-Ton Gap Frame Presses, Model 176-B, 45 - 68 SPM, 10" Shut Height, 43.5" x 65.5" Bed
BLISS 100-Ton Gap Frame Press, Model 176-B, 60 SPM, 6" Stroke, 22" x 65.5" Bed
(2) CLEVELAND 90-Ton, 69 SPM, 8" Stroke, 24" x 72" Bed



CWP 146 SMX-24H 24" Servo Coil Feeder



ROWE 820 C3000J Feed/Straightener



ROWE 11T20HD/CB Straightener



ROWE R20TC Straightener



(3) LITTELL Metal Straighteners



(3) ROWE 3015J 3,000-lb. Coil Cradles



LEBLOND MAKINO LS30 EDM



WYSONG & MILES 12 Ga. X 72" Power Squaring Shear



CHICAGO Leaf Brake



LUCAS 441B-72 Horizontal Boring Mill



FADAL VMC6030 CNC Vertical Machining Center



FADAL VMC4020 CNC Vertical Machining Center



(6) TAYLOR WINFIELD Spot Welders

2 OF 6

OBİ & OTHER PRESSES

- CLEARING 150-Ton**, 6" Stroke, 30-90 SPM, 14.5" Shut Height, 11" Bed
- CLEARING 100-Ton**
- FEDERAL 100-Ton**, Model 8, S/N 8-2-62, 13.5" Stroke, 45 SPM, 16.5" Shut Height, 9" x 36" Bed
- BLISS 100-Ton**, 4" Stroke, 60-180 SPM, 14.125" Shut Height, 37" Bed
- BLISS 75-Ton**, Model C-75, S/N H 52116, 45 SPM, 6" Stroke, 12" Shut Height, 18" x 36" Bed
- BLISS 60-Ton**, Model 21-1/2, S/N 52320, 45 SPM, 7" Stroke, 13.75" Shut Height, 11" x 32" Bed
- BLISS 60-Ton**, Model 21-1/2, S/N 44975, 45 SPM, 6" Stroke, 11.75" Shut Height, 12" x 32" Bed
- BLISS 60-Ton**, Model C-60, S/N 21369, 6" Stroke, 12" Shut Height, 10.75" x 32" Bed

- FEDERAL 60-Ton**, Model 60, S/N 60179, 45 SPM, 10.5" Stroke, 13" Shut Height, 16" x 32" Bed
- FEDERAL 60-Ton**, Model 60, S/N 60180, 45 SPM, 10.5" Stroke, 13" Shut Height, 16" x 32" Bed
- FEDERAL 60-Ton**, Model 60, S/N 60181, 45 SPM, 10.5" Stroke, 13" Shut Height, 16" x 32" Bed
- FEDERAL 60-Ton**, Model 60, S/N 60G156, 45 SPM, 10" Stroke, 12.5" Shut Height, 16" x 32" Bed
- FEDERAL 60-Ton**, Model 60, S/N 60157, 45 SPM, 10" Stroke, 12.25" Shut Height, 16" x 32" Bed
- MINSTER 60-Ton**, Model 6, S/N 60G17674, 45 SPM, 6" Stroke, 14" x 32" Bed
- BLISS 60-Ton**, 3" Stroke, 90-270 SPM, 10" Shut Height, 35.5" Bed
- BLISS 60-Ton**, 1.5" Stroke, 85-255 SPM, 11.5" Shut Height, 23" Bed
- NIAGARA 55-Ton**, Model A-3-1/2, S/N 19481, 120 SPM, 3" Stroke, 10.5" Shut Height, 12.5" x 27" Bed



BLANCHARD No. 18 Rotary Surface Grinder



HARIG 816 Surface Grinder



DOALL D-10 Surface Grinder



MOORE Jig Grinder



MATTISON Surface Grinder



YAMAZAKI-MAZAK 20" x 92" Mark II Engine Lathe



MORI SEIKI 18" x 54" Engine Lathe,



MORI SEIKI MS-850 18" x 55" Lathe



CINCINNATI 19" x 86" Hydrashift Lathe



MAZAK 860 18" x 56" Gap Bed Engine Lathe

BLISS 50-Ton, 3" Stroke, 100-300 SPM, 10.75" Shut Height, 23.125" Bed
MARSHALLTOWN 50-Ton, Model No. 5, S/N 3647, 3" Stroke, 9.5" Shut Height, 11.25" x 26.5" Bed
FEDERAL 49-Ton, Model No. 5, S/N 5-776, 4" Stroke, 9" Shut Height, 8.75" x 29.375" Bed
BLISS 20-Ton, 1.5" Stroke, 72-216 SPM, 11.375" Shut Height, 20" Bed

WIRE EQUIPMENT

RMG Straightening & Cutting Machine, Model CO280197CLC
1999 WAFIOS AF700 Chamfering Machine, S/N 2-6700-041

PRESS FEED & SUPPORT

CWP Servo Coil Feeder, Model 146 SMX-24H, S/N SMX-24H-12-1, Press Feed, 24" Stock Width, .0187" Max. Ga. Mild Steel
(10) ROWE & LITTELL Metal Straighteners, Mild Steel
(15) LITTELL & AMERICAN Coil Reels to 15,000-lb. Capacity
(12) ROWE Coil Cradles to 4,000-lb. Capacity
2-Ton Electric Crane Coil Lift, Model FRL-2T-7F
(2) Automatic Bar Stock Bunk Press Feeds, Single Bar Lift & Feed System

VERTICAL BORING MILL

LUCAS 441B-72 Horizontal Boring Mill, w/Sony 3-Axis DRO

CNC VERTICAL MACHINING CENTERS

FADAL VMC 6030 6-Axis CNC Vertical Machining Center, Model 907-1, Fadal CNC88HS Control, 21-Tool Turret
FADAL VMC 4020 CNC Vertical Machining Center, Model 906-1, Fadal CNC88 Control, 21-Tool Turret

EDM

LEBLOND MAKINO EDM, Model LS30, Type EH6, S/N 228-DF1, 5-Axis DRO

FABRICATING

WYSONG & MILES 12-Ga. x 72" Power Squaring Shear, Model 1272, S/N P3-247, Adj. Back Gauge
CHICAGO 61" Leaf Brake, S/N 97152, Size 518

BROACH MACHINES

(2) BMS Vertical Ram Automatic Broach Machines

WELDERS

TAYLOR WINFIELD 4-Point Spot Welder, WTC CT-900 PLC Control
4-Station Index Table Welder w/Automatic Pick & Place Part Removal
(8) TAYLOR WINFIELD Spot Welders, Models ERE12 & 18-200
BOICE CRANE Spot Welder
MILLER 330A/BP Stick & TIG Welder,

S/N 0498411
MILLER CP-250TS MIG Welder, S/N U500109 w/Millermatic Wire Feeder
MILLER CP-200 MIG Welder w/Millermatic Wire Feeder

GRINDERS

BLANCHARD No. 18 Rotary Surface Grinder, S/N 8586
HARIG 618 Surface Grinder w/Walker Magnetic Chuck
REID 618GL Surface Grinder, S/N L1026, 8" x 48" Table
DOALL D-6 Surface Grinder, S/N D6-L-3953268, Magna Flux Chuck Control
DOALL D-10 Surface Grinder, S/N 6356163, 14" x 53" Table, Magna Flux Chuck Control
DOALL G-1 Surface Grinder, S/N GH4965, 9" x 36" Table
DOALL BD-2 Surface Grinder, S/N 6356176, 12" x 48" Table
DOALL Surface Grinder, 9" x 44" Table
MATTISON Hydraulic Surface Grinder, 12" x 48" Table, S/N 22051
(2) TAFT-PIERCE Surface Grinder, 8" x 33" Table, Magna Lock Magnetic Chuck
GIDDINGS & LEWIS Cylindrical Grinder, 10" x 58" Table, S/N 80047
BROWN & SHARPE No. 1 Cylindrical Grinder, S/N B40-0603-002, 9" x 48" Traverse Bed
MAKINO C-40 Cylindrical Grinder, S/N E43-3009, Dumore Tool Post Grinder
BROWN & SHARPE No. 13 Universal Tool Grinder
MOORE Jig Grinder, S/N G1988

CINCINNATI & BALDOR Double End Pedestal Grinder

LATHES

YAMAZAKI-MAZAK Mark II 20" x 92" Engine Lathe, 14" 4-Jaw Chuck, 3-1/4" Spindle
CINCINNATI 19" x 86" Hydrashift Lathe, 1-3/4" Thru Spindle
MORI SEIKI 18" x 55" Engine Lathe, Model MS-850, 9" Over Center, 10" 3-Jaw Chuck, 2" Thru Spindle
MAZAK 860 18" x 56" Gap Bed Engine Lathe, 3-1/4" Thru Spindle, 12" 3-Jaw Chuck
MORI SEIKI 18" x 54" Engine Lathe, 14" 4-Jaw Chuck, 32-1,800 RPM, 2-1/4" Thru Spindle
MUNICIPAL Enterprise 15" x 40" Engine Lathe, S/N 479

DRILLS

CARLTON 4" x 11" Radial Arm Drill, 153 to 3,000 RPM
CARLTON 4" x 9" Radial Arm Drill, 50-3,000 RPM
CARLTON 3" x 9" Radial Arm Drill, 60-3000 RPM
31" x 4-1/2" Radial Arm Drill, Triangle T-Slotted Table

MILLS

SUPER MAX Series II Vertical/Horizontal Mill, Model YC2CS, 9" x 42" T-Slotted Table, Acu-Rite DRO
SUPERMAX Series II Horizontal Mill,

1 OF 2



(2) CARLTON 4' x 11" & 4' x 9" Radial Arm Drills



BRIDGEPORT 9" x 42" Vertical Mill



BRIDGEPORT Series 1 24P Vertical Mill



SUPERMAX YCM Vertical Mill



SUPERMAX YMC-16VS Vertical Mill



(2) BRIDGEPORT 9" x 42" Vertical Mills



DOALL C-5A Horizontal Band Saw



DOALL DBW-1 Vertical Band Saw



ELMS 4-Post Hydraulic Press



TRINCO 36-BP Dry Blast Cabinet



KR WILSON 10,000-lb. H-Frame Hyd. Press



KR WILSON 7-Ton H-Frame Press



Hydraulic Reclaiming / Separation Unit & Holding Tank



YALE FASL5220 22,000-lb. Forklift



CLARK C500-50 5,000-lb. Forklift



CLARK GCS221 3,000-lb. Forklift



LIFT-A-LOT 500-lb. Electric Manlift



MAYVILLE 3,000-lb. Scissor Lift



BIG JOE Die Lift Cart



KURT 8" & 6" Machine Vises



(14) Heavy Duty Die Racks w/Dies



(100+) Corrugated Drop Bottom Tub



(15+) Forklift Dump Hoppers



(3) VIDMAR 10-Drawer Cabinets filled w/End Mills, O-Rings, Bushings & Other Components



(3) ROCKWELL 3JR Hardness Testers



ROCKWELL / BUX Mag Drill



SPEEDAIRE 2-HP Air Compressor



BROWN & SHARPE 3-Axis Validator CMM



DILLON DTM Tensile Tester



8' x 6' x 10' Granite Surface Table

Model YC2GS, 11" x 51" T-Slotted Table
SUPERMAX YCM Vertical Mill, Newall 3-Axis DRO
SUPERMAX Vertical Mill, Model YCM-16VS, 9" x 42" Table, Acu-Rite DRO
(5) BRIDGEPORT Vertical Mills, 9" x 42" T-Slotted Table, DRO

SAWS

DOALL C-5A Horizontal Band Saw
(2) DOALL ML III & DBW-1 Vertical Band Saws

ASSORTED TOOLROOM

(6) BUFFALO No. 18 Drill Presses
SUNNEN "MA" Hone
TRINCO 36-BP Dry Blast Cabinet
(3) BARON-BLAKESLEE Vapor Degreaser, 18"W x 4-1/2"H Part Capacity
MARSH R1 Stencil Punch
ROCKWELL DELTA 12" Horizontal Disc Sander
HAMMOND 10" Vertical Belt Sander
KR WILSON 7-Ton H-Frame Press, Model 37F
KR WILSON 10,000-lb. 4-Post H-Frame Press, Model 3FMDVC1
ELMS 4-Post Hydraulic Press
(3) JET 3-Ton Arbor Presses
PROCUNIER #3 Vertical Tapper, 1/2" - 3/4" Tap Capacity
(2) DEKA Multi Index Vertical Drills
BRANSON Plastics Heat Plate Welder, Model HH24 w/Quick Panel Jr DRO
(2) BMS Broaches
CW Demagnetizer
SAFETY KLEEN Parts Washer, Model 34.1

INSPECTION

BROWN & SHARPE 3-Axis Validator CMM
OPTICOM Qualifier 14B Optical Comparator w/2-Axis DRO
(3) ROCKWELL 3JR Hardness Testers
DILLON Tensile Tester, Model DTM, w/W1-120 DTM DRO
Granite Surface Plates - 8' x 6' x 10" • 6' x 3' x 6"
TOSHIBA Studio 555 Plotter
(50+) Sets & Pieces Digital Inspection Equipment - Depth/Height Gauges, Gauge Blocks, OD Mics, Pin Gauges, Surface Testers

FORKLIFTS

ALLIS-CHALMERS 24,000-lb. LP Forklift, Model C30, S/N 180527, 5,700 Hours, 42" Forks, Solid Tires, Side Shift, 84" Lift, 3-Stage Mast
YALE 22,000-lb. LP/Gas Forklift, Model FASL5220, 2-Stage Mast, 8' Lift, 9,414 Hours, Dual Solid Tires, Clutch
YALE 10,000-lb. Forklifts, Model KGA51-750, Solid Tires, 2-Stage Mast, Heavy Duty Forks
YALE 5,000-lb. LP Forklift, Model GLC-50, 84" Lift, 2-Stage Mast, Side Shift
CLARK 5,000-lb. LP Forklift, Model C500-50, S/N 3552264046, 10,513 Hours, 3-Stage Mast, 76" Lift, Solid Tires, 4" Forks, Side Shift
CLARK 4,500-lb. Forklift, Model C500-40, S/N 355-1002-2572, 13,100-Hours, 3-Stage Mast, 76" Lift, Side Shift, 4" Forks

CLARK 3,000-lb. LP Forklift, Model GCS221, S/N G1381-060-7206KOF, Solid Tires, 84" Lift, 3-Stage Mast, Side Shift, 6,846 Hours

MATERIAL HANDLING

5-Ton Bridge Crane w/P&H 5-Ton Hefi-Lift Electric Hoist
(2) CLEVELAND Tram Rail Bridge Cranes w/Meteor 2-Ton Electric Hoists
(6) Bridge Cranes to 3-Ton w/Hoists
LIF-JIB Forklift Boom / Spreader Beam
LIFT-A-LOT 500-lb. Electric Manlift, Model MC24.0, 24' Lift
BAKER Tele-Scaf 500-lb. Hydraulic Manlift
MAYVILLE 3,000-lb. Scissor Lift, 24' Lift, Model 2548, Electric
VESTIL 2,000-lb. Manual Lift, Speed Charge System, Electric
BIG JOE Die Lift Cart, Model 1066
(5) CUSHMAN & WESTINGHOUSE Electric Carts • (37) Steel Pallet Moving Carts • (2) Material Loaders
(15+) Forklift Dump Hoppers
(2) Lifting Magnets
(23) Sections Pallet Racking

MISCELLANEOUS

Hydraulic Reclaiming / Separation Unit
Hydraulic Oil Holding Tank
BLUE M Bakeoff Oven, Model POM-2568-1
Burnoff Oven (top heat element not working)
SPEEDAIRE 2-HP Air Compressor w/Air Dryer Inline

INGERSOLL-RAND Compressed Air Dryer, Model F125-WSP
WEATHER MAKER Industrial A/C Unit (30+/-) Assorted Hyd. Pump Systems TOLEDO 1,600-lb. Scale
ROCKWELL / BUX Mag Drill
KURT, MORGAN, WILTON & Other Vises Tooling - CAT, FADAL, CNC, Engine Lathe, LUCAS & SUPERMAX Mill Tooling • Broach Parts • Jig Bore Support Components • Pneumatic & Hand Tools
(6) Bowl Feed Systems • (2) Screw/Nut Drivers • (10) Air Tanks • (20+) Electrical Boxes • (6) Banding Carts
Assorted Bar, Flat & Angle Stock on Cantilever Rack
(35+) HYTROL & Other Conveyors
(3) VIDMAR 10-Drawer Cabinets w/ Perishable Tooling & Tools • KENNEDY 8-Drawer Cabinet
(30+) Collapsible Wire Baskets • (100+) Collapsible Plastic Bins & Various Size Plastic Bins • (100+) Corrugated Drop Bottom Tub • (100+) Metal / Steel Carts, Cabinets, Benches, Die Racks, Tables, Shelves, Parts Bins • (50+) 4-Leg Steel Stands • Chains, Connectors, Hardware, Belts, C-Clamps & Clevises
(2) Desks, (1) L-Shaped Desk, (3) Tables & Chairs

HUGE SCRAP OPPORTUNITY



MARQUETTE TOOL & DIE CO.

3185 South Kingshighway Blvd in St. Louis, MO

THURSDAY, DECEMBER 14TH
Starting at 10AM CST

Inspection: Day prior to auction from 9AM-4PM



1 OF 16
(16) VERNON, CLEARING, MINSTER & Other Straight Side Presses to 450-Ton



1 OF 14
(14) WARCO, BLISS, CLEARING & Other Gap Frame Presses to 200-Ton



1 OF 6
(6) CLEARING & BLISS Automatic Presses to 150-Ton

Auction conducted by:

MYRON BOWLING AUCTIONEERS, INC.

P. O. Box 369, Ross, Ohio 45061

FIRST CLASS MAIL

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
CINCINNATI, OH
PERMIT NO. 5714



4 OF 15
(15) CLEARING, BLISS, FEDERAL & Other OBI Presses to 100-Ton

METAL STAMPING FACILITY



3 OF 15
(15) LITTELL & AMERICAN Coil Reels to 15,000-lb.



4 OF 20+
(20+) LITTELL & ROWE Straighteners & Coil Cradles



LUCAS 441B-72 Horizontal Boring Mill



1 OF 2
(2) FADAL VMC6030 & VMC4020 CNC Vertical Machining Centers

DIRECTIONS

Auction site is approximately 6 miles Southwest of Downtown St. Louis. Take I-44 to exit 287 and turn left onto S Vandeventer Ave. Go 0.6 mi and turn left onto Kingshighway Blvd. Go 0.7 mi and look for auction signs on the right.

FOLLOW US ON



For Information on Upcoming Auctions

TERMS & CONDITIONS

TERMS OF SALE: Copies of Terms of Sale will be posted at the auction. Additional terms may be announced during the auction. We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence.

BUYER'S PREMIUM: 15% ONSITE • 18% ONLINE
INSPECTION: THE DAY BEFORE THE AUCTION FROM 9AM TO 4PM

REMOVAL & PAYMENT: Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000,000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state.

SAMPLE BANK LETTER: Dear Sirs, (BANK NAME) irrevocably guarantees payment in full to Myron Bowling Auctioneers by (BUSINESS NAME) drawn on account (NUMBER) up to the amount of \$ (DOLLARS) to purchase items at your (AUCTION NAME). This letter of guarantee is valid until (MONTH, DAY, YEAR). Regards, (BANK REPRESENTATIVE, TITLE, BANK NAME).

COMPLETE TERMS & CONDITIONS can be found at myronbowling.com, or call 513/738-3311 if you have questions

UNABLE TO ATTEND?

Bid Online in Real Time at BidSpotter.com

Register: You must register as an online bidder through Bidspotter.com, 24 hours prior to the auction start time to allow sufficient time to be approved. You'll find the Bidspotter link on the specific auction page on our Website.

Deposit: A deposit of 25% of your anticipated purchase or a bank letter of guarantee is required to bid online. Mail deposit check to: Myron Bowling Auctioneers, P.O. Box 369, Ross, Ohio 45061. Call 513/738-3311 for wire instructions. Fax your bank letter of guarantee to 513/738-0221.

Approval: Once the registration process has been completed and your deposit received, you will be notified through an automated Bidspotter email, that you are approved to bid.

ALL ONLINE BIDS ARE SUBJECT TO A 18% BUYER'S PREMIUM



P.O. Box 369 | Ross, Ohio 45061
Phone: 513/738-3311 | Fax: 513/738-0221
www.myronbowling.com



Phone: 847/427/3333
www.perfectionmachinery.com