

# PERFECTION ONLINE AUCTION Industrial Sales



# Full Facility Closure – Complete **Precision Metal Stamping Facility**



MITSUBISHI MV1200R CNC WIRE EDM

FEATURING: MINSTER, AIDA, US BAIRD & WATERBURY FARREL **STAMPING, EYELET &** TRANSFER PRESSES, EDMS, TOOL ROOM, FINISHING, INSPECTION, **FORKLIFTS & FACILITY** SUPPORT



AIDA NSU-S2-200 SSDC PRESS





PIECE-MAKER P2-150-54 SSDC PRESSES

Sale Closing From: Wednesday, December 11 at 11:00 AM ET **Sale Location:** 40 Voice Road, Carle Place, New York 11514

Tuesday, December 10 from 9:00 AM - 4:00 PM ET or By Appointment **Inspection:** 



**Perfection Industrial Sales** ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Online Bidding at www.hilcoind.com/sale/metal-stamping

Sale is Being Held in Conjunction With:



## STRAIGHT SIDE PRESSES, TRANSFER PRESSES

#### STRAIGHT SIDE PRESSES

2004 AIDA NSU-S2-200 STRAIGHT SIDE DOUBLE CRANK PRESS, s/n A70021-1017, 220 US Tons, 8" Stroke, 50-100 SPM, 22.24" Die Over Bolster, 5.91" Slide Adjustment, 72" x 42" Bolster, 40 HP, AIDA Control Cabinet w/ PLC, Dual Palm Pedestal Control

Above being operated w/PA Industries SRA6524 Motorized Uncoiler w/Expanding Arbor, s/n X17429-01/90291; PA Industries SS2070 Straightener Feed, s/n X1725-02/90291, 6-Roll Feed w/Air Adjust Pinch-Roll; PA Industries Ultra Advantage SRF-200 Servo-Roll Feed, s/n 2812084 w/Control

(3) MINSTER PIECE-MAKER P2-150 STRAIGHT SIDE DOUBLE CRANK PRESSES, s/n P2-150-24897, P2-150-25249 and P2-150-24026, 150-Ton, 6" Stroke, 54" x 40" Bolster, Air Clutch

(3) MINSTER PIECE-MAKER P2-100-48 SSDC PRESS-ES, s/n P2-100-17076, P2-100-11070 and P2-100-9185, 100-Ton Capacity, 5"-3" Stroke, 80-160 SPM, 48" x 31" Bolster LRFB, Air Clutch

(2) MINSTER PIECE-MAKER P2-60-36 SSDC PRESSES, s/n P2-60-24208 and P2-60-23723, 60-Ton Capacity, 100-300 SPM, 36" x 25" Bolster LRFB, 3" Stroke, 3" Slide Adjustment, 13.5" Shut Ht.

(6) MINSTER PIECE-MAKER P2-45-36 SSDC PRESSES, P2-45-54707-R, P2-45-15314, P2-45-15313, 12502, P2-45-22290 and P2-45-12502, 45-Ton Capacity, 36" x 25" Bolster

ALSO AVAILABLE: Large selection of COE, Littell, Jaco, Norwalk, Coil Mate Uncoilers and Pallet Uncoilers, Rapid Air Straighteners



MINSTER PIECE-MAKER P2-100-48 SSDC PRESSES













PA INDUSTRIES SRF-2000 SERVO FEED

(7) US BAIRD 2-19 MULTIPLE TRANSFER PRESSES, s/n 4462-191, 4462-186, 4462-196, 4462-104, 4462-103, 4462-84 and 4462-163, 15-Ton, 11-Station, Air Clutch, Clarktron Rimfire 3-Tool Protection System w/Station Probes, Ram Stroke 1.5" Std., 2" Max., 8.6" Shut Ht., Cup-Tonnage .80-Ton, Standard Transfer Stroke 1.75", 2.5" Max., 125-250 SPM, Sound Enclosure, VS Drive

MINSTER PIECE-MAKER P2-45-36 SSDC PRESSES



US BAIRD 3-25 MULTIPLE TRANSFER PRESSES



**INTERIOR SHOT OF 3-25** 

#### **EYELET TRANSFER PRESSES**



WATERBURY FARREL 1510+1
FYFI FT PRESSES



WATERBURY FARREL 1510 FYFLET PRESSES



WATERBURY FARREL 2010 FYFL FT PRESSES



WATERBURY FARREL 1012+1 I.C.O.P EYELET PRESSES



INTERIOR SHOT OF 1512+1

#### **EYELET TRANSFER PRESSES**

WATERBURY FARREL 1512+1 1.C.O.P. EYELET TRANSFER PRESS, s/n 238926 (129 238987), 12-Plungers plus Auxiliary Station, Round Plungers, Plunger Center Distance 3.25", Max. Blank Dia. 3.25", Air Clutch, Clarktron Rimfire 3-Tool Protection System w/Station Probes, Sound Enclosure w/P/A Ind. SC-6 Scrap Chopper

**(5) WATERBURY FARREL 1510+1 EYELET TRANSFER PRESSES,** s/n 161499, 175337, 152263, 161499 and s/n NA, 10-Plungers plus Auxiliary Station, Plunger Center Distance 3.375", Max. Blank Dia. 2.375"

(3) WATERBURY FARREL 1510 EYELET TRANSFER PRESSES, s/n 146883, 1522537 and 126248, 10-Plungers, Plunger Center Distance 3.375", Max. Blank Dia. 2.375"

(2) WATERBURY FARREL 2010 EYELET TRANSFER PRESSES, s/n 126247 and 125374, 10-Plungers, Plunger Center Distance 4", Max. Blank Dia. 3.5", VS Drive, 15 HP

(2) WATERBURY FARREL 1012+1 I.C.O.P (INDIVIDUAL CAM OPERATED PLUNGER) EYELET TRANSFER PRESSES, s/n 237393 and 236870, 12-Plungers plus Auxiliary Station, Plunger Center Distance 2.5", Max. Blank Dia. 1.5", Max. Draw 1-1/16", 60–120 SPM, VS Drive, Air Clutch

**(4) WATERBURY FARREL 1010+1 I.C.O.P. EYELET TRANSFER PRESSES,** s/n 236796, 161626, 161625, s/n NA, 10-Plungers plus Auxiliary Station, Plunger Center Distance 2.5", 1.5" Max. Blank Dia.

(3) WATERBURY FARREL 1010 EYELET TRANSFER PRESSES, s/n 196935, 159189and 132896, 10-Plungers, Plunger Center Distance 2.5", Max. Blank Dia. 1.5"

**WATERBURY FARREL 158 EYELET TRANSFER PRESS,** s/n 159794 (161 682 144), 8-Plungers, Plunger Center Distance 3.375", Max. Blank Dia. 2.375"

#### (3) WATERBURY FARREL 128 EYELET TRANSFER PRESS, s/n 62597, 21701, s/n NA, 8-Plungers, Plunger Center Dis-

8-Plungers, Plunger Center Distance 2.875", Max. Blank Dia. 1.875", Round Plungers, Clarktron Rimfire 3-Tool Protection System w/Station Probes

# (2) WATERBURY FARREL 108 EYELET TRANSFER PRESSES,

s/n 98196 and 48665, 8-Plungers, Plunger Center Distance 2.5", Max. Blank Dia. 1.5", Round Plungers, Clarktron Rimfire 3-Tool Protection System w/ Station Probes, Sound Enclo-

# (2) WATERBURY FARREL 58 EYELET TRANSFER PRESSES,

s/n 14407 and 6947, 8-Plungers, Plunger Center Distance 2.125", Max. Blank Dia. 1", Round Plungers, Clarktron Rimfire 3-Tool Protection System w/ Station Probes, Sound Enclo-

# WATERBURY FARREL 07 EYELET TRANSFER PRESS, 7 Plungers Plunger Center Dis

7-Plungers, Plunger Center Distance 1.75", Blank Dia. .625", Clarktron Rimfire 3-Tool Protection System w/Station Probes



WATERBURY FARREL 1512+1 1.C.O.P. EYELET PRESS

# Online Bidding at www.hilcoind.com/sale/metal-stamping



WATERBURY FARREL 1010+1 I.C.O.P. EYELET PRESSES



WATERBURY FARREL 158 EYELET PRESS



WATERBURY FARREL 128 EYELET PRESSES



WATERBURY FARREL 108 EYELET PRESSES



WATERBURY FARREL 58
FYFI FT PRESSES

# **HIGH SPEED PRESSES, OBI & GAP FRAME PRESSES**



MINSTER PULSAR 30 TR2-30 HIGH SPEED PRESS



**BRUDERER BSTA 41 HIGH-SPEED PRESS** 



MINSTER B1-32 PRESS



**BRUDERER BSTA 30 3-POST HIGH SPEED PRESS** 



MINSTER NO. 3 OBI PRESS



**BLISS CH 22 OBI PRESS** 

# MINSTER B1-22 PRESSES

#### **HIGH SPEED PRESSES**

(2) MINSTER PULSAR 30 TR2-30 HIGH SPEED PRESSES, s/n TR2-30-28241 and TR2-30-28393, 30-Ton Capacity, 900 SPM, 30" x 21" Bolster, 1.75" Bolster Adjustment

BRUDERER BSTA 41 HIGH-SPEED PRESS, s/n 7101, 45-Ton Capacity, 0.5"-2.25" Stroke, 26" x 23" Bolster, 100-1,200 SPM, Console Control w/Bruderer BBV 202/120 Hitch Feeder

BRUDERER BSTA 30 3-POST HIGH-SPEED PRESS, s/n 3030, 30-Ton Capacity, Console Control, Air Clutch and Brake, Hitch Feed, 13.5" x 20" Bolster, 1.57" Stroke, 1.57" Slide Adjustment, 7"-8" Shut Ht.

#### OBI & GAP FRAME PRESSES

PERKINS 45-S GAP FRAME PUNCH PRESS, s/n 45945, 45-Ton Capacity, 2" Stroke, 2.5" Ram Adjustment, 9.5" Shut Ht., 2" Shank, 30" x 18" Bolster, Air Clutch, SSC-1500 Part Revolution Press Control w/Crankshaft Angle Display w/DRO, VAMCO TS 6-Roll Feed, s/n A6S612T747L

BLISS C-45 OBI PRESS, 45-Ton Capacity, 4-1/2" Stroke, 3" Slide Adjustment., 11.75" Slide Adjustment., 11.75" Shut Ht., 33.5" x 19.75" Bolster, Air Clutch, Clarktron Clark Level, Servo Matic III Press Feed Control w/DRO & Dickerman SM11106 Air Press Feed, 6" x .125" Thickness, Clarktron Rimfire 3 Sensor Control

PERKINS 32-S GAP FRAME PUNCH PRESS, s/n 43869, 32-Ton Capacity, 2.5" Stroke, 2.5" Ram Adjustment, 8.5" Shut Ht., 1.5" Shank, 15" x 28" Bolster, Air Clutch, VAMCO Vam Mark 3 Geared Cam HS Feed V-663, s/n 3F612T419L

MINSTER B1-32 GAP FRAME PRESS, s/n B1-32-17119, 32-Ton Capacity, 500 SPM, 24" x 15" Bolster, 1.5" Stroke, 2.25 Slide Adjustment, 11" Shut Ht., Air Clutch, Waddington Control, 4" Air Press

(2) MINSTER B1-22 GAP FRAME PRESSES, s/n B1-22-17742 and B1-22-17341 , 22-Ton Capacity, 600 SPM, 20" x 12" Bolster, 1.5" Stroke, 2" Slide Adjustment, 9.75" Shut Ht., Air Clutch

BLISS CH 22 OBI PRESS, s/n 57009 HP 44615, 22-Ton Capacity, 0.25" - 1.25" Stroke, 2-1/2" Slide Adjustment, 1.25"-9.5" Shut Ht., 23.5" x 14" Bolster, Air Clutch, Long Life Press Lube

(2) BLISS C22 OBI PRESSES, s/n H55355 HP43605 and H51595 HP39244, 22-Ton Capacity, 2" Stroke, 2.5" Slide Adjustment, 10.75" Shut Ht., 14.37" x 22.37" Bolster, Air Clutch, VS Stroke Indicator

MINSTER NO. 3 OBI PRESS, s/n 3-16787, 22-Ton Capacity, 230 SPM, 20" x 12" Bolster LRFB, 1.5" Stroke, 2" Slide Adjustment, 9.25" Shut Ht., Allispede VS Drive, 2 HP, Air Clutch Arc-Trol 1 Die System, Front Mounted Push Buttons

(4) V & O NO. 1 OBI ROTARY TABLE PRESSES



PERKINS 45-S PRESS

## HYDRAULIC TOGGLE PRESS, EDMs, PARTS WASHING & FINISHING

#### **HYDRAULIC TOGGLE PRESS**

MAYPRESS MKNI-100/6 HYDRAULIC TOGGLE PRESS, s/n 3104-773, 100-Ton, 60 SPM, 2.4" Stroke, 25" x 16" Bolster LRFB, (Recently Rebuilt w/CIECO K-2000 PLS-Plus Control)

#### **EDMs**

**2014 MITSUBISHI MV1200R CNC WIRE EDM,** s/n DOOM2657A, 15.7"-X, 11.8"-Y, 8.7"-Z, 31.9" x 27.6" x 8.5" Max. Workpiece, 1102 LB Max. Workpiece Weight, 25.2" x 21.3" Table

**CHARMILLES ROBOFIL 310 CNC WIRE EDM,** s/n 350321, 15.75"-X, 9.84"-Y, 15.75"-Z, Table 33.46" x 19.69", 1100 LB Max. Workpiece Weight, 33.5" x 19.7" x 15.75" Max. Workpiece, Auto Wire Threading

**2015 PERSEO-ERIE DRILLMATE 20 HOLE POP-PER EDM,** s/n PE1034, 3-Axis, 9.8"-X, 13.8"-Y, 11.8"-Z, 30 AMP, 5.5 Gallon Tank

**CHARMILLES FORM 20 DIE SINK EDM,** s/n 100343, 3-Axis, 11.8"-X, 9.8"-Y, 9.8"-Z, 32 AMPS

**ELOX 8-2012-DR DIE SINK EDM,** s/n 003884, 20.7 KVA, Astra 50S MKII Power Supply s/n 1853



CREST ULTRASONICS CLEANER W/ CONTROL PANEL



MAYPRESS MKNI-100/6 HYD TOGGLE PRESS



MITSUBISHI MV1200R CNC WIRE EDM



CHARMILLES ROBOFIL 310 CNC WIRE EDM



PERSEO-ERIE DRILLMATE 20 HOLE POPPER



CHARMILLES FORM 20 DIE SINKER

#### **PARTS WASHING & FINISHING**

2014 JENSEN FABRICATING LEAN CLEAN HD MOD 24 ROTARY PARTS WASHER, s/n 12302, (3) Stainless Steel Pumps w/SS Piping, Gas Heating Unit, Chip Basket, VS Drum Rotation, Clean Out Doors, Oil and Mini Oil Coalescers, SS Filter Housing, Load Chute, Exhaust Fan, MICROLOGIX 1400 PLC Control, Additional 48" SS Tank w/Piping, Hopper Feed w/Incline Conveyor

**2014 JENSEN FABRICATING LEAN CLEAN 360-2 ROTATING BASKET CLEANING SYSTEM,** s/n 12265, PLC Control, Final Spray Rinse, Inlet Header, Rocking Drive, Oil Separator, Auto Rust Inhibitor, Chemical Control System

CREST ULTRASONICS STAINLESS STEEL 4-COMPARTMENT ULTRASONIC CLEANER W/CONTROL PANEL, w/Marzoli PLC, 5-Station Temp. Units, (4) Heat Stations, (12) Crest 4G-500-6T Rectifiers, Hydraulic Traveling Basket Lift w/Pump w/SS Baskets, 4-Compartment Dip Tank w/S/C Heater w/Watlow Process System w/Filtration and Chemical Pump w/Tanks

MANUAL DIP LINE W/(2) 2-COMPARTMENT STAINLESS STEEL DIP TANKS MOUNTED IN IRON ANGLE BASES, 54" x 72" x 36" H, Steam Heated w/(4) NAP-CO Chemical Resistant Motorized Rotary Basket Dip Units, Top Mounted VS Motors w/Copper Handle End Supports w/(2) 2-Compartment Stainless Steel and Fiberglass Enclosed Dip Tanks 54" x 74" x 36" H, Steam Heated w/(2) SS Drain Bins w/Twin V-Shaped Bottoms

(3) VS RUBBER LINED STEEL 32" 2-CHAMBER TUMBLER SYSTEMS W/IRON FRAME SUPPORTS, Top Mounted Motor, Chain Driven, Folding Safety Gates, Steam Heated

**ALSO AVAILABLE:** New Holland Centrifugal Dryers, Ransohoff Rotary Dryers, Vibratory Finishers, Rotary Tumblers



JENSEN LEAN CLEAN HD MOD 24 WASHER



RANSOHOFF ROTARY DRYER



BLACKSTONE-NEY CH-2418-SPL ULTRASONICS CLEANER



JENSEN LEAN CLEAN 360-2 CLEANING SYSTEM

# **FURNACES/BOILER, INSPECTION**



CLEAVER BROOKS CBE-200-60 STEAM BOILER



MICRO-VU 6X6 INSPECTION SYSTEM

**FURNACES/BOILER** 



**NIKON V-16E PROFILE PROJECTOR** 



**PROJECTORS** 



GP SMARTSCOPE FLASH 200 AMS

**CHATILLON TCD CHATILLON TCD 1000** 500-MH TEST STAND FORCE TESTER

CLEAVER BROOKS CBE-200-60 GAS FIRED **STEAM BOILER,** s/n L-95396, 150 PSI, 2,520,000 BTU/Hr., Webster Gas Fired Burner w/(2) Storage Water Tanks, Water Softening System, Re-Tubed and Cleaned in 2015

L & L SPECIAL FURNACE CO. QD29-B-H426-14-H610-53-L53-240 R3K TEMPERING & HARDENING ELECTRIC DUAL CHAMBER HEAT TREATING FURNACE, s/n A888IF, 16 KW, Top Hardening Chamber 2275° F, Bottom Tempering Chamber to 1250° F, DRO and Controls

CHARLES A. HONES 65A BUZZER GAS FUR-NACE, 196,000 BTU w/Oil Quench Tank

(2) CHARLES A. HONES 55-15 GAS FURNAC-ES, 9" x 18" x 6" H. Chamber

#### INSPECTION

ADVANCED PRESSURE PRODUCTS ABPT-30K-1 BURST PRESSURE TEST SYSTEM, w/ Porous Materials Inc ABPT-2SC-S-15K Burst Pres-

J&L EPIC 30 OPTICAL COMPARATOR & MEA-SURING MACHINE, w/Quadra-Chek 200 DRO

MICRO-VU 6X6 VIDEO MEASURING SYSTEM, w/Micro-Vu Edge Detector, Q16 Computer, and FC-10 Focus Detector

**GP SMARTSCOPE FLASH 200 AUTOMATIC** MEASUREMENT SYSTEM, Renishaw P1200-3 Interface

NIKON V-16E PROFILE PROJECTOR, w/Nikon MC-102 Readout

(2) NIKON V-12 PROFILE PROJECTORS

ALSO AVAILABLE: Laser Micrometers, Digital Inside and Outside Micrometers, Hardness Testers, Digital Calipers, Indicator Stands, Gage Blocks, Microscopes

#### **TOOL ROOM**

(2) HARDINGE HLV-H SUPER PRECISION **TOOL ROOM LATHES** 

(4) HARDINGE DV59 2ND OPERATION LATHES

(2) HARDINGE HSL-5C HIGH SPEED LATHES

(2) LEBLOND 16" X 32" TOOL ROOM LATHES

(7) BROWN & SHARPE AND MHT SURFACE **GRINDERS** 

**MOORE NO. 3 JIG GRINDER** 

**MOORE NO. 3 JIG BORER** 

**MOORE 18" JIG BORER** 

(2) BRIDGEPORT SERIES I VERTICAL MILLS W/DRO

### Online Bidding at www.hilcoind.com/sale/metal-stamping



LEBLOND 16" X 32" LATHES



HARDINGE HLV-H TOOL ROOM LATHES



HARDINGE DV59 LATHES

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

# TOOL ROOM, AIR COMPRESSORS, PLANT SUPPORT



**BROWN & SHARPE AND MHT SURFACE GRINDERS** 



BROWN & SHARPE 510

2 AVAILABLE

BRIDGEPORT SERIES I



MOORE NO. 3 JIG GRINDER

#### **AIR COMPRESSORS**

150 HP GARDNER DENVER AUTO SENTRY ES+ EAQ99K09 ELECTRA SAVER ROTARY SCREW AIR COMPRESSOR, s/n S124602, Auto-Sentry PLC Control, Skid Mounted

75 HP QUINCY AUTO DUAL CONTROL ROTARY SCREW AIR COMPRESSOR, s/n 92765 S103WNWILF,

Skid Mounted
75 HP GARDNER DENVER EBMOLE ELECTRA-SCREW AIR COMPRESSOR, s/n V94034, Skid

#### **PLANT SUPPORT**

Mounted

**Battery Charger** 

ALLIS CHALMERS ACC 120 LP FORKLIFT, s/n 11200185, 12,000 LB Capacity, 48" Fork Length, Side Shift MITSUBISHI FGC30N LP FORKLIFT, s/n Af83F20256, 6000 LB Capacity, Side Shift, Fork Positioners RAYMOND RSS30 WALKIE STACKER, s/n 03-01267, 3000 LB Capacity w/Battery Mate 80 Battery Char-

CLARK POWER WORKER SP 30 WALKIE STACKER, s/n 03-01267, 3,000 LB Capacity, w/MAC Patriot

**GENIE RUNABOUT GF 130A ELECTRIC MAN LIFT,** s/n GR01-954, 15'2" Max. Platform Ht., 350 Lb Max. Load, Single Occupant

**CRANE AMERICA SERVICE 5-TON FREE STANDING BRIDGE CRANE SYSTEM,** Approx 25' Span x 108' Runway, w/Demag 5-Ton Electric Hoist w/Pendant Control, Uprights and Runway Included

**ALSO AVAILABLE:** Big Joe Electric Pallet Jacks, Hydraulic Presses, Pallet Jacks, Vidmar Ball Bearing Tool Cabinets, Floor Sweeper, Snow Blower, Lift Tables, Hand Crank Die Lift Carts, Shop Floor Fans, Work Benches, Pallet Racking, Shop Carts And Office Equipment





GARDNER DENVER AIR COMPRESSOR



QUINCY AIR COMPRESSOR



QUINCY QPNC-1000 (E16) AIR DRYER



CRANE AMERICA SERVICE 5-TON FREE STANDING BRIDGE CRANE SYSTEM, APPROX 25' SPAN X 108' RUNWAY



SELECTION OF FORKLIFTS



**Perfection Industrial Sales** – 2550 Arthur Ave., Elk Grove Village, IL 60007 Phone: +1-847-545-6374 – Fax: +1-847-427-8884

www.perfectionindustrial.com



First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

**Presorted** 

Featuring: Minster, AIDA, US Baird & Waterbury Farrel Stamping, Eyelet & Transfer Presses, EDMs, Tool Room, Finishing, Inspection, Forklifts & Facility Support

# ONLINE ONLY AUCTION

Sale Closing From: Wednesday, December 11 at 11:00 AM ET Inspection: Tuesday, December 10 from 9:00 AM – 4:00 PM ET or By Appointment

# Full Facility Closure – Complete Precision Metal Stamping Facility



JENSEN LEAN CLEAN HD MOD 24 WASHER

Featuring: Minster, AIDA, US Baird & Waterbury Farrel Stamping, Eyelet & Transfer Presses, EDMs, Tool Room, Finishing, Inspection, Forklifts & Facility Support

# AUCTION



# Full Facility Closure – Complete Precision Metal Stamping Facility

#### **TERMS OF SALE**

An 18% buyer's premium will be charged on all assets. Onsite cash payments will not be accepted for online only auctions. An 8.625% sales tax will be applied to assets as required. All bidders residing outside of the United States or Canada are required to submit via wire transfer a qualifying deposit of 25% of their total expected purchases. Deposit instructions will be emailed upon registration. Deposit must be received and confirmed prior to start of auction and can take up to 72 hours to clear. Please register at least 3 business days prior to sale to allow sufficient time to process deposit.

#### REMOVAL

Buyers are responsible for removing all of their purchases. The Auctioneer does not provide rigging or shipping services and is not responsible for any rigging or shipping issues. Removal days: December 12, 2019—January 10, 2020, Monday through Friday, from 8:00 AM—4:00 PM ET. \*Please note, due to the holiday season there will be no removal December 24 – 25, December 31, January 1. Extended hours or weekends may be accommodated with prior appointment.\* Anyone performing removal will need to provide proper insurance. A buyer release form must be completed and supplied to Auctioneer personnel if someone other than the registered bidder is picking up auction purchases. They can be turned into Auctioneer personnel on site or faxed to +1-616-732-7100.

#### FOR FURTHER INFORMATION

For further information, contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com, or Mark Reynolds at +1-205-403-5942 or mreynolds@hilcoglobal.com.

View our current auction schedule at www.perfectionindustrial.com

Sale Closing From: Wednesday, December 11 at 11:00 AM ET
Sale Location: 40 Voice Road, Carle Place, New York 11514

**Inspection:** Tuesday, December 10 from 9:00 AM – 4:00 PM ET or By Appointment



Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Online Bidding at www.hilcoind.com/sale/metal-stamping

Sale is Being Held in Conjunction With:

