



FACILITY CLOSURE – LEADING MANUFACTURER **OF NEW PARTS FOR ENGINES** & COMPRESSORS

FEATURING: CNC VERTICAL & HORIZONTAL MACHINING CENTERS, CNC TURNING, **CNC GRINDING**, **CONVENTIONAL MACHINE TOOLS, TOOL ROOM, FABRICATION, WELDING, INSPECTION & FACILITY** SUPPORT

HYUNDAI WIA KH63G HORIZONTAL MACHINING CENTER





MIGHTY VIPER VT-30GL CNC TURNING CENTER

SUPERTEC G38P-60CNC CYLINDRICAL CNC GRINDER

Sale Closing From: Tuesday, November 12th at 1:00 PM CT Sale Location: 9615 Ball Street, San Antonio, Texas 78217 **Inspection:** Monday, November 11th from 8:00 AM to 4:00 PM CT or By Appointment



In Conjunction With: RESELL 🚺

ph +1-844-478-8181 | SALES@RESELLCNC.COM

CNC TURNING CENTERS, CNC VERTICAL MACHINING CENTERS



MIGHTY VIPER VT-30GL CNC TURNING CENTER



KIA HYUNDAI SKT-21-LMS CNC TURNING CENTER



MIGHTY VIPER VMC-1300A VERTICAL MACHINING CENTER



CINCINNATI MILACRON CINTURN 18-U CNC LATHE



CINCINNATI MILACRON CINTURN 2220U-80 CNC LATHE



MIGHTY VIPER VT-27GL CNC TURNING CENTER

CNC TURNING CENTERS

2012 MIGHTY VIPER VT-30GL CNC TURNING CENTER, s/n 8331108012, 26.8" Swing Over Bed, 18.9" Max. Turning Dia., 39" Max. Turning Length, 15" Chuck, 12- Position Turret, 3,500 RPM, 35 HP, Fanuc Series Oi-TD Control, 10,263 Hours

2011 MIGHTY VIPER VT-27GL CNC TURNING CENTER, s/n 8331104011, 18.9" Swing, 18.5" Max. Turning Dia., 12" Chuck, 3,500 RPM, 35 HP, 40" Between Centers, 3.3" Bar Capacity, Fanuc Series 0i-TD Control, 11,408 Hours

2011 MIGHTY VIPER VT-27GL CNC TURNING CENTER, s/n 8338807012, 18.9" Swing, 18.5" Max. Turning Dia., 12" Chuck, 3,500 RPM, 35 HP, 40" Between Centers, 3.3" Bar Capacity, Fanuc Series 0i-TD Control, 10,263 Hours

2005 KIA HYUNDAI SKT-21-LMS CNC TURNING CENTER, s/n SKT211MS0208, 8" Chuck, 4,000 RPM, 20" Between Centers, Live Tooling, Sub-Spindle, 3,000 RPM, 12-Station Turret, Parts Catcher, 25 HP, Fanuc Series TC-11 Control, 28,108 Hours

CINCINNATI MILACRON CINTURN 2220U-80 CNC LATHE, s/n 5321U20-90-0111, 20" Chuck, 1,500 RPM, 75 HP, 30" Swing, 80" Between Centers, 10-Position Turret, Through Turn Steady Rest, Acramatic 850 SX Control, w/Manuals, Selection of Tooling and 20" 4-Jaw Chuck, 6,728 Hours

CINCINNATI MILACRON CINTURN 8U-40 SERIES 1208 CNC LATHE, s/n 5320U08-91-007, 8" Chuck, 5,000 RPM, 40" Between Centers, 6-ID and 6-OD Position Turret, Through Turn Steady Rest, w/Assorted Tooling, Jaws, and Manuals, Acramatic 850 SX Control, 10,928 Hours,

CINCINNATI MILACRON 300-T CNC LATHE, s/n 5320U12-94-003, CNC Universal Lathe, 12" Chuck, 3,500 RPM, 35 HP, 40" Between Centers, 8-ID and 4-OD Position Turret, Through Turn Steady Rest, Assorted Tooling, Jaws, and Manuals, Acramatic 850 SX Control,

CINCINNATI MILACRON MO 15-C CNC CHUCKING LATHE, s/n 530C15-86-005, 15" Chuck, 1,600 RPM, 50 HP, 7-Position Upper Turret, 7-Position Lower Turret, Swing Up Tailstock, Acramatic 850 Control, 53,303 Hours

CINCINNATI MILACRON MO 18-U CNC UNIVERSAL LATHE, s/n 5305U18-86-007, 18" Chuck, 1,600 RPM, 50 HP, 6-OD and 6-ID Tool Holders, 100" Between Centers, 6"–12" Steady Rest, Acramatic 850 Control, 20,280 Hours

CINCINNATI MILACRON MO 18-U CNC UNIVERSAL LATHE, s/n 5305U18-78-009R98, 18" Chuck, 1,600 RPM, 50 HP, 6-OD and 6-ID Tool Holders, 80" Between Centers, 18" Shop Built Steady Rest, Acramatic 2100 Control

CNC VERTICAL MACHINING CENTERS

2011 MIGHTY VIPER VMC-1332-AG CNC VERTICAL MACHINING CENTER, s/n 012241, 6,000 RPM, 35 HP, 51"-X, 31"-Y, 26"-Z, 31.5" x 57" Table, 3,500-Lb. Table Capacity, 24 ATC, CAT 50 Spindle Taper, Hartrol-Fanuc Al200 CNC Control, Chip Blaster High Pressure Coolant System, 19,334 Hours 2010 MIGHTY VIPER VMC-1300A CNC VERTICAL MACHINING CENTER, s/n 009340, 6,000 RPM, 30 HP, 50"-X, 24"-Y, 24"-Z, 24" x 55" Table, 3,300-Lb. Table Capacity, 24 ATC, CAT 50 Spindle Taper, Hartrol-Fanuc Al200 CNC Control, Chip Blaster High Pressure Coolant System, 27,227 Hours CINCINNATI MILACRON LANCER 1250 CNC VERTICAL MACHINING CENTER, s/n 7041-A00-98-0030, 6,000 RPM, 20 HP, 50"-X, 30"-Y, 25.9"-Z, 4th Axis 360 Degree Rotary Chuck, 3,300-Lb. Table Capacity, Acramatic 850SX Control



CINCINNATI MILACRON LANCER 1250 VERTICAL MACHINING CENTER

CNC HORIZONTAL MACHINING CENTERS, CNC & CONVENTIONAL CYLINDRICAL GRINDERS

CNC HORIZONTAL MACHINING CENTERS

2015 HYUNDAI WIA KH63G CNC HORIZONTAL MACHINING CENTER, s/n G3641-1306, 8,000 RPM, 30 HP, 40.5"-X, 31.35"-Y, 31.5"-Z, 360 Degrees Rotary Index, Dual 24.75" x 24.75" Pallets, 3,000-Lb. Capacity, CAT 50 Spindle Taper, 90 ATC, Fanuc Series 31i-A Control, 12,885 Hours

1997 CINCINNATI MILACRON MAXIM 630 CNC HORIZONTAL MACHINING CENTER, s/n 3632C01-97-0042, 1,600 RPM, 33 HP, 40.4"-X, 31.5"-Y, 31.5"-Z, 360 Degrees Rotary Index, Dual Pallets, 3,000-Lb. Capacity, Cat 50, 80-ATC, Acramatic 950 Control

1997 CINCINNATI MILACRON MAXIM 630 CNC HORIZONTAL MACHINING CENTER, s/n 3632C01-97-0036, 1,600 RPM, 33 HP, 40.4"-X, 31.5"-Y, 31.5"-Z, 360 Degrees Rotary Index, Dual Pallets, 3,000-Lb. Capacity, Cat 50, 80-ATC, Acramatic 950 Control

1993 CINCINNATI MILACRON MAXIM 630 CNC HORIZONTAL MACHINING CENTER, s/n 3632C01-97-0036, 1,600 RPM, 33 HP, 40.4"-X, 31.5"-Y, 31.5"-Z, 360 Degrees Rotary Index, Dual Pallets, 3,000-Lb. Capacity, Cat 50, 80-ATC, Acramatic 950 Control

CNC CYLINDRICAL OD GRINDERS

2014 SUPERTEC G38P-60CNC CNC CYLINDRICAL OD GRINDER, s/n GP12005, 10" x 30", Marposs Shoulder Probe, Fanuc Series 0i Mate–TD Control

2007 SUPERTEC G32P-60CNC CNC CYLINDRICAL OD GRINDER, s/n GP06001, 10" x 30", Marposs Shoulder Probe, Fanuc Series 0i Mate–TD Control

CYLINDRICAL OD GRINDERS

NORTON 261 UNIVERSAL OD GRINDER, s/n 1229, 12" x 60", Steady Rest

CINCINNATI MILACRON CYLINDRICAL OD GRINDER, s/n 4V2B1V-29, 5 HP, 10" x 24" with Internal and Radius Grinding Attachments



HYUNDAI WIA KH63G HORIZONTAL MACHINING CENTER



MIGHTY VIPER VMC-1332-AG VERTICAL MACHINING CENTER



SUPERTEC G38P-60CNC CYLINDRICAL CNC GRINDER



CINCINNATI MILACRON MAXIM 630 HORIZONTAL MACHINING CENTER



SUPERTEC G32P-60CNC CYLINDRICAL OD GRINDER

View our current auction schedule at www.perfectionindustrial.com

SURFACE GRINDER, ROTARY SURFACE GRINDER, LATHES, HORIZ. & VERT. BANDSAWS, TOOL ROOM MACHINERY



NORTON 261 UNIVERSAL OD GRINDER



BLANCHARD NO 18 ROTARY SURFACE GRINDER



LODGE & SHIPLEY 24" X 120" GEARED HEAD LATHE

SURFACE GRINDER

KO LEE S618H SURFACE GRINDER, s/n 9467-566, 16" x 18" Magnetic Chuck

ROTARY SURFACE GRINDER BLANCHARD NO 18 ROTARY SURFACE GRINDER,

s/n 7926, 36" Dia. Magnetic Chuck, 30 HP

LATHES

CLAUSING COLCHESTER 690 TRIUMPH/15VS GEARED HEAD LATHE, s/n VT1954, 15" Swing, 2,500 RPM, 40" Between Centers, 2-1/8" Through Spindle Bore, Acu-rite Digital Read Out, Taper Attachment, Steady Rest, 3- and 4-Jaw Chucks, Quick Change Tool Post

CLAUSING COLCHESTER GEARED HEAD LATHE, s/n 140509, 4" Swing, 20" Between Centers, 1-1/4" Through Spindle Bore, Tracer Attachment

LODGE & SHIPLEY GEARED HEAD LATHE, s/n 45726, 24" Swing, 1,800 RPM, 20 HP, 2" Through Spindle Bore, 120" Between Centers, Steady Rest

HORIZONTAL & VERTICAL BANDSAWS

DOALL 1216-A HORIZONTAL BANDSAW, s/n 373-80505, 3 HP, 13" Capacity, 1-1/4" x 13'5" Blade, Automatic Feed/10' Extension Table

DOALL 16-3 VERTICAL BANDSAW, s/n 50-58848, 3 HP. 16" Capacity, 1-1/4" x 13'5" Blade, Power Feed Table

To discuss your requirements for an auction, please call **Perfection Industrial** +1-847-545-6374



KO LEE S618H SURFACE GRINDER



AMERICAN HOLE WIZARD 4' X 11" RADIAL ARM DRILL



DOALL 16-3 VERTICAL BANDSAW

TOOL ROOM MACHINERY AMERICAN HOLE WIZARD 4' X 11" RADIAL ARM DRILL, s/n 65950, Tilting Table

BURGMASTER OB09661 AUTO-INDEXING DRILL PRESS, s/n 1990, 6-Spindle

POWERMATIC 1150 17" DRILL PRESS, s/n 315V491, 3/4 HP, Variable Speed, Tilt Table

KEARNEY & TRECKER 2CH HORIZONTAL MILL, s/n 30-6725, 5 HP. Double Overhead Arbor Support, Milling Arbors, Rotary Indexing Head, Boring Head, Adapters

DAVIS 15 KEYSEATER, s/n 15-405, Angle Attachment, 1/16"-1-1/2" Keyways, 20" x 31" Table 12" Max. Height, Tool Cabinet w/Broaches

DC MORRISON KEYSEATER, s/n K-793423

CINCINNATI MILACRON 24" SHAPER, s/n 17552, Multi-Directional Vise

MATTHEWS PRO-POINT 2324 PROGRAMMABLE INDENT LOGO MARKING SYSTEM PNEUMATIC CARBIDE DOT PEN, s/n 74 BURR KING 760 BELT SANDER, 1 HP, 1-1/2" Wide Belt

TRINCO 36-BP2 BLAST CABINET, Dry Grit Blast, 2' x 3" Capacity, Vacuum w/Filter

CHAMP DRILL SHARPENER, 1 HP, Holder



CLAUSING COLCHESTER 690 TRIUMPH/15VS GEARED HEAD LATHE



DAVIS 15 KEYSEATER



TRINCO 36-BP2 BLAST CABINET



MATTHEWS PRO-POINT 2324 INDENTING SYSTEM

Sale Closing From: Tuesday, November 12th at 1:00 PM CT **Inspection:** Monday, November 11th from 8:00 AM to 4:00 PM CT or By Appointment



DOALL 1216-A HORIZONTAL BANDSAW



KEARNEY & TRECKER 2CH HORIZONTAL MILL



HONE, WELDING, INSPECTION, AIR COMPRESSOR, FORKLIFT, & MORE





SUNNEN MBB1660 PRECISION HONE



CATERPILLAR T40D LP FORKLIFT



TROYKE DL-12-B 4TH AXIS ROTARY TABLE



VIDMAR BALL BEARING TOOL CABINETS



CAT 50 AND 40 TOOL HOLDERS



LARGE ASSORTMENT OF TOOLING



ASSORTED MACHINE PARTS, ELECTRONICS AND MORE

Online Bidding at www.perfectionindustrial.com

Sale Closing From:	Tuesday, November 12th at 1:00 PM CT	F
Sale Location:	9615 Ball Street,	Ca Ca
	San Antonio, Texas 78217	A
Inspection:	Monday, November 11th from 8:00 AM	L/ 4t
	to 4:00 PM CT or By Appointment	Ba



FARO PLATINUM SERIES 3D MEASUREMENT SYSTEM



KAESER BSD 50T AIR COMPRESSOR

HONE

SUNNEN MBB1660 PRECISION HONE, s/n 3G1-87298, 1/16"-3" Dia., 1/2 HP

WELDING

OXYGEN-ACETYLENE GAS CUTTING CART, 10" Pneumatic Wheels, Regulators, Torch, Hoses and Attachments (NO TANK)

(4) MILLER WELDING POWER SOURCES

PANDJIRIS 30-6 ROTARY POSITIONING TABLE, 3,000-Lb. Capacity, 42" Round and 30" Square Tabletop, 1 HP Motor w/.07-1.4 RPM, Swing Radius of 28" at 90 Degree Tilt

DESPATCH WSC 1-25 ELECTRODE STABILIZING OVEN, s/n 75265, 500 Degree F, 400-Lb. Max. Load, 18" Electrodes

INSPECTION

FARO PLATINUM SERIES 3D MEASUREMENT SYSTEM, Table Mount and Portable Stand w/Case, Lap Top w/Current **Operating Software**

STARRETT GRADE A PRECISION GAGE BLOCKS, s/n 81-R

GRANITE SURFACE PLATE TABLE, 48" x 80" x 12"

SCHERR TUMICO OPTICAL COMPARATOR, 14" Dia. Screen, 10-50x Magnification

AIR COMPRESSOR

KAESER BSD 50T AIR COMPRESSOR, s/n 1131, 50 HP, Internal Refrigerated Air Dryer, 250-Gallon Vertical Holding Tank

ORKI IFT

ATERPILLAR T40D LP FORKLIFT, s/n 8EB4252, 4,000-Lb. Capacity, Single Stage, Hard Rubber Tires

ALSO AVAILABLE

ARGE ASSORTMENT OF CAT 50 AND CAT 40 TOOL HOLDERS, th Axis Rotary Tables, End Mills, Carbide Inserts, Tooling, Vidmar all Bearing Tool Cabinets, Machine Parts, Electronics, Drives, Boards, Monitors, and Much More





Presorted First Class Mail **U.S.** Postage PAID Eugene, Oregon Permit No. 17

Featuring: CNC Vertical & Horizontal Machining Centers, CNC Turning, CNC Grinding, Conventional Machine Tools, Tool Room, Fabrication, Welding, Inspection & Facility Support



Sale Closing From: Tuesday, November 12th at 1:00 PM CT Inspection: Monday, November 11th from 8:00 AM to 4:00 PM CT or By Appointment

FACILITY CLOSURE – LEADING MFR. **OF NEW PARTS FOR ENGINES & COMPRESSORS**



HYUNDAI WIA KH63G HORIZONTAL MACHINING CENTER

Featuring: CNC Vertical & Horizontal Machining Centers, CNC Turning, CNC Grinding, Conventional Machine Tools, Tool Room, Fabrication, Welding, Inspection & Facility Support

ONLINE ONLY

FACILITY CLOSURE -LEADING MANUFACTURER **OF NEW PARTS FOR ENGINES & COMPRESSORS**

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 16% for payments made by means of cashier's check or wire transfer within 48 hours of sale close. If paying by company check, a paid in full invoice will be issued upon the check clearing. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranty, express or implied. REMOVAL

All purchased lots must be removed no later than Friday, December 6. Removal hours are Monday through Friday, from 8:00 AM to 4:00 PM CT. Extended hours or weekends may be accommodated with prior appointment. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction. FOR FURTHER INFORMATION

For further information contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com. For accounting and invoicing questions, contact lnesa Dicpetris at +1-847-427-3333 or inesa@perfectionindustrial.com.

In Conjunction With:

View our current auction schedule at www.perfectionindustrial.com

Sale Closing From: Tuesday, November 12th at 1:00 PM CT

Sale Location: 9615 Ball Street, San Antonio, Texas 78217

Inspection:

Online Bidding at

Monday, November 11th from 8:00 AM to 4:00 PM CT or By Appointment



ERFECTION **ndustrial Sales** www.perfectionindustrial.com Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884 www.perfectionindustrial.com

QS-0021951

ph+1-844-478-8181 | SALES@RESELLCNC.COM