

2 SALES

PRIVATE TREATY & AUCTION

2005



H&F PRESS SIDE PROFILE

SALE 1 – PRIVATE TREATY

Hirotec Australia Pty. Ltd



SURPLUS TO CONTINUING OPERATIONS – LEADING SUPPLIER OF AUTOMOTIVE DOORS – FULL FACILITY CLOSURE

Pristine Assets Including –
H&F 1,800-Ton Press Line, Die-Spotting,
FANUC Robots for Welding & Sealing,
Tool Room, Inspection
& Material Handling

2005



REAR DOOR LINE-DUAL STATION HEM PRESS



ASSORTMENT OF FANUC ROBOTS

PLEASE NOTE: ASSETS IN PRODUCTION UNTIL END OF OCTOBER. FINAL CLOSE DATE FOR OFFERS ON PRIVATE TREATY ASSETS MUST BE SUBMITTED BY MONDAY, OCTOBER 2, UNLESS SOLD PREVIOUSLY.

Sale Location: 25 Hewittson Road, Edinburgh North, SA 5113, Australia
Inspection: Strictly By Appointment Only



PERFECTION Industrial Sales

Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Sale is Being Held in Conjunction With:



Slattery

Asset Advisory
Auctions & Valuations

www.slatteryassetadvisory.com.au
+61-418-585-792
msloan@slatteryassetadvisory.com

2005 HITACHI ZOSEN FUKUI TANDEM PRESS LINE

2005 HITACHI ZOSEN FUKUI TANDEM PRESS LINE COMPRISING

DESTACKING FEEDER, 0.6mm–2.3mm Thickness Capacity, One Blank Feed: 3600mm x 1800mm Max. Sheet Size, 800mm x 400mm Min. Sheet Size, 5000kg Stack Weight, 40kg Blank Sheet Weight, Two Blank Feed: 1600mm x 1800mm Max. Size, 800mm x 400mm Min. Size, 2500kg Stack Weight, 20kg Blank Sheet, 400mm Stack Height for Either One or Two Blank Feeds, (2) Stacks, 1550mm Pass Line Height

1) 1,800-TON H&F MFL18000 LINK 4-POINT SINGLE ACTION PRESS, s/n 13163, 900mm Slide Stroke, 10–20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Die Cushion: 32-Ton Capacity, 300mm Stroke, Automatic Die Change System

2) 1,800-TON H&F MFL18000 LINK 4-POINT SINGLE ACTION PRESS, s/n 13163, 900mm Slide Stroke, 10–20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Die Cushion: 32-Ton Capacity, 300mm Stroke, Automatic Die Change System


3) 800-TON H&F MFE8000 CRANKLESS 4-POINT SINGLE ACTION PRESS, s/n 13164, 900mm Slide Stroke, 20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Automatic Die Change System

4) 800-TON H&F MFE8000 CRANKLESS 4-POINT SINGLE ACTION PRESS, s/n 13164, 900mm Slide Stroke, 20 SPM, 700mm Slide Adjustment, 1400mm Die Height, 4000mm x 2500mm Slide and Bolster Area, Counter Balance: 20-Ton Capacity, 900mm Stroke, 700mm Adjustment, Automatic Die Change System

(5) MOTOMAN EP4000 6-AXIS TRANSFER ROBOTS, 200kg Capacity, Yasnac XRC Controller



H&F PRESS SIDE PROFILE



H&F MATERIAL DESTACKING ROBOT TRANSFER



H&F PRESS CROWNS AND WALKWAYS




H&F PRESS SIDE PROFILE



H&F EXIT CONVEYOR AND ROBOT



H&F DESTACKING FEEDER



H&F PRESS CUSHION



H&F ROLLING BOLSTER



H&F ROLLING BOLSTERS

SALE 1 – PRIVATE TREATY

PLEASE NOTE:

ASSETS IN PRODUCTION UNTIL END OF OCTOBER. FINAL CLOSE DATE FOR OFFERS ON PRIVATE TREATY ASSETS MUST BE SUBMITTED BY MONDAY, OCTOBER 2, UNLESS SOLD PREVIOUSLY.

To view videos of the above press line under power, please visit www.perfectionindustrial.com, or email pressline@perfectionindustrial.com for further information, or to arrange an under power inspection of the line.

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374

DIE SPOTTING PRESS, DOOR & HOOD LINES, (47) ROBOTS, MEASUREMENT & LASER MARKING, MATERIAL HANDLING

SALE 1 – PRIVATE TREATY

DIE SPOTTING PRESS

2005 150-TON LIEN CHIEH LDSM-150 DIE SPOTTING PRESS, s/n KHM08531, 1800mm Stroke, 2500mm Daylight, 4200mm x 2500mm Slide and Bolster Area, 60-Ton Raising Capacity, 70mm/sec Down and Up, 5mm/sec Pressing



2005

150-TON LIEN CHIEH LDSM-150 DIE SPOTTING PRESS



2004

5 AVAILABLE

FANUC R-2000iB/165EW ROBOTS



2004

23 AVAILABLE

FANUC R-2000iA/165EW ROBOT



2006

ROFIN DLO28Q CONTROLS



2005

30-TON JON MONOCRANE BRIDGE CRANE



2005

REAR DOOR LINE

DOOR & HOOD LINES – LINES CAN BE SOLD COMPLETE OR BY PIECEMEAL

2005 FRONT DOOR LINE – DUAL STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iA/200EW (Qty 3–2004), Fanuc R-2000iA/165EW (Qty 10–2004), Fanuc M-16iB/20 (Qty 2–2004)

2005 REAR DOOR LINE – DUAL STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R2000iB/210F (Qty 2–2013), Fanuc R-2000iA/200EW (Qty 1–2004), Fanuc R-2000iA/165EW (Qty 7–2004), Fanuc M-16iB/20 (Qty 2–2004)



2005

SINGLE STATION HEM PRESS

2005 HOOD LINE – SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iA/200EW (Qty 1–2004), Fanuc R-2000iB/200EW (Qty 1–2012), Fanuc R-2000iA/165EW (Qty 2–2004), Fanuc M-16iB/20 (Qty 2–2004), Fanuc R2000iB/210F (Qty 2–2012)

2005 DECK LID LINE – SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iB/200EW (Qty 1–2004), Fanuc R-2000iA/200EW (Qty 1–2004), Fanuc R-2000iB/165EW (Qty 4–2004), Fanuc R-2000iA/165EW (Qty 1–2004), Fanuc R-2000iA/165F (Qty 1–2004)

2005 SP LINE – SINGLE STATION HEM PRESS, 2500mm x 2500mm Bed Size Fanuc R-2000iB/200EW (Qty 1–2012), Fanuc R-2000iB/165EW (Qty 1–2007), Fanuc R-2000iA/165EW (Qty 1–2004)

(47) ROBOTS BY MODEL

FANUC R-2000iB/200EW (QTY 3–2012/2004)

FANUC R-2000iA/200EW (QTY 5–2004)

FANUC R-2000iB/165EW (QTY 5–2004)

FANUC R-2000iA/165EW (QTY 23–2004)

FANUC R-2000iA/165F (QTY 1–2004)

FANUC R-2000iB/210F (QTY 4–2013/2012)

FANUC M-16iB/20 (QTY 6–2004)

The above robots are currently associated with the Front, Rear Door, Hood and Deck Lid Assembly and SP Sealing Lines

MEASUREMENT & LASER MARKING

2005 DEA PRIMA C1 40 16 21 COORDINATE MEASURING MACHINE, s/n HM-PRO00026

2006 ROFIN DLO28Q LASER MARKING SYSTEM



2006

ROFIN DLO28Q LASER MARKING CELL



2006

INSIDE ROFIN LASER – MOTOMAN ROBOT



2005

DEA PRIMA C1 40 21 CMM

MATERIAL HANDLING

30-TON JON MONOCRANE BRIDGE TYPE, DOUBLE GIRDER TOP RUNNING CRANE, w/10-Ton Auxiliary Hoist

30-TON JON MONOCRANE BRIDGE TYPE, DOUBLE GIRDER TOP RUNNING CRANE

SALE 2 – AUCTION SALE



2013–2004

GRACO PAINT MIXER

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374



GRACO PAINT MIXERS



2012–2004

FANUC ROBOTS

A selection of the above assets will be sold by Auction if previously unsold by Private Treaty.

GENERAL ASSETS FOR SALE INCLUDE: MACHINE TOOLS, GRACO PAINT MIXERS AND SEALING SYSTEMS, INSPECTION EQUIPMENT, MAINTENANCE DEPARTMENT, FANUC WELDING AND SEALING ROBOTS, ROBOT SPARES, FACILITY SPARES, MOBILE EQUIPMENT AND OFFICE FURNITURE



JLG E400AJP BOOM LIFT

The Auction sale will be conducted by Slattery Asset Advisory. Further information and specifics will be available shortly. Slattery Asset Advisory can be contacted below:

Michael Sloan: msloan@slatteryassetadvisory.com • Mobile: +61-418-585-792



ROMER ABSOLUTE ARM PORTABLE CMM

Sale Closing From: Wednesday, November 29, 2017 at 10:00 AM

Location: 25 Hewittson Road
Edinburgh North, SA 5113, Australia

Inspection: Tuesday, November 28 from 9:00 AM–4:00 PM

PLEASE NOTE: ASSETS IN PRODUCTION UNTIL END OF OCTOBER. FINAL CLOSE DATE FOR OFFERS ON PRIVATE TREATY ASSETS MUST BE SUBMITTED BY MONDAY, OCTOBER 2, UNLESS SOLD PREVIOUSLY.



PERFECTION Industrial Sales

Perfection Industrial Sales
ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com

Sale is Being Held in Conjunction With:

Slattery
Asset Advisory
Auctions & Valuations

www.slatteryassetadvisory.com.au
+61-418-585-792
msloan@slatteryassetadvisory.com