

ONLINE AUCTION

Manufacturer of Mining & Construction Accessory Tools

Surplus to
the continuing
operations of:

**Brunner
& Lay**

9300 King Street
Franklin Park, IL 60131

BID
ONLINE
ONLY



BID ONLINE: Tues. December 11 thru Thurs. December 13

INSPECTION: Wednesday, December 12, 2012 9:00 am - 4:00 pm CST

**CNC Turning Centers • CNC Vertical Machining Center • Vertical Broach • Tumblast
Bar Shear • Pneumatic Forging Hammer • Induction Hardening & Heat Treat Equipment
Hydraulic Press • Automatic Band Saw • Lathes • Hydraulic Planer • Hydro-Tels & Mills
Hack Saw • Grinders • Air Compressors • Forklifts • Bridge Cranes • Misc. Equipment**



(2) Available



18% Buyer's Premium Applies



3100 Dundee Rd., Suite 915 Northbrook, IL 60062
224.927.5300 www.pplauction.com



3901 Kraus Lane Hamilton, OH 45014
513.738.3311 www.myronbowling.com



847.427.3333 perfectionindustrial.com

2550 Arthur Avenue
Elk Grove Village, IL
60007



(2) Available



Bar Shear



CNC TURNING CENTERS • CNC VERTICAL MACHINING CENTER

Mori Seiki 4-Axis CNC Turning Center Model ZL-45B, S/N 9, 20" 3-Jaw Hydraulic Chuck, 28" Max. Swing, 59" Centers, 4" Dia. Spindle Bore, 12 Position Upper Turret, 10 Position Lower Tool Turret, Hyd. Roller Turn-Thru Steady, Hyd. Tailstock, Coolant, Chip Conveyor, Fanuc 11TTF Control

Oerlikon Boehringer CNC Turning Center Model VDF400CU, S/N 115.5046-25, 15" 3-Jaw Hydraulic Chuck, 26" Max. Swing, 118" Centers, 9 Position Turret, Hydraulic Roller Turn-Thru Steady Rest, Hydraulic Tailstock, Coolant, Chip Conveyor, Touchpad CNC Control

(2) Mazak Slant Turn CNC Turning Centers Model 35-ATC M/C, S/Ns 80808, 81776 (1989), (1) with 12" & (1) with 15" 3-Jaw Chuck, Tool Eye, 20" Max. Swing, 39.3" Centers, 3" Dia. Spindle Bore, 16 Position Tool Changer, Hyd. Tailstock, Coolant, Chip Conveyor, Mazatrol Cam T-3 Control

Okuma 4-Axis Simulturn CNC Turning Center Model LC40, S/N 6201-1386, 15" 3-Jaw Chuck, 24" Max. Swing, 50" Centers, 12 Position Top & 8 Position Bottom Tool Turrets, Hydraulic Tailstock, Chip Conveyor, Coolant, Okuma OSP5000L-G Control

Okuma 4-Axis Simulturn CNC Turning Center Model LC30, S/N 1337, 12" 3-Jaw Chuck, 22" Max. Swing, 39.3" Centers, 2.5" Dia. Spindle Bore, 12 Position Upper & 8 Position Lower Tool Turrets, Hydraulic Tailstock, Chip Conveyor, Coolant, Okuma OSP5000LG Control (*needs repair)

Okuma CNC Turning Center Model LC30, S/N 0926, 10" 3-Jaw Chuck, 22" Max. Swing, 39.3" Centers, 2.5" Dia. Spindle Bore, 12 Position Turret, Hydraulic Tailstock, Okuma OSR-20 Loading Robot, Chip Conveyor, Coolant, Okuma OSP5000L Control (*needs repair)

Mori Seiki CNC Turning Center Model AL2-BTM, S/N 166, Collet Nose, 8 Pos. Turret, Hyd. Tailstock, Chip Conv., Coolant, Yasnac Touchpad Cntrl.

Assorted Turning Center Tooling

Okuma CNC VMC Model MC4-VA, S/N 6203-0770, (2) 15" x 27.5" Pallets w/Changer, 20 ATC, 30" Throat, Coolant, OSP5000M-G Control (*needs repair)

VERTICAL BROACH • TUMBLAST • BAR SHEAR • PNEUMATIC FORGING HAMMER

LaPoint 15 Ton Vert. Hyd. Broach Model 15-90SRVSPEC, S/N 52338, 90" Stroke, (2) Pneumatic Clamping Fixtures, 30 HP Hyd. Pump, Chip Conveyor

(2) Spare Hydraulic Pumps

Pangborn Carborundum 48" Dia. x 42" Steel Belt Tumbblast Cleaning Machine Model GN-3M, S/N 12GN-3M-793, Skip Loader, Pneumatic Door, Shot Elevator, Shot Wheel, Carborundum 400-CN-2 Dust Collector • **Carborundum Model 400-CN-2 Dust Collector**

Buffalo Mechanical Bar Shear Model 10BS, S/N 51Y-8894, Adjustable Stock Stop, Air Clutch, Lube System, 15' 10-Power Hour Glass Roll Bar Feed Conveyor with AC Motor Driven Gear Box Drive & Gravity Feed Table

Chambersburg 1000 lb. Pneumatic Forging Hammer Model 10-H, S/N 3550S-2, 14" (est.) Stroke, 26" Throat, 8" x 24" Bed, 7.5" x 15.25" x 28.5" High

INDUCTION HARDENING EQUIPMENT • HEAT TREAT EQUIPMENT

Westinghouse 1000 Cycle 800 Volt Induction Heating System Model MFC-1, MFO-3, MG, S/N M14686 D.L.7506157G01(1966), with 450 HP 3/60/440 – 300 KVA 1/960/800 MG Set, No Coil

Tocco Meltmaster Induction Heater Model 0L-107-2, S/N K4-4228-12, with MG Set Style 175H003C, S/N Z317503-A1, 3570 RPM – 3/60/440 – 355 Amp Induction Motor, 175 kw – 1/1000/800 – 7.5 Amp Alternator, No Coil, Cooling Water Tank with Pump

Tocco Induction Heater Model 2CS1-1, S/N B24476-03A, with MG Set, Coil & Capacitors Missing

(2) Baltimore Aircoil Cooling Towers Models F1732-J0046001 & VXI18-3M, with Pump & Fans

Johnson Gas Fired Pot No. 541A, S/N 6-2000-KA, 338,000 BTU/hr., 30" x 41" Opening, with Crucible

Barkling Gas Fired Salt Pot No. GFH-675, Type RPL-320, S/N 4263, 22" x 44" Opening

Barkling Gas Fired Lead Pot No. RPH 360, Type RFCT, S/N 4206, 17" x 41" Opening, with Crucible • (2) Assorted 10 HP & 5 HP Blowers



HYDRAULIC PRESS • AUTOMATIC BAND SAW • LATHES • HYDRAULIC PLANER

Denison 25 Ton C-Frame Hyd. Straightening Press Type DLAC2, S/N 3028-41, 17.5" x 35.5" Manual Travel Bed w/Straightening Supports, 10" Throat

Marvel 16" x 20" Automatic Horizontal Band Saw Series 15A7/MB/M10, S/N F-151858-W, Power Clamping, 24" Power Stroker, Power Feed, Coolant, Roller Feed Table, Operator's Control Pedestal

BID ONLINE AT  **BidSpotter.com**

Monarch 24" x 54" Geared Head Hydraulic Tracer Engine Lathe Model 131, S/N 4-1504, 14 - 1750 RPM, 15" 3-Jaw Chuck, Carriage with Cross Slide, Taper Attachment, Threading, Tailstock, Coolant, Hydraulic Tracer, Pan Bed

Boehringer Goppingen VDF 19" x 46" Tracer Lathe, S/N 1925-6813-06, 67 - 850 RPM, 14" & 12" 3-Jaw Double Chuck, Carriage with Cross Slide & Hydraulic Tracer, Tracer Bar with Shaft Driven Rotating Chuck, Tailstock, Coolant, Pan Bed

Leblond 16" x 48" Engine Lathe, 20 - 425 RPM, 12" 3-Jaw Chuck, Carriage with Cross Slide, Threading, Taper Attachment, Tailstock, Pan Bed

Lodge & Shipley 20" x 132" Geared Head Lathe, Converted for Shaft Threading through the Spindle

Rockford 36" x 90" x 36" Open Side Hyd. Planer, S/N 1030G-63, 32" x 90" Work Table, Univ. Rail & Right Side Heads, 20 HP Remote Hydraulics

HYDRO-TELS & MILL • HACK SAW • GRINDERS • AIR COMPRESSORS

Cincinnati Vertical Tracer Hydro-Tel, S/N 1H1V1J-127, 28" x 96" Work Table, 52 - 1300 RPM, 16" Swivel Vise, Coolant, Hyd. Tracer, Hand Controls

Cincinnati Vertical Tracer Hydro-Tel, S/N 3H1V5C-36, 16" x 58" Work Table, 33 - 1500 RPM, 13" Vise, 16" x 26" Sub-Table, Hyd. Tracer, Hand Controls

Cincinnati Vert. Mill No. 3, S/N 4A3V1L-359, 18 - 1300 RPM, 15" x 62" Table, Coolant • **Marvel Power Hack Saw Model 8A**, Manual Clamp, Coolant

Cincinnati Tool & Cutter Grinder No. 2, S/N 1D2T1W-2094, 5.5" x 36" Work Table • **K.O. Lee Tool & Cutter Grinder Model B-600-12-49**, S/N 3067

Hammond 20" 20 HP Heavy Duty Double End Snag Grinder, S/N 8093 • **(5) Heavy Duty Single End or Double End Snag Grinders - 20", 12", 10"**

(3) Assorted Single & Double End Snag Grinders • (2) Hammond Self Contained Dust Collectors

(2) Atlas Copco 350 CFM Portable Diesel Air Compressors Model XAS350GD, S/Ns ARP866669, ARP866670, Detroit Diesel 71 Power, 7 Bar Max WP

Gardner Denver 20 HP 2-Stage Horizontal Tank Mounted Reciprocating Air Compressor, S/N 515085

Ajax-Air 10 HP 2-Stage Horiz. Tank Mounted Reciprocating Air Compressor, S/N 527026 • **Kargard 48" Dia. x 14' Vertical Air Receiver Tank**

FORKLIFTS • BRIDGE CRANES • MISC. EQUIPMENT

Caterpillar Towmotor 20,000 lb. Diesel Yard Forklift Model L200, S/N 20U66, Pneumatic Tires, Dual Fronts, Disabled Mast Swing, Tilt Forks, 168" Lift of 2-Stage Mast, 13' (est.) Height Mast Down

Caterpillar 7000 lb. LP Forklift Model T70D, S/N 5KB03668, Solid Tires, Overhead Guard, 178" Lift of 3-Stage Mast, Side Shift

Caterpillar 6000 lb. LP Forklift Model TC60C, S/N 372745, Solid Tires, Overhead Guard, Low 2-Stage Mast

(2) Caterpillar 5000 lb. LP Forklifts Model GC25, Solid Tires, Overhead Guard, (1) 189" Lift of 3-Stage Mast & (1) 130" Lift of 2-Stage Mast

(2) P&H 5 Ton Twin Girder Top Running Overhead Bridge Cranes, S/Ns CD-31017BB, CH19263B, Cable Hoist, Pendant Cntrl., 57' 2" Span & 47.6' Span

Northern 3 Ton Triple Girder Top Running Overhead Bridge Crane, S/N 12558, Cable Hoist, Pendant Control, 47.6' Span

Northern 10 Ton Triple Girder Top Running Overhead Bridge Crane, Cable Hoist, Drum Control, 57' 2" Span

Hanson Whitney 8" x 18" Thread Mill • Oster Bench Top Powermatic Power Chuck • Rod Pointer • Famco No. 4 Bench Top Arbor Press

Cressex 30 Ton OBI Press Model M (as is) • Sundstrand Single End Centering Machine, S/N 50-458 • **(2) Lipe Rollway Magazine Load Bar Feeds**

1000 Gallon Double Wall Off Road Diesel Fuel Tank, with Fuel, No Pump • **Jenny Kerosene Fired Portable Pressure Washer Model 760**





3100 Dundee Road, Suite 915
Northbrook, Illinois 60062

www.pplauction.com

LARGE RARE EQUIPMENT



ONLINE AUCTION

Surplus to
the continuing
operations of:

**Brunner
& Lay**

9300 King Street
Franklin Park, IL 60131

BID ONLINE: Tues. December 11 thru Thurs. December 13

INSPECTION: Wed., December 12th 9:00 am - 4:00 pm CST



INDUSTRIAL
AUCTIONEERS
ASSOCIATION



Machinery Dealers
National Association

PRESORTED
FIRST-CLASS MAIL
U.S. POSTAGE
PAID
Brainerd, MN
Permit No. 472

**ATTENTION: PLANT MANAGER
OR MACHINERY BUYER**

ONLINE AUCTION

Surplus to the continuing operations of: **Brunner & Lay**

BID ONLINE: Tues. Dec. 11 thru Thurs. Dec. 13

INSPECTION: Wed. December 12 9:00 am - 4:00 pm CST

Auction Terms & Conditions

REGISTRATION & BIDDING: Everything will be sold to the highest bidders for cash, in accordance with the auctioneer's normal "Terms of Sale", which are available at the site or by request at 224-927-5300. All bids are in US dollars. An 18% Buyer's Premium will be added to online bids.

Your bid is a contract: Place a bid only if you're serious about buying the item. If you are the high bidder, you will enter into a legally binding contract with PPL Auction.

PAYMENT: All successful Bidders agree to make full payment to PPL Auction at the conclusion of the sale. Only Bank Wire Transfer, Bank Check or Cashier's Check payable to PPL Auction will be accepted. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. If you are using a wire transfer your bank may wire the funds the day after the sale. All sales are subject to sales and/or local taxes unless a signed exemption form is presented at the time of the purchase. Payment will be made in US dollars only.

VERIFY DESCRIPTIONS: Note: Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information contained in the auction brochure, lot catalog or sale web pages.

Buyer agrees to accept assets purchased per standard auction terms, "AS IS, WHERE IS, WITH ALL FAULTS" WITHOUT ANY REPRESENTATION OR WARRANTY BY PPL AUCTION OR ANY OTHER PERSON. THERE ARE NO EXPRESSED OR IMPLIED REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ASSETS INCLUDING, WITHOUT LIMITATION, ANY REPRESENTATION OR WARRANTY REGARDING THE MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

REMOVAL & RIGGING: Removal and Rigging is the responsibility of the buyer. Anyone, either a buyer or a rigger, who uses a powered vehicle to remove anything from the auction site, will be required to present a certificate of insurance. Removal may begin when the auction has completed and payment in full has been made.

ISSUANCE OF TITLE: Titles relative to titled assets purchased will be mailed to the purchaser's address on file after payment is received and cleared.

All invoices must be paid in full at end of auction. Any merchandise not paid for at this time will be considered abandoned and may be resold by auctioneer, any loss incurred in the resale to be borne by the original buyer.

ONLINE BIDDING ONLY

Place Your Bids at



ON-LINE BIDS SUBJECT TO 18% BUYER'S PREMIUM

Scan
with
your
phone
to link
to our
website



3100 Dundee Rd., Suite 915 Northbrook, IL 60062
224.927.5300 www.pplauction.com



3901 Kraus Lane Hamilton, OH 45014
513.738.3311 www.myronbowling.com



847.427.3333 perfectionindustrial.com

2550 Arthur Avenue
Elk Grove Village, IL
60007