

Hilco Asset Sales Canada



WEBCAST/ONSITE AUCTION

Electro-Motive Diesel is owned by Progress Rail Services, A Caterpillar Company



Fabricating • Shotblasting • Heat Treat Machine Tools • Material Handling Plant Support Equipment



**Thursday, December 6th • Beginning at 10am Local Time
London, Ontario, CANADA**



Sale is being held in conjunction with

**PERFECTION
Industrial Sales**

2550 Arthur Ave. • Elk Grove Village, IL 60007
Ph: 847-427-3333 • Fx: 847-427-8884

www.perfectionindustrial.com

Hilco Asset Sales Canada

Auctioneers • Liquidators • Appraisers

24 The East Mall, Suite 14
Etobicoke, Ontario M8W 4W5, Canada
Ph: 416-252-1955 • Fx: 416-251-1955

www.hilcocanada.com

HILCO ASSET SALES CANADA WEBCAST/ONSITE AUCTION

Electro-Motive Diesel is owned by Progress Rail Services,
A Caterpillar Company



AUCTION DATE

THURSDAY, DECEMBER 6TH
BEGINNING AT 10AM LOCAL TIME

PREVIEW DATE

WEDNESDAY, DECEMBER 5TH
9AM TO 4PM LOCAL TIME

TO SCHEDULE AN APPOINTMENT, PLEASE
CONTACT JOHN BOPP AT 708-606-3240, EMAIL
JOHN@PERFECTIONINDUSTRIAL.COM OR ODD KNUDSEN AT
647-991-6905, EMAIL OKNUDSEN@HILCOCANADA.COM

AUCTION & PREVIEW LOCATION

2021 OXFORD STREET EAST
LONDON, ONTARIO, CANADA N5V 2Z7

DIRECTIONS

FROM HWY. 401: FROM HWY. 401, EXIT AT VETERAN'S MEMORIAL PARKWAY AND TRAVEL NORTH (APPROX. 8-9 KM.) UNTIL YOU REACH OXFORD STREET. AT OXFORD ST., TURN LEFT. GO THROUGH 2 SETS OF TRAFFIC LIGHTS. THE DRIVEWAY ENTRANCE TO THE OFFICE/PLANT IS ON THE LEFT JUST PAST THE 2ND SET OF LIGHTS. THERE IS AN "ELECTRO-MOTIVE" SIGN ON THE FACE OF THE BUILDING AND VISITORS PARKING AT THE FRONT OF THE BUILDING.

FURTHER INFORMATION

- A 15% BUYER'S PREMIUM WILL BE CHARGED ON ALL ONSITE SALES. AN 18% BUYER'S PREMIUM WILL BE CHARGED ON ALL BIDSPOTTER SALES. AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING CANADIAN CURRENCY ONLY.
- REMOVAL DEADLINE IS DECEMBER 21 WITH HOURS OF REMOVAL BETWEEN 8AM TO 4PM MONDAY THRU FRIDAY. BUYERS WITH ITEMS LEFT ON SITE AFTER DEADLINE ARE SUBJECT TO FINES OF \$500 PER DAY.
- FOR FURTHER INFORMATION ON MACHINERY & EQUIPMENT, PLEASE CONTACT JOHN BOPP AT 708-606-3240, EMAIL JOHN@PERFECTIONINDUSTRIAL.COM OR ODD KNUDSEN AT 647-991-6905, EMAIL OKNUDSEN@HILCOCANADA.COM
- FOR PAYMENTS PLEASE CONTACT FRANCA GUIDA AT 416-252-1955, EMAIL FGUIDA@HILCOCANADA.COM
- FOR CUSTOMER SERVICE, PLEASE CONTACT FRANCA GUIDA AT 416-252-1955, EMAIL FGUIDA@HILCOCANADA.COM

Information contained herein deemed to be accurate at time of printing and subject to change. For updated information, please visit our website at www.hilcoind.com for any date, sale process, terms and conditions and list of available assets.

VERTICAL MACHINING CENTER

**SUPERMAX YCM V116B VERTICAL
MACHINING CENTER, S/N 002418,**
(24) Station Tool Changer, 24" x 47" Table,
With Fanuc Series 18-M CNC Controller
3/60/220, 45 KVA, Chip Conveyor



The Auction Will Be
Conducted
Onsite & Online at
www.bidspotter.com

2 To schedule an auction, please call Hilco Asset Sales Canada, LLC at 416-252-1955

VERTICAL MACHINING CENTER • PLASMA CUTTING SYSTEMS




PLASMA CUTTING SYSTEMS

- 1 – **MESSER M10X34.60 THE SLAGGER (5) HEAD PLASMA CUTTING SYSTEM**, S/N T-1230 470007166; 120" X 34' Table Size, Messer Touch Screen CNC Controller; Touch Cutting Table Model Titan, 1/60/230, Natural Gas, 28 PSI Max (Static) 53 SCFH Max Input Per Head, 35 SCFH Min Input Per Head, 15 PSIG (Min) Manifold Pressure, 20 PSIG Max Manifold Pressure, 212,000 BTU Total Input, S/N TITAN8/8LP-07-4951, Cedes Safety Curtains, Hypertherm Model HPR 260 Hyperformance Plasma Electric Power Source, Side Mounted Cat Walk & Related Support Equipment
- 1 – **KOMATSU KCR-12714 FINE PLASMA CUTTING SYSTEM**, S/N 5374, (1998), Single Head Controls, 84" x 170" Table, XYCom Pro Face CNC Touch Screen Controller, Gas Controller, 2 Shuttle Tables



CNC TURRET PUNCHES • FABRICATING • PRESS BRAKES • SHEARS



CNC TURRET PUNCHES

- 1 - WARNER SWASEY W-4560 45 TON TURRET PUNCH, S/N 75918, Type Wiedematic Mach II, (60) Stations, Controller, 3/50/480 Volts
- 1 - WARNER SWASEY W-4560 45 TON TURRET PUNCH, S/N 321, Type Wiedematic Mach II, (60) Stations, GE Fanuc Series O-P CNC Controller, Chip Conveyor, 3/50/480 Volts

FABRICATING

- 1 - PEDDINGHAUS 210/25 MECHANICAL IRONWORKER, S/N FG114, 7" x 7" x 5/8" L Capacity
- 1 - SMT-PULLMAX X93 BEVELLER, S/N 70000-39

CNC PRESS BRAKES


- 1 - SMT-PULLMAX EKP-CNC 640 CNC HYDRAULIC POWERED PRESS BRAKE, S/N 3346, 640 Ton Capacity, 24' Overall Bed Length, 242" Between Columns, 62 Ms Stop Time, 31.5 Mpa Max Working Pressure, 100 mm Guard Distance Protection, Beckhoff CNC Controller w/ 2 Axis CNC Auto Back Gauge, 3/60/460 Volts, 87 Amps, 54 KW, 72 HP on Main Motor, 51,000 Kg Total Weight of Machine
- 1 - SMT-PULLMAX EKP-CNC 400 CNC HYDRAULIC POWERED PRESS BRAKE, S/N 3345, 400 Ton Capacity, 15' Overall Bed Length, 170" Between Columns, 67 Ms Stop Time, 32.5 Mpa Working Pressure, 110 MM Guard Distance, with Beckhoff CNC Controller W/ 2-Axis CNC Auto Back Gauge, Safety Curtain; 3/60/460 Volts, 58 Amp, 36 KW, 48 HP on Main Motor, 26,500 Kg Weight of Machine
- 1 - WYSONG PHP 175-120 HYDRAULIC POWERED PRESS BRAKE, S/N HPB59-102-X, 175 Ton Capacity, 120" Overall Bed Length, 102" Between Columns, Wysong Proform 5 Axis CNC Auto Back Gauge, Floor Mounted, 3/60/460 Volts, 24.8 AMPS Full Load Current, 35 Amps Disconnect Rating



SHEARS

- 1 - WYSONG H-5012 HYDRAULIC POWERED SHEAR, S/N H7-107, 1/2" Capacity, 12' Long Bed, Powered Feed Table, Auto Back Gauge, Wysong PC100 Digital Read Out Controller, 3/60/480
- 1 - BROWN BOGGS 48" WIDE PNEUMATIC POWERED SHEAR





DRILLS

- 1 - CARLTON 6' ARM- 19" COLUMN RADIAL ARM DRILL PRESS, S/N N/A, 36" x 50" Drilling Table
- 1 - AVEY FLOOR TYPE DRILL PRESS, S/N MA13071
- 2 - AVEY SIZE 2 TYPE B FLOOR TYPE DRILL PRESSES, S/Ns 30234-1, 68316
- 1 - NU-WAY DP-925GAD FLOOR TYPE DRILL PRESS, S/N F0603042, 2 HP
- 1 - ASQUITH 5' PORTABLE RADIAL ARM DRILL PRESS
- 1 - BUFFALO 18 THREE HEAD DRILLING STATION
- 1 - EDLUND 2F12 FOUR HEAD GANG DRILL, S/N 68316

TOOL GRINDERS

- 1 - EX-CELLO DOUBLE SIDED CARBIDE TOOL GRINDER
- 1 - ROYAL OAK R-0 GRINDER, S/N 770
- 1 - VTD CARBIDE TOOL GRINDER
- 1 - GENERAL 15-870MI DOUBLE POWERED BENCH GRINDER
- 1 - EX-CELLO DOUBLE SIDED DISC TOOL GRINDER
- 1 - HANSMONT ABRASIVE BELT GRINDER, 9" Wide Belt

LATHE

- 1 - DEAN SMITH & GRACE 30" x 84" C.C ENGINE LATHE, S/N 36512,
Allen Bradley Panelview 300 Digital Readout Controller

WOODWORKING EQUIPMENT

- 1 - WADKIN JTA1356 24" CAPACITY DISC SANDER, S/N 8817
- 1 - MAKITA CUT-OFF SAW, Dust Collector

QUANTITY OF DELTA DISC & BELT SANDERS



WELDING • THREADERS • ANNEALING OVEN • SHOT BLAST

WELDING

- 1 – POW CON 300SS PLASMA CUTTER
- 1 – LINCOLN PRO-CUT 80 PLASMA CUTTER, Mounted On Cart
- 1 – MILLER ELECTRIC POWERED WELDER, Miller 70 Series, w/ Feeder on Cart
- 1 – MILLER SYNCOWAVE 500 AC/DC ELECTRIC POWERED WELDER
- 1 – MILLER DELTA WELD 452 ELECTRIC POWERED WELDER, Miller Series 70 Wire Feeder on Cart
- 1 – MILLER DELTA WELD 302 ELECTRIC POWERED WELDER, with Miller S-60 w/ Feeder on Cart
- 1 – LINCOLN SQUARE WAVE TIG-355 ELECTRIC POWERED WELDER, Mounted On Cart
- 1 – MILLER DYNASTY 350 TUG WELDER on Cart
- 2 – MILLER LOAD BANK SYSTEMS, Digital Read Out



THREADERS

- 1 – TOLEDO 1 2 4 SINGLE HEAD THREADING MACHINE, S/N 501051
- 1 – LANDIS SINGLE HEAD THREADING MACHINE, S/N 1-L121

**Please Visit www.hilcoind.com
For Complete Lot Catalog**

ANNEALING OVEN

- 1 – CANEFRO CAR TYPE NATURAL GAS STRESS ANNEALING OVEN, S/N C5161F1, 126" Wide 117" Vertical, 16' Long, 12,000 Lb. Capacity, 1,200° Fahrenheit, 7 Million BTU, Senfe A-A Controller, 3-60/460

SHOT BLAST

- 1 – WHEELABRATOR PLATE CLEANING SYSTEM, with In Feed Roller Top Conveyor, Blasting System, (2) Cross Belt Cleaners, (4) 50 HP Slingers, 10' Wide Capacity, 10' x 60' Long Roller Top Out Feed Powered Conveyor, Plate Capacity to 120" x 5", Used for 3" Plate
- 1 – 12" x 32" OPENING TUMBLER, Electric Motor & Reducer, 6' x 8' Enclosure



PAINT BOOTHS

- 1 – PAINT BOOTH 18' x 100' Long Paint & Prep Booths c/w Double Sided Lifting 1000 Lb Capacity Cat Walks, Air Line Reels, Roll Up Doors
- 2 – PAINT BOOTHS, 18' x 100' Long Paint & Prep Booths c/w Double Sided Lifting 1000 Lb Capacity Cat Walks, Air Line Reels, Roll Up Doors, Double Section Monorail, Overhead Rail

QUANTITY OF MISCELLANEOUS PAINT EQUIPMENT Including Contents of Paint Mixing Area, Paint Line Sprayers, Paint Pots



CRANES • MATERIAL HANDLING • PLANT SUPPORT EQUIPMENT

DUST COLLECTORS

- 1 – TORIT VS1200 DUST COLLECTOR, S/N 1G398175, 3/60, 3600 RPM, 208/460
- 1 – DUST COLLECTOR SYSTEM
- 2 – MURPHY DUST COLLECTORS
- 1 – TORIT DUST COLLECTOR

OVERHEAD BRIDGE CRANES

- 1 – KONE 4-TON OVERHEAD CRANE, 50' Span
- 2 – RICHARD WILCOX 4-TON OVERHEAD CRANES, 45' Span
- 1 – KONE 3-TON OVERHEAD CRANE, 45' Span

SHUNT TRUCK

- 1 – OTTAWA 30 SINGLE AXLE SHUNT TRUCK, S/N 307287

MATERIAL HANDLING & WAREHOUSE

- 1 – TAYLOR DUNN SS534 ELECTRIC POWERED RIDE-IN CART, S/N 151688
 - 1 – TAYLOR DUNN ELECTRIC POWERED SHOP TRANSPORTER TRUCK
 - 1 – NORDSKOG 262D ELECTRIC POWERED SHOP TRUCK, S/N 205871
 - 1 – TAYLOR DUNN HUSKEY T/D ELECTRIC POWERED SHOP TRUCK
 - 1 – MOTREC E-242 ELECTRIC POWERED THREE WHEELED SHOP CART, S/N 1041275
 - 1 – RAMPMASTER AMY-20-63-30 ALUMINUM PORTABLE YARD TRUCK LOADING RAMP, S/N 67159, 20,000 Lb Capacity
 - 1 – ANVER VACUUM LIFTER 2000 Lb Capacity
- QUANTITY OF MATERIAL HANDLING ACCESSORIES Including** Die Lifter, Lifting Magnets, Lifting Chains, Slings, Etc.



PLANT SUPPORT

- 1 – HANNIFINN HYDRAULIC POWERED FORCING PRESS, 75 Ton Capacity
- 1 – GARDWELD/DENVER FBM99F AIR COMPRESSOR, S/N 5008986 (1998), 60 HP
- 1 – JORDAIN COMPRESSOR SYSTEM, Controller
- 1 – MESSER DEBURRING TABLE, S/N 503, 50,000Lb 96" x 150", 10,750 Lb Weight of Table
- 2 – HOTSY PRESSURE WASHERS
- 3 – (2) FISHER, (1) GULLCO ROD STORAGE OVENS
- 1 – CUSTOM BUILT (2) 30" x 28" Long Compartment Heat Cleaning Tank
- 1 – TOLEDO PLATFORM SCALE
- 1 – MURPHY SMOKE EXTRACTOR, 3/60/480, 10.5 HP
- 1 – HOFFMAN T2B05 ELECTRIC POWERED VACUUM SYSTEM, Mounted On Cart
- 1 – DASCOOL PORTABLE LUBRICATION CART
- 1 – PORTABLE OIL CART
- 1 – HI-TECH AUTO FUEL MAKER
- 1 – TORIT EXHAUST SYSTEM
- 1 – CUSTOM BUILT SILO
- 30 – FLAT DECK RAILWAY CARS

VARIETY OF MISCELLANEOUS INSPECTION AVAILABLE

LARGE QUANTITY OF PLANT SUPPORT EQUIPMENT Including "C" Clamps, Plate Clamps, Fans, Steel Bending Machines, Shackles, Spare Electric Motors, Hose Reels, Exhaust Units, Vise Grips, Tool Chests, Pumps, Impact Wrenches, Pneumatic Grinders, (45) Drums Of Oil

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

Headquarters

31555 W. Fourteen Mile Road, Suite 207
Farmington Hills, MI 48334
Ph: 877-37-HILCO (44526)
Fx: 248.254.9995
www.hilcoind.com

Forwarding Service Requested

Presorted
First Class Mail
U.S. Postage
PAID
Detroit, Mich.
Permit No. 2655

Hilco Asset Sales Canada



WEBCAST/ONSITE AUCTION

Electro-Motive Diesel is owned by Progress Rail Services, A Caterpillar Company



**Fabricating • Shotblasting • Heat Treat
Machine Tools • Material Handling
Plant Support Equipment**



**Thursday, December 6th • Beginning at 10am Local Time
London, Ontario, CANADA**

Terms of Sale

A 15% buyer's premium will be charged for all onsite sales. An 18% buyer's premium will be charged for all Bidspotter sales. Everything will be sold to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items will be sold "as is, where-is" without any warranties, express or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale. For updated information, please visit our website at www.hilcoind.com for any date, sale process, terms and conditions and list of available assets.

Payment: ALL PURCHASES MUST BE PAID IN FULL ON THE DAY OF THE AUCTION. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of total purchases is made on the day of the sale. Contact our office for wire transfer instructions. Only cash, wire transfer or certified cheque, payable to Hilco Asset Sales Canada will be accepted. Company cheques payable to Hilco Asset Sales Canada will be accepted only if accompanied by a bank letter of guarantee and certified, (see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

Sample Bank Letter

Bank Name) unconditionally guarantees payment to Hilco Asset Sales Canada from (Company Name). This guarantee will be valid for purchases made at the Auction of Electro-Motive Diesel on December 6, 2012.



Follow Us on:

