

ONLINE AUCTION SALE

Equipment Formerly Used by Progressive Stamping, LLC

Over 250 Lots - Minster & Oak High Speed Presses, Servo Feeds, Coil Equipment, Tool Room, Material Handling & Plant Support Equipment

Sale Close Date: Wednesday, April 6th from 2:00 PM Eastern

Sale Location: 2807 Samoset, Royal Oak, MI 48073

HIGH SPEED STRAIGHT-SIDE PRESSES

200 Ton Minster PM3-200-60 High Speed Press, S/N. PM3-200-25202 (1984); 550 SPM; 1.5" Stroke; 3" Adjustment; 21.88" Shut Height; 25" x 62" Bolster; 25" x 62" Ram; 19" x 20" Windows

200 Ton Minster PM2-200-54 High Speed Press, S/N. PM2-200-23378 (1977); 500 SPM; 2" Stroke; 3" Adjustment; 26" Shut Height; 39" x 54" Bolster; 24" x 45" Ram; 19" x 60" Windows

200 Ton Minster P2-200-48 High Speed Press, S/N. P2-200-27181 (1990); 250 SPM; 3" Stroke; 3" Adjustment; 24" Shut Height; 48" x 44" Bolster; 25" x 42.5" Ram; 18' x 23' Windows

200 Ton Minster P2-200-48 High Speed Press, S/N. P2-200-26256; 300 SPM; 2" Stroke; 6" Adjustment; 28" Shut Height; 44" x 48" Bolster; 25' x 40" Ram; 19' x 22" Windows

200 Ton Minster P2-200-48 High Speed Press, S/N. P2-200-23696 (1978); 300 SPM; 2" Stroke; 6" Adjustment; 26" Shut Height; 44" x 48" Bolster; 25" x 42" Ram; 19" x 22" Windows

200 Ton Minster P2-200-48, S/N. P2-200-22955 (1977); 200 SPM; 3" Stroke; 6" Adjustment; 26" Shut Height; 44" x 48" Bolster; 25" x 42" Ram; 19" x 22" Windows

150 Ton Oak Straight Side Press; S/N. L72 HSS 150-955; 80-225 SPM; 4" Stroke; 24"-28" Shut Height; 48" x 72" Bolster; 35" x 72" Ram; 36" x 40" Windows

100 Ton Minster P2-100-48 High Speed Press, S/N. P2-100-23260 (1977); 300 SPM; 2" Stroke; 4" Adjustment; 21" Shut Height; 31' x 48" Bolster; 18" x 43" Ram; 14" x 16" Windows

100 Ton Minster P2-100-42 High Speed Press, S/N. P2-100-23695 (1977); 300 SPM; 2' Stroke; 4" Adjustment; 23" Shut Height; 31" x 42" Bolster; 18" x 37" Ram; 16" x 20" Windows

Most of the above presses are complemented with Servo Feeds

OBI PRESSES

125 Ton Federal No. 10 Press, 60 SPM; 4" Stroke; 3" Adjustment; 28" x 40" Bolster; 17" x 33 Ram; 19.5" Die Space; with 12" Max Width Air Feed

75 Ton Minster 7 OBI Flywheel Press, S/N. 7-SS-25160; 110-220 SPM; 4" Stroke; 3.75" Adjustment; 21" Shut Height; 24" x 36" Bolster; 17" x 30" Ram

60 Ton Minster 6 OBI Flywheel Press, S/N. 6-SS-26069; 90-180 SPM; 4" Stroke; 2.75" Adjustment; 16" Shut Height; 21" x 32" Bolster; 14" x 24" Bolster; with Dallas D-200 2P Air Feed; 8" Max Width

COIL EQUIPMENT

6,000 LB Littel Auto Centering Double Reel, S/N. 9431700; 6,000 LB Max Coil Weight; 18" Max Coil Width; 60" Max OD; 15-20 ID Range

6,000 LB Littell Auto Centering Reel, S/N. 9431700; 6,000 LB Max Coil Weight; 18" Max Coil Width; 15"-20" Min Coil OD; 60" Max Coil OD

5,000 LB CWP Dual Stock Reel, S/N. CWP500018DP16608; 5,000 LB Max Coil Weight; 18" Max. Width; 18" Minimum ID; 22" Max ID; 60" Max OD

AIR COMPRESSORS

125 HP Ingersoll Rand SSR-EP125 Air Compressor, S/N. F35617V97254; 571 CFM Cap.; 125 PSIG Operating Pressure

100 HP Ingersoll Rand SSR-EP100 Air Compressor, S/N. D4992U87B; 445 ACFM Cap.; 125 PSIG Rated Operating Pressure

Sullair 3700, 3707V/A Variable Speed Drive Air Compressor, S/N. 200802110105; 100/110 PSIG Max Air Pressure

40 HP Atlas GA30FF Air Compressor, S/N. All 367862; (2000); 132 PSIG; 180 CFM

Leroi Comp Air CL20SS Air Compressor, S/N. 4473X46; 100 PSI

FORK LIFT TRUCKS, TRAILERS & MATERIAL HANDLING

4,500 LB Komatsu FG25S1-12 LP Forklift, S/N. 562392A; 4,480 LB Lift Capacity; Triple Mast; Side Shift; Overhead Protection; 42" Fork Length

4,500 LB Hyster S50XM LP Forklift; 4,500 LB Lift Capacity; Triple Mast; Side Shift; Tilt; Overhead Protection; 42" Fork Length;

3,000 LB Crown SP Electric Forklift; S/N. 1A232859; 3,000 LB Lift Capacity; Single Mast; 36" Fork Length; with Ferro 1500 24V Charger

2,750 LB Hyster 25E LP Forklift; S/N. B1D7460; 2,750 LB Lift Capacity; Single Mast; Tilt; Overhead Protection; 48" Fork Length

2,000 LB Nemcoo Forklift/Die Lift; Single Mast; Overhead Protection; 2,000 Lb Capacity; Overhead Protection; with Hobart 250CII 36V Charger

Strick 50' Semi Trailer, S/N. 1512E9483PE351246; (Qty 2 - 1992); 65,000 LBS GVWR; 295/75R22.5-14PLY Tires

Also Available: Tool Room Machinery, Inspection, Steel Set Up Tables, Bowl Feeders, Vibratory Cleaners, Miscellaneous Warehouse Support Equipment including Jib Cranes Hoists, Shipping Scales, Shop Fans & Pallet Racking, Office Furniture and much more.