



## Permian Equipment Rental - Rare Offering of Exceptional Late Model Telehandlers, Telescopic Boom Lifts and Gensets

Sale Date: 10 AM July 14<sup>th</sup>, 2020



### **Payment**

Due to this Webcast-only auction having no option for onsite bidding, we have reduced the Buyer's Premium for webcast buyers in this auction to 12% providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 14%. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

### **Deadlines**

**All items must be removed no later than Friday, July 31. All removal is strictly on an appointment only basis. To schedule a removal appointment, please contact our Jennifer Reiner, listed below.** Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction.

### **Removal Contact**

Jennifer Reiner

[jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com)

847.545.6914

### **Location**

5506 N FM 1788

Midland, TX 79707

Number	Description
1	2018 JLG/SKYTRAK 10054 Telehandler, s/n 160090924, 10,000 Lb. Maximum Lift Capacity, 53'2" Outriggers Up Max Lift Height, 53'2" Maximum Lift Height, 38'9" Maximum Reach, 24,500 Lb. Drawbar Pull, 10 Degree Frame Leveling, 4000 Lb. Lift Capacity at Full Height, 3000 Lb. Lift Capacity at Full Reach, 974 Hours, Aux Hydraulics, 72" Forks, 74" Carriage, Work Lights, Foam Filled Tires, (Unit FL1852)
2	2018 JLG 1055 Telehandler, s/n 160090977, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1592 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1854)
3	2018 JLG 1055 Telehandler, s/n 160083754, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 3509 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1712)
4	2018 JLG 1055 Telehandler, s/n 160083807, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1841 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1713)
5	2018 JLG 1055 Telehandler, s/n 160083882, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1782 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1714)
6	2018 JLG 1055 Telehandler, s/n 160083880, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2386 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1715)
7	2018 JLG 1055 Telehandler, s/n 160083883, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2449 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires,(Unit FL1716)
8	2018 JLG 1055 Telehandler, s/n 160083884, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1379 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires,(Unit FL1717)
9	2018 JLG 1055 Telehandler, s/n 160083881, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2697 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1718)
10	2018 JLG 1055 Telehandler, s/n 160083809, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1641 Hours, (Unit FL1719)
11	2017 JLG 1055 Telehandler, s/n 160083117, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1888 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires,(Unit FL1701)
12	2017 JLG 1055 Telehandler, s/n 160083118, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2046 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1702)
13	2017 JLG 1055 Telehandler, s/n 160083314, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2627 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1703)
14	2017 JLG 1055 Telehandler, s/n 160083315, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1594 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1704)
15	2017 JLG 1055 Telehandler, s/n 160083316, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1639 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires,. (Unit FL1705)

<b>16</b>	2017 JLG 1055 Telehandler, s/n 160083663, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 3790 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1706)
<b>17</b>	2017 JLG 1055 Telehandler, s/n 160083664, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1669 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1707)
<b>18</b>	2017 JLG 1055 Telehandler, s/n 160083665, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2624 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1708)
<b>19</b>	2017 JLG 1055 Telehandler, s/n 160083603, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 2710 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1709)
<b>20</b>	2017 JLG 1055 Telehandler, s/n 160083666, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 3032 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit 1710)
<b>21</b>	2017 JLG 1055 Telehandler, s/n 160083667, 10,000 Maximum Lift Capacity, 55' Maximum Lift Height, 10 Degree Frame Leveling, 20,000 Lb. Drawbar Pull, 1595 Hours, Aux Hydraulics, 60" Forks, 62" Carriage, Work Lights, Foam Filled Tires, (Unit FL1711)
<b>22</b>	2017 JLG 600S Telescoping Boom Lift, s/n 300237085, 59'8" Max Platform Height, 1000 Lb. Platform Capacity- Restricted, 600 Lb. Platform Height-Unrestricted, 50'2" Horizontal Reach, 667 Hours, Foam Filled Tires, (Unit ML601701)
<b>23</b>	2017 JLG 600S Telescoping Boom Lift, s/n 300237086, 59'8" Max Platform Height, 1000 Lb. Platform Capacity- Restricted, 600 Lb. Platform Height-Unrestricted, 50'2" Horizontal Reach, 1406 Hours, Foam Filled Tires, (Unit ML601702)
<b>24</b>	2017 JLG 600S Telescoping Boom Lift, s/n 300237084, 59'8" Max Platform Height, 1000 Lb. Platform Capacity- Restricted, 600 Lb. Platform Height-Unrestricted, 50'2" Horizontal Reach, 1609 Hours, Foam Filled Tires, (Unit ML601703)
<b>25</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001026, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 1981 Hours, Foam Filled Tires, (Unit ML601401)
<b>26</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001075, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 2299 Hours, Foam Filled Tires, (Unit ML601402)
<b>27</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001073, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 2335 Hours, Foam Filled Tires, (Unit ML601403)
<b>28</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001074, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 2444 Hours, Foam Filled Tires, (Unit ML601404)
<b>29</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001077, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 1169 Hours, Foam Filled Tires, (Unit ML60145)
<b>30</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001078, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 1693 Hours, Foam Filled Tires, (Unit ML601406)
<b>31</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001169, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 1425 Hours, Foam Filled Tires, (Unit ML601407)

<b>32</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001175, 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 1995 Hours, Foam Filled Tires, (Unit ML601408)
<b>33</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001076 , 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 2200 Hours, Foam Filled Tires, (Unit ML601409)
<b>34</b>	2014 SKYJACK SJ61T Telescoping Boom Lift, s/n 97001255 , 67'3" Max Work Height, 61'3" Max Platform Height, 51'3" Horizontal Reach, 500 Lb./2-Person Capacity, 2106 Hours, Foam Filled Tires, (Unit ML601410)
<b>35</b>	2013 DOOSAN G570 Portable Power Generator, 570 KVA/456 KW, Pintle Style Hitch, 3-Axle, Rear Lug, 6,664 Hours, (Unit G1873)
<b>36</b>	2013 DOOSAN G450 Portable Power Generator, 456 KVA/ 365 KW, Pintle Style Hitch, 3-Axle, Rear Lug, 11,000 Hours (Meter replaced at 7,900), (Unit G1874)
<b>37</b>	2011 INGERSOLL RAND G450 Portable Power Generator, Trailer VINTR225653, 456 KVA/ 365 KW, Pintle Hitch Style, 3-Axle, Rear Lug, 1,881 Hours, (Unit G1917)
<b>38</b>	2007 INGERSOLL RAND G570 Portable Power Generator, VIN 4FVGJBLC28U391849, 570 KVA/456 KW, Pintle Hitch Style, 3-Axle, Rear Lug, 7,220 Hours, (G1864)
<b>39</b>	2007 INGERSOLL RAND G460 Portable Power Generator, VIN 4FVG1AJC77U014240, 460 KVA/368 KW, Pintle Hitch Style, 3-Axel, Rear Lug, 8,261 Hours, (Unit G1877)
<b>40</b>	2001 INGERSOLL RAND G575 Portable Power Generator, VIN 4UYBU303XYE002250, 575 KVA/460KW, Pintle Hitch Style, 3-Axle, Rear Lug, 1,547 Hours, (G1867)
<b>41</b>	2001 INGERSOLL RAND G500 Portable Power Generator, VIN TR224117, 500KVA/400KW, Pintle Style Hitch, 3-Axle, Rear Lug, 5,219 Hours, (Unit G1871)
<b>42</b>	2000 CUMMINS 438 KVA/ 350KW Portable Power Generator, VIN 16MPF1827XD027931, Pintle Hitch Style, 3-Axle, Rear Lug, 5,277 Hours, (Unit G1879)
<b>43</b>	1999 CUMMINS 350 Portable Power Generator, 438 KVA/350 KW, Pintle Hitch Style, 3-Axle, Rear Lug, 7,988 Hours, (Unit G1878)
<b>44</b>	1999 CUMMINS 350 Portable Power Generator, 438 KVA/350 KW, Pintle Hitch Style, 3-Axle, Rear Lug, 7,968 Hours, (Unit G1875)