

SEALED BID PACKAGE

For the Machinery & Equipment Assets,
Brand name, Website & IP
of
Montana Gold Bullet Inc.

Bid Deadline: May 10th, 2024 @ 4:00 PM, Central Time

Table of Contents

Bid Procedures1-2

Appendix 1 – Sealed Bid Form & Assets.....3-4

Lots for Sales - Machinery & Equipment description5-10

Appendix 2 - Terms and Conditions..... 11-13

Appendix 3 – Bill of Sale – Machinery & Equipment..... 14-15

Exhibit A – Transferred Asset List15

Appendix 4 – Deposit Account Wire Instructions16

Bid Procedures

Perfection Global, LLC (“PGL”) is pleased to announce a very rare opportunity to acquire, through a sealed bid sale, the Machinery and Equipment Assets, Brand and Website of Montana Gold Bullet, Inc. (“MGB”) with its facility in Kalispell, Montana, which is closing operations. The machinery and equipment includes multiple presses and associated machinery specialized in bullet manufacturing and a tool room to support the manufacturing process along with IP, (as further identified on Appendix 1 hereto the “Assets”).

Interested parties will have the option to submit bids on: (1) the Machinery and Equipment Assets, Brand and Website in bulk or piecemeal.

Asset Location:

Montana Gold Bullet Inc., 400 18th St. East, Kalispell, Montana 59901(the “Facility”)

- Assets are available for inspection by appointment. Please contact Jason Broderick +1(847) 343-6130 or jason@perfectionglobal.com
- Complete listing of assets with detailed descriptions, photos and videos available at: <https://www.perfectionmachinery.com/liquidations/listings/montana-gold-bullet-negotiated-sale/>

All bids, subject to the Terms and Conditions attached hereto as Appendix 3 (the “Terms and Conditions” for the “Assets”), must (i) be received in the Sealed Bid Form (attached hereto as Appendix 1) no later than Friday, May 10th, 2024 at 4:00 CST, and (ii) be accompanied by a deposit of 5% of the total bid amount remitted by wire transfer to the Deposit Account (attached hereto as Appendix 5).

Any amendments to the agreement made by a prospective purchaser are permitted but may affect the validity of the bid and will be considered when determining the highest and best bid.

PGL will notify the winning bidders no later than Thursday, May 16th, 2024. Deposits from the winning bidders will be applied to their purchase and shall be non-refundable. Deposits from unsuccessful bidders will be returned no later than Friday, May 17th, 2024.

The successful purchaser or purchasers will be required to remove all their purchases by July 31st, 2024, unless an amendment to the agreement is made by the purchaser or purchasers and is agreed with PGL/MGB for a fair and equitable storage rate.

Determination of Highest or Otherwise Best Bid:

PGL shall determine, in its sole and absolute discretion, which bid it deems to be the highest or otherwise best bid, keeping in mind that the highest bid for an Asset may not be the otherwise best bid. PGL further reserves the right, in its sole and absolute discretion, to reject at any time prior to signing a bill of sale, without liability, any bid that PGL deems to be inadequate or insufficient, or not in conformity with the requirements of the procedures set forth herein or in the Terms and Conditions.

The selection of a winning bidder shall be within the business judgment of PGL. PGL will be deemed to have accepted a bid only when the purchase price for such asset has been paid in full and PGL, and the winning bidders have executed a Bill of Sale in the form attached hereto as Appendix 4.

Closing with Backup Offeror(s)

If for any reason the entity or entities that submit(s) the highest or otherwise best bid(s) fail to consummate the purchase of the M&E Assets, or any part thereof, the offeror of the second highest or best bid will automatically be deemed to have submitted the highest or best bid. PGL shall affect the sale of the assets, or any part thereof, to such offeror(s) as soon as is commercially reasonable. If such failure to consummate the purchase is the result of a breach by the winning offeror, PGL reserves the right to seek all available damages from the defaulting offeror.

Appendix 1

SEALED BID FORM

To: Perfection
Global LLC

2550 Arthur Avenue,
Elk Grove Village, IL
60007

Attention: Jason Broderick

Telephone: +1(847) 343-6130

Email: Jason@perfectionglobal.com

1. _____
(Name of Prospective Purchaser)

2. _____
(Postal Address of Prospective Purchaser)

(Email Address of Prospective Purchaser)

3. _____
(Telephone Number)

4. The undersigned hereby submits this offer to purchase the following assets:

5. This offer (___ is/ ___ is not) conditional on the purchase of all the above-noted lots.

6. Total bid amount: USD\$ _____

7. Total deposit amount (5% of total bid required): USD\$ _____

8. The undersigned agrees that the Terms and Conditions of Sale including all tabs/schedules in the Sealed Bid Package provided by Perfection Global, LLC, a copy of which has been received by the undersigned, form an integral part of and are incorporated in this offer as if restated in their entirety.

(SIGNATURE PAGE TO FOLLOW)

Dated this ____ day of _____, 2024.

(Print name of Prospective Purchaser)

Per: _____
(Signature)

Its: _____

LOT	DESCRIPTION	USD \$BID
1	MONTANA GOLD BULLET INC. Brand, Logo, Website, Intellectual Property (drawings only, no tooling) and All Machinery and Equipment (the "Assets")	
2	MONTANA GOLD BULLET INC., Brand, Logo, Website and Intellectual Property (drawings only, no tooling)	
3	All Machinery and Equipment (the "Assets") Only	
	GROUPS OR INDIVIDUAL ASSETS	
	TRANSFER PRESSES	
4	WATERBURY FARREL 6600 Assembly Press, s/n NA, 15-Station, Pin Feeder, Rolling Key Clutch, Pin Feeder, Clarktron Rimfire 3 Tool Protection System, Set up for 40 Caliber/10mm- 155,165, 180, and 200 FMJ/CMJ (A66-9+10)	
5	WATERBURY FARREL 6600 Assembly Press, s/n NA, 11-Station, Pin Feeder, Syntron Vibratory Bowl Feeder, Clarktron Rimfire 3 Tool Protection System, Set up for 9mm-121 IFP, 115 JHP, and 124 JHP (Short Body)	
6	WATERBURY FARREL 6600 Assembly Press, s/n F36808-7, 15-Station, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Rolling Key Clutch, Set up for 9mm FMJ/CMJ 115 and 124 Grain, (A66 3+4)	
7	WATERBURY FARREL 6600 Assembly Press, s/n 130628-6, 15-Station, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Rolling Key Clutch, Set up for 40 Caliber/10mm 165 JHP and 180 JHP, (A66 1 + 2)	
8	WATERBURY FARREL 6600 Assembly Press, s/n 138105-11, 15-Station, Clarktron Rimfire 3 Tool Protection System, (2) Pin Feeders, Rolling Key Clutch, Set up for 45 Caliber 185 JFP, 200 JFP, 230 CMJ, 230 JHP and 250 Revolver, Cannelure, (A66 5 + 6)	
9	WATERBURY FARREL 6600 Assembly Press, s/n 138105-14, 15-Station, Clarktron Rimfire 3 Tool Protection System, (2) Pin Feeders, VFC Vibratory Bowl Feeder, Rolling Key Clutch, Set up for 9mm-124 CMJ/FMJ, 147 CMJ/FMJ 125 SIG, Cannelure, (A66 7 + 8)	
10	WATERBURY FARREL 6600 Assembly Press, s/n 130628-6, 15-Station, Rolling Key Clutch, Set up for 9mm-124 CMJ and 147 CMJ, (2) Cannelure, (A66 13 + 14)	
11	WATERBURY FARREL 6600 Assembly Press, s/n NA, 15-Station, Rolling Key Clutch, Set up for .40 cal Duplex	
12	WATERBURY FARREL 6600 Assembly Press, s/n 138105-13, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, (2) Pin Feeders, Syntron Vibratory Bowl Feeder, Set up for 9mm 124 FMJ, 115 FMJ	
13	WATERBURY FARREL 6600 Assembly Press, s/n 138103-3, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Vibratory Bowl Feeder, Set up for .357 Sig FMJ	
14	WATERBURY FARREL 6600 Assembly Press, s/n 36857-2, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, (2) Vibratory Bowl Feeders, Set up for 44 Caliber 240 JFP Soft Point, (A66 11 +12)	
15	WATERBURY FARREL 6600 Assembly Press, s/n 162502-26, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Set up for .357/38 Caliber 158 and 125 JHP	

16	WATERBURY FARREL 6600 Assembly Press, s/n 138103-17, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Tip Feeder, Set up for 45 Caliber Ballistic Tip	
17	WATERBURY FARREL 6600 Assembly Press, s/n 36880-2, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, (2) Pin Feeders, Set up for .380 FMJ	
18	WATERBURY FARREL 6600 Assembly Press, s/n 162502-12, 15-Station, Rolling Key Clutch, Clarktron Rimfire 3 Tool Protection System, Pin Feeders, Moorfeed Vibratory Bowl Feeder, Set up for 40 Caliber 155, 165 and 180 JFP	
19	WATERBURY FARREL 6600 Assembly Press, s/n 162502-30, 15-Station, Rolling Key Clutch, (2) Pin Feeders, Set up for 30 Caliber Carbine	
20	WATERBURY FARREL No. 156 Assembly Press, s/n NA, 6-Station, Size 15, Clarktron Rimfire 3 Tool Protection System, Set up for 40 Caliber/10mm 155 FMJ,165 FMJ and 180 FMJ (A1501)	
21	WATERBURY FARREL No. 56 Assembly Press, s/n S-95036, 6-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Set up for 9mm/ 115 FMJ and 124 FMJ, (A0501)	
22	WATERBURY FARREL No. 107 Assembly Press, s/n 9154, 7-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, Set up for 40 Caliber/10MM 155 JHP, 165 JHP, 180 JHP, and 200 CMJ/ FMJ, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 656, 3", (J1002)	
23	WATERBURY FARREL No. 107 Assembly Press, s/n NA, 7-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, Set up for 40 Caliber 155 JHP, 165 JHP, and 180 JHP (A1002)	
24	WATERBURY FARREL No. 106 Assembly Press, s/n S-72114, 6-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 654, 3", Set up for 45 Caliber 230 FMJ/CMJ, 130 JHP, 185 JFP, 200 JFP, a 250 Revolver (J1006)	
25	WATERBURY FARREL No. 128 Assembly Press, s/n NA, 8-Station, Size 12, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Set up for 9mm-115 JHP, 121 IFP, 124 JHP, (A1201)	
26	WATERBURY FARREL No. 128 Assembly Press, s/n NA, 8-Station, Size 12, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Set up for 9mm-115 JHP, 121 IFP, 124 JHP, (A1205)	
27	WATERBURY FARREL No. 58 Assembly Press, s/n 161635, 8-Station, Size 5, ARC TROL 1 Tool Protection System, Roll Cam	
28	WATERBURY FARREL No. 58 Assembly Press, s/n 188260, 8-Station, Size 5, Roll Cam, Air Clutch (Grey)	
29	WATERBURY FARREL No. 58 Assembly Press, s/n 176602, 8-Station, Size 5, Roll Cam, Air Clutch (Green)	
30	WATERBURY FARREL No. 58 Assembly Press, s/n 146346, 8-Station, Size 5, ARC TROL 1 Tool Protection System, Roll Cam, Air Clutch (Green)	
31	WATERBURY FARREL No. 58 Assembly Press, s/n 126245, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch, (Green)	
32	WATERBURY FARREL No. 58 Assembly Press, s/n 126246, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch, (Grey)	
33	WATERBURY FARREL No. 58 Assembly Press, s/n 236188, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch (Grey)	
34	WATERBURY FARREL No. 58 Assembly Press, s/n 146346, 8-Station, Size 5, ARC TROL 1 Tool Protection System, Roll Cam, Air Clutch (Grey)	
35	WATERBURY FARREL No. 58 Assembly Press, s/n 78341, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch (Grey)	

36	WATERBURY FARREL No. 58 Assembly Press, s/n 124186, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch (Grey)	
37	WATERBURY FARREL No. 58 Assembly Press, s/n 39157, 8-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Air Clutch (Grey)	
38	WATERBURY FARREL 510 Assembly Press, s/n 236546, 10-Station, Size 5, ARC TROL 1 Tool Protection System, Roll Cam, Air Clutch (Grey)	
39	WATERBURY FARREL ICOP 510 Assembly Press, s/n 236771, 10-Station, Size 5, ARC TROL 1 Tool Protection System, Roll Cam (Grey)	
40	WATERBURY FARREL ICOP 510 Assembly Press, s/n NA, 10-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Roll Cam, Set up for 30 Caliber Carbine, Air Clutch, w/ PRESSMATE PI-1 Feeder, s/n 703	
41	WATERBURY FARREL No. 1010 Jacket and Assembly Press, 10-Station, Size 10, Electric Clutch, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 653, Set up for 45 Caliber 230 Grain FMJ	
42	WATERBURY FARREL ICOP No. 1010 Jacket Press, s/n 237603, 10-Station, Size 10, Roll Cam, Air Clutch, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 660, Set up for 9mm 147 FMJ/CMJ, 115 JHP, 124 JHP, 121 IFP	
43	WATERBURY FARREL ICOP 510 Jacket Press, s/n 238207, 10-Station, Size 5, Clarktron Rimfire 3 Tool Protection System, Set up for 9mm 115 and 124 FMJ/CMJ and 125 Sig, w/ PRESSMATE PI-1 Feeder/Switcher	
44	WATERBURY FARREL No. 108 Jacket Press, s/n 98196, 8-Station, Size 10, w/ PRESSMATE PI-1 Feeder, s/n 655, Set up for 9mm 115 JHP, 124 JHP, 121 IPF, and 147 CMJ/FMJ, (J1005)	
45	WATERBURY FARREL No. 106 Jacket Press, s/n 89426, 6-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 702, 3", Set up for .357 Sig, (J1001)	
46	WATERBURY FARREL No. 106 Jacket Press, s/n 64723, 6-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 579, 3", Set up for 40 Caliber 155, 165, and 180 FMJ/CMJ, (J1003)	
47	WATERBURY FARREL No. 106 Jacket Press, s/n 50089, 6-Station, Size 10, Clarktron Rimfire 3 Tool Protection System, w/ PRESSMATE PI-1 Feeder/Switcher, s/n 701, Set up for 38 Caliber 158 JHP, 125 FMJ, 125 JHP (J1004)	
48	WATERBURY FARREL 15-8 Jacket Press, s/n 77973, 8-Station, Size 15, Clarktron Rimfire 3 Tool Protection System, Air Clutch w/ PRESSMATE PGY-3 Feeder/Switcher, s/n 662, Setup for .44 Caliber Cups	
49	WATERBURY FARREL 15-6 Jacket Press, s/n NA, 6-Station, Clarktron Rimfire 3 Tool Protection System, Setup for .380 cal 115 FMJ, 124 FMJ CMJ	
50	BAIRD 325 Rifle Bullet Jacket Assembly Press, s/n 55410960, 2.5" Stroke, Clarktron Rimfire 3 Tool Protection System, Pin Feeder, Set up for 223 Caliber-55 Grain FMJ, w/ PRESSMATE PGY2 Feeder, s/n 674	
51	ASAHI-SEIKI TP25 Rifle Bullet Jacket Assembly Press, s/n 94112, 25 Ton, 50-200 SPM, 2.5" Stroke	
52	ASAHI-SEIKI TP25 Rifle Bullet Jacket Assembly Press, s/n 12042, 25 Ton, 50-200 SPM, 2.5" Stroke	
53	Large Assortment of Spare Parts and Rebuild Kits for WATERBURY FARREL, ASAHI-SEIKI, and BAIRD Assembly Presses	
	PRESSES NOT CURRENTLY RUNNING	
54	BAIRD 325 Rifle Jacket Assembly Press, 14-Station, New Diesets, 3" Stroke	
55	BAIRD 325 Rifle Jacket Assembly Press, 14-Station, New Diesets, 3" Stroke	
56	NEW-NEVER USED MAGNUM 25-Ton Transfer Press, 14-Station, 3" Stroke	

57	WATERBURY FARREL 6600 Assembly Press, s/n 138106-23	
58	WATERBURY FARREL 6600 Assembly Press, s/n 138103-23	
59	WATERBURY FARREL 6600 Assembly Press, s/n 138130-6	
60	WATERBURY FARREL 6600 Assembly Press, s/n 138130-34	
61	WATERBURY FARREL 6600 Assembly Press, s/n 138103-15	
62	V&O Double Action Blank & Cup Press, s/n 502672BA, 175-450 SPM	
	PRESSES FOR REBUILD (outside)	
63	(8) WATERBURY FARREL 6600 Assembly Presses	
64	(3) WATERBURY FARREL No. 156 Assembly Presses	
65	FERRACUTE Assembly Press	
	COLD HEADERS	
66	NATIONAL MACHINERY 34 High Speed Long Stroke Solid Die Cold Header, s/n 36343, 7.5 HP, 480V, 3 PH	
67	NATIONAL MACHINERY 34 High Speed Long Stroke Solid Die Cold Header, s/n 36288, .45 Caliber Cores, 7.5 HP, 480V, 3 PH	
68	NATIONAL MACHINERY 3/16 High Speed Long Stroke Solid Die Cold Header, s/n 36277, 7.5 HP, 480V, 3 PH	
69	NATIONAL MACHINERY 3/16 High Speed Double Stroke Solid Die Cold Header, s/n 31172, 7.5 HP, 480V, 3 PH	
70	NATIONAL MACHINERY 3/16 High Speed Long Stroke Solid Die Cold Header, s/n 19168, 7.5 HP, 480V, 3 PH	
71	NATIONAL MACHINERY High Speed Long Stroke Solid Die Cold Header, s/n NA, for 9mm	
72	NATIONAL MACHINERY 1/8 High Speed Long Stroke Solid Die Cold Header, s/n NA	
73	NATIONAL MACHINERY 1/8 High Speed Long Stroke Solid Die Cold Header, s/n NA	
74	MANVILLE WATERBURY 250C SSSD Long Stroke Cold Header, s/n NA, 40 Caliber/10mm	
75	MANVILLE WATERBURY 250C SSSD Long Stroke Cold Header, s/n NA	
76	MANVILLE WATERBURY 250C SSSD Long Stroke Cold Header, s/n NA	
77	MANVILLE WATERBURY 250C SSSD Long Stroke Cold Header, s/n NA, Single Stroke, Set up for 380 Caliber	
78	(2) MANVILLE WATERBURY Cold Headers, s/n NA, In Storage	
	PALLET DECOILERS	
79	(15) COILMATE Presspal Pallet Decoiler, s/n 4194, 2455, 2388, 4188, 4189, 4196, 4193, 4198, 4197, 4200, 2177, and 2456, 3500 Lb. Capacity, DC Motor Speed Control	
	EXTRUSION PRESSES	
80	400 Ton Lead Wire Extruder, 70 Lb. Billet, w/ Coiler, 15 HP Hydraulic System w/ Easton 3 HP Secondary Hydraulic System	
81	200 Ton 22-Wire Extruder, 46 Lb. Billet, w/ Coiler	
	LEAD FURNACES	
82	NOLAN 3-Ton Lead Furnace, s/n NA, Natural Gas	
83	NOLAN 1-Ton Remelter Lead Furnace, s/n 8779K, 127 CFH, Natural Gas	
	MACHINE TOOLS	
84	BRIDGEPORT VMC 800 22 Vertical Machining Center, s/n 800-22-023, DX-32 Control, 39.4" x 19.3" Table, 31.5" X, 16.1" Y, 40-6000 RPM Spindle Speed, BT 40 Spindle Taper, 22-ATC	
85	SODICK AQ327L Wire EDM, s/n 1391, LP1W CNC Control, 22.4" x 16.5" x 9" Max Workpiece, 14.5" X, 10.6" Y, 9.8" Z, 34" x 25.4" Work Tank, Auto Threading, Submerged Cutting	

86	2004 SODICK AM3L EDM Sinker, s/n 0339, LN2 CNC Control, 23.55" x 15.67" Worktable, 12" X, 8" Y, 10" Z, 35.4" x 20.5" x 11.8" Work Tank	
87	CHMER CM-240R EDM Sinker, s/n 401008, CHMER 75MP Power Supply, 19.7" x 13.8" Worktable, 11.8" X, 7.9" Y, 32.3" x 19.7" x 11.8" Work Tank, Sony 3-Axis DRO	
88	UNISON 2150A CNC DedTru 3-Axis Centerless OD Flexible Grinding System, s/n 649, Unison CNC Control, 18"X, 5" Y, 5" Z, .005" to 5" Dia Grinding Range	
89	(2) UNISON DedTru 288-0000 Centerless Grinding Machine, s/n 9680 C-3787 & 7331 C-3662	
90	KENT KGS-250HD Surface Grinder, s/n R93723-04, 8" x 16" Magnetic Chuck	
91	BOYAR SCHULTZ 2A618 Hydraulic Surface Grinder, s/n CH-2569-2A	
92	REID 612H Surface Grinder, s/n 14506	
93	SANFORD M6 Surface Grinder, s/n 1561343M	
94	LAGUN FTV-2 Vertical Milling Machine, s/n NA, 9" x 48" Power Feed Table, 3 HP, Newall Topaz 3-Axis DRO	
95	EXTRON 1840EC Lathe, s/n 1840EC-105, MIRL Turning 2000 Control, 25-2000 RPM, 9" 3-Jaw Chuck, Dorian Quick Change Tool Post, Steady Rest	
96	600 LATHES LIMITED CNC 100 Lathe, s/n C10393, GE Series 0-T Control, Collet Spindle Nose, 12-Position Turret, 6000 RPM	
97	MONARCH 14.5" x 30" Lathe, s/n 33193, 14.5" Swing, 30" Between Centers, 8" 3-Jaw Chuck, Quick Change Tool Post, Tailstock, 36-1500 RPM	
98	(2) SCHAUBLIN 102VM Precision Tool Room Lathe, s/n 933 & 949, Collet Nose, QC Tool Post, Tailstock,	
99	SCHAUBLIN 102-TR Precision Tool Room Lathe, s/n 1280	
100	OVERBECK Zetto 30 Lathe, s/n 547, 4" 3-Jaw Chuck, 10" Between Centers	
101	(2) IPSCO PC0-2 Pin Cut-Off & Grinding Machines, s/n 00140 & 00092	
102	DAYTON 3Z518 Horizontal Bandsaw, s/n NA, 10" x 15" Capacity	
103	FOREMOST MAMB001AMA Horizontal Band Saw, s/n 350116, 4" x 6" Capacity	
104	JET SBR-30 Shear, Brake and Roll, s/n 210049, 22 Ga x 30" Capacity	
105	ENERPAC IPH025S14-1 25-Ton H-Frame Press, s/n 03809C	
106	TROYKE DL-10-B 4 th Axis Rotary Table, s/n 5123-11, w/ Tailstock, BT40 Tool Holders, OKK Tool & Cutter Grinder, DAREX E90 End Mill Sharpener, End Mill Cutter/Sharpener, Arbor Press, Pedestal Grinders, Hand Tappers, Lathe Chucks, KURT Machine Vises, CRESS C601/942 Electric Furnace, s/n 0108, (2) SATELLITE MFG J-101 Electric Furnaces, ECONOLINE Sandblast Cabinet, Live and Dead Centers, R8 Collets, 5C Collets, 3J Collets, ER Collets, Collet Extensions, Expandable Collets, 5C Spin Fixtures, Jacobs Drill Chucks, and Twist Drills, SUNNEN Hones, MITUTOYO Centers, and more	
	FINISHING	
107	NEW HOLLAND K-94 Parts Washer System, w/ K94 Electric Centrifugal Dryer, s/n 7529, and K24 Electric Centrifugal Dryer	
108	HAMMOND ROTO-FINISH Extended Range Series GEMINI Vibratory Finisher, s/n G-400-01-B9	
109	(3) HUPP CORP Tumblers, RED LION RLX3 Tumbler, CANOGA MK80 Tumbler, s/n 0006984, Assorted Unknown Make 5-Gallon Tumblers	
	INSPECTION	

110	Universal Receiver for Pressure Testing Bullets, SPI PO-600 Optical Comparator, s/n 2064, 24", w/ Quadra-Chek II 2- Axis DRO, SCHERR TUMICO 14" Profile Projector, s/n 2191, MICRO-VU 500 HP Optical Comparator, s/n 21450, ACCUPRO Rockwell Hardness Tester, s/n 1056, PEACOCK Dial Bore Gages, Inside Micrometers, Micrometer Sets, Gage Pin Sets, Precision Levels, Dial Indicators, Magnetic Base Indicator Stands, and more	
	PLASTICS	
111	NISSEI PS20E2A Injection Molding Machine, s/n E02S052, NC9300T Control, 22 Ton Clamp Force, 220mm Clamp Stroke, 400mm Daylight, 255mm x 255mm Distance Between Tie Rods, 22mm Screw, 65mm Screw Stroke	
112	RAPID 69-SR Granulator, s/n 250.429, 8" x 7" Opening, 3 HP	
113	UNA-DYN UDC-30 Auto Mini Dryer, s/n 120931	
114	STERLCO 943TCU Temp Controller, s/n 96D5381	
	AIR COMPRESSORS	
115	POLAR AIR EM-RTS3-75 Rotary Screw Air Compressor, s/n 00050197, 75 HP, 145 PSI Working Pressure, 300 SCFM Capacity	
116	EATON EC-SRW3-50-460 Rotary Screw Air Compressor, s/n EC-SRW-061117R, 50 HP, 120-145 PSI Working Pressure, 115 SCFM Capacity	
117	SPEEDAIRE 5Z402B 2-Stage Air Compressor, s/n L3/31/97-01036, 10 HP, 120 Gallon Air Tank	
118	CURTIS CV968A Twin Piston Air Compressor, s/n NA, 5 HP, Mounted on 80 Gallon Tank	
119	EMAX EDRYHT0402 Refrigerated Air Dryer, s/n 0912G261, 402 SCFM Flow Capacity, 302 PSI Rated Pressure, R40A Refrigerant Type	
120	EATON 246-Dry Air Dryer, s/n NA, 246 CFM Capacity, 150 PSI Max Pressure	
121	EATON 134-Dry Air Dryer, s/n 4-50020-228, 134 CFM Capacity, 150 PSI Max Air Pressure	
122	POLAR AIR Approx. 300 Gallon Air Tank	
	FORKLIFTS	
123	TOYOTA 8FGU18 LP Forklift, s/n 35240, 3500 Lb. Capacity, Side Shift, Pneumatic Tires, Overhead Protection, 36" Fork Length	
124	TOYOTA 5FGL14 LP/Gas Forklift, /n 5FGL18-10321, 3000 Lb. Capacity, 2-Speed, Pneumatic Tires, Overhead Protection, 32" Fork Length	
125	ALSO: Pallet Jacks, TUBAR TD 1000 Lb. Drum Dumper, s/n D-9526, Rigging Skate Sets, Scales, (5) ERIEZ Magnetic Hopper Belt Conveyors, Digital Parts Counting Packing Machine w/ Conveyor, and more	
	BALER	
126	KILKOM KVP Baling Press, s/n 38970	
	STOCK	
127	(75) Coils of Soft Deep DWG Cartridge Brass Strip, Alloy 260-.177500-.02000 and 260-1.89-.02000	
128	(75) Coils of Soft Deep DWG COM'L Bronze Strip, Alloy 220-1.906-.02800	
	SUPPORT EQUIPMENT	
129	ALSO: VIDMAR Tooling Cabinets, CRAFTSMAN Toolboxes, TUBE SHARK II Portable Hydraulic Tube Bender, SMITH Power Pro 55 Plasma Cutter, HOBART Handler 135 MIG Welder, MILLER Thunder Bolt 225 Arc Welder, Torch Set, MILWAUKEE Magnetic Base Drill, Power Tools, Hand Tools, Pneumatic Tools, and more	
	TOTAL	

Appendix 2

Terms & Conditions of Machinery & Equipment (the "Assets") Sale

By submitting a bid, you hereby expressly accept and agree to be bound by, and to be liable for breaches of, the following Terms and Conditions. These Terms and Conditions apply to all sales conducted by PGL, including, without limitation, private treaty sales, webcasts, auctions, and other sales (each and collectively, a "Sale"), unless otherwise specifically stated by PGL.

- EVERY ITEM SOLD "AS IS, WHERE IS" AND WITH ALL FAULTS.
- NO GUARANTEES OR WARRANTIES WHATSOEVER, INCLUDING NO REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- PLEASE INSPECT THE ITEMS BEFORE BIDDING.
- ALL SALES ARE FINAL - NO EXCEPTIONS.

- Bidder Information. Each Bidder expressly agrees to provide accurate and complete contact, financial, Credit Card, and other requested information. Each Bidder hereby further expressly agrees that, whether each such Bidder is acting as a principal, an agent, or an officer, director, or other representative of an entity, or in any other capacity whatsoever, each such Bidder is personally liable for and shall be bound to remit payment of the purchase price, taxes, and any other amounts payable with respect to any and all Assets for which the Bidder is the "successful bidder" (in each case, the "Purchaser") at the Sale (such Assets, the "Purchased Assets").
- Collusion. By participating in a Sale (whether you bid or not), you represent that you have not engaged in any collusive activity regarding such Sale, and you agree to disclose any person with whom you have made an agreement regarding the bidding upon, or purchase of, any item.
- Payment Terms. ALL PURCHASES MUST BE PAID IN FULL WITHIN FORTY-EIGHT (48) HOURS OF RECEIPT OF INVOICE. Invoices will be e-mailed, typically within 24 hours after the winning bidder is selected. All payments must be made by Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee. Absolutely no Purchased Assets will be removed before payment is made in full.
- Increase to 18% Buyers Premium. ALL PURCHASERS BIDS WILL BE SUBJECT TO AN INDUSTRY STANDARD 18% BUYERS PREMIUM if the sale of the assets is not finalized by May 31st, 2024. The Buyer's Premium is a fee charged and calculated on top of the total of the gross offer amounts.
- Applicable Taxes. Each Purchaser expressly acknowledges and agrees that any federal, state, sales and transfer taxes, registration charges and transfer fees arising from a Sale of the Purchased Assets to such Purchaser shall be paid to PGL upon receipt of invoice. Any Purchaser who claims one or more exemptions from sales or other taxes expressly agrees to provide proof satisfactory to PGL, in its sole discretion, of such Purchaser's entitlement to each such exemption together with an indemnity saving PGL harmless from any liability in respect of such taxes. In the absence of proof and/or an indemnity satisfactory to PGL, in its sole discretion, taxes shall be paid by the Purchaser.
- PGL's Reservation of Rights. The sale of all Assets will conform to the bid process as determined by PGL, in its sole and absolute discretion, and PGL reserves the right to sell Assets by individual group lots, "EN BLOC", or otherwise, as PGL deems appropriate. Each Bidder hereby expressly acknowledges and agrees that PGL may, in its sole discretion, reject any and all bids at any time. Should any dispute arise between two or more Bidders or as to any bid, the Asset(s) in question may, in PGL's sole discretion, be immediately offered for sale again and resold in which case PGL shall be deemed to have rejected each such bid. Each Bidder hereby expressly acknowledges and agrees that (i) PGL shall regulate all matters relating to the conduct of the Sale, including (without limitation) bidding and bidding disputes, (ii) PGL shall be the sole arbiter of any disputes, and (iii) PGL's decision(s) shall be final and binding on all Bidders.

- Bids are Final. Each Bidder hereby expressly acknowledges and agrees that (i) once submitted a bid shall be binding on the Bidder who submitted such bid and (ii) no bid may be retracted by a Bidder or other party.
- **“AS IS, WHERE IS”; NO WARRANTIES**. BY SUBMITTING A BID, EACH BIDDER EXPRESSLY ACKNOWLEDGES AND AGREES THAT ALL SALES ARE (I) FINAL, (II) ON AN "AS IS, WHERE IS", "IN PLACE", "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES, WHETHER EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS AS TO (A) DESCRIPTION, (B) FITNESS FOR PARTICULAR PURPOSE(S), (C) QUALITY, (D) MERCHANTABILITY, (E) CONDITION, (F) CONFORMITY TO ANY STANDARD IN RESPECT OF SAFETY, POLLUTION OR HAZARDOUS MATERIAL OR TO ANY STANDARD OR REQUIREMENT OF ANY APPLICABLE AUTHORITY, LAW, RULE, ORDINANCE, OR REGULATION, (G) FINANCABILITY, (H) AGE, YEAR OF MANUFACTURE, MODEL, OR MAKE, (I) OR OTHERWISE. HILCO EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS AS TO (A) DESCRIPTION, (B) FITNESS FOR PARTICULAR PURPOSE(S), (C) QUALITY, (D) MERCHANTABILITY, (E) CONDITION, (F) CONFORMITY TO ANY STANDARD IN RESPECT OF SAFETY, POLLUTION OR HAZARDOUS MATERIAL OR TO ANY STANDARD OR REQUIREMENT OF ANY APPLICABLE AUTHORITY, LAW, RULE, ORDINANCE, OR REGULATION, (G) FINANCABILITY, (H) AGE, YEAR OF MANUFACTURE, MODEL, OR MAKE, (I) OR OTHERWISE. BIDDERS ARE STRONGLY ENCOURAGED TO INSPECT ALL ASSETS BEFORE BIDDING. PREVIEW AND INSPECTION INSTRUCTIONS HAVE BEEN PROVIDED.
- No Reliance on Information. All descriptions, advertising, lot catalogs, or any other source of information (oral or written) concerning the Assets provided by PGL or otherwise obtained by a Bidder from a source other than PGL (collectively, the “Information”) are subject to additions deletions, changes, and modifications at any time prior to purchase and sale. Each Bidder expressly acknowledges and agrees that no Sale of any Asset may be invalidated by a Bidder because of an error, inaccuracy, or other fault in the Information. Each Bidder hereby expressly acknowledges and agrees that the Information has been prepared for informational purposes only and shall not and may not be relied upon by any Bidder for any purpose, including (without limitation) accuracy or completeness. By bidding on the Assets, Bidder represents, warrants, covenants and agrees that each such Bidder is relying upon each such Bidder’s own investigation, inspection, research, and analysis of the Asset(s) for which a bid has been submitted and is not in any way relying upon the Information provided by PGL or any other third party.
- Safety and Repair of Purchased Assets. Each Bidder expressly agrees that, following the Sale and removal of the Purchased Assets, but prior to operating or otherwise using the Purchased Assets, such Bidder shall retain a qualified person to inspect all Purchased Assets for safety and operational purposes. Each Bidder further expressly agrees to repair or restore, at Bidder’s sole cost and expense, all Purchased Assets to a safe operating condition that, among other things, meets any standard or requirement of any applicable governmental authority, law or regulation, including (without limitation) those concerning any use to which the Purchased Assets may be put.
- Removal of Purchased Assets. All Purchased Assets shall be removed within the time frame specified by PGL; provided, however, that no Purchaser shall be authorized or permitted to remove any Purchased Assets prior to receipt by PGL of payment for such Purchased Assets. Each Purchaser expressly acknowledges and agrees that each such Purchaser shall be responsible for all costs and expenses associated with removal of the Purchased Assets and shall be liable to PGL, MGB and all other third parties for any personal injury or death to any person or damage to property. Each Purchaser shall notify PGL not less than 24 hours in advance of the date on which and the time at which it intends to remove the Purchased Assets.
- Bidder Compliance with Applicable Law. Each Purchaser expressly acknowledges and agrees that each such Purchaser and its employees, officers, directors, agents, representatives and designees shall

comply with all health and safety, environmental, and other applicable laws, rules, and regulations and all requirements established by PGL, MGB and its agents and/or designees for the removal of Purchased Assets, including (without limitation) requirements as to insurance requirements.

- Privacy Policy. Unless you ask us not to, we may contact you via email in the future to tell you about new sales or special events that may be of interest to you. We will not share your information with any third party outside of our organization, other than as necessary to fulfill your request, e.g. to inform you of a sale.
- Bidding as a Privilege. PGL reserves the right to refuse any applicant the privilege of bidding or attending at the Sale event and may revoke such privilege at any time.
- Time is of the Essence. Each Purchaser hereby expressly acknowledges and agrees that time is of the essence in performing Purchaser's obligations associated with the purchase and removal of the Purchased Assets. If a Purchaser fails to make payment or remove any Purchased Asset within the time periods provided, PGL may (but shall not be obligated to) resell each such Purchased Asset by auction, private contract or otherwise, as PGL in its discretion deems advisable, and the Purchaser shall be liable for the difference between the price at which the Purchased Assets were resold and price that should have been paid by Purchaser, plus all costs and expenses incurred by PGL, plus interest (at a minimum rate of 2.0 per month or 24% per annum), legal fees, moving fees, fair and equitable storage fees and commissions related to such resale.
- Indemnity. Each Bidder hereby agrees to indemnify, defend, and hold harmless PGL, MGB and their employees, independent contractors, subcontractors, representatives, invitees, agents, affiliates, or other representatives from and against and with respect to any and all loss, liability, assessment, claim, cause of action, demand, damage or expense, (including, without limitation, reasonable attorneys' fees), court costs, penalties, charges and amounts paid in settlement of the foregoing arising from or related to (i) the purchase and sale of the Assets, (ii) Bidder's acknowledgements, agreements, covenants, representations, or warranties in these terms and conditions, or (iii) any personal injury or death or any damage to property caused, in whole or in part, by such Bidder or such Bidder's Representatives.
- **LIMITATION OF LIABILITY. EACH BIDDER HEREBY EXPRESSLY ACKNOWLEDGES AND AGREES THAT, REGARDLESS OF CIRCUMSTANCES AND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT, OR OTHERWISE, ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL, PUNITIVE OR EXEMPLARY LOSSES OR DAMAGES OF ANY NATURE OR KIND WHATSOEVER INCURRED OR EXPERIENCED BY ANY BIDDER, PURCHASER, OR PURCHASER REPRESENTATIVES ARE HEREBY EXPRESSLY WAIVED AND RELEASED.**

Appendix 3

BILL OF SALE - MACHINERY & EQUIPMENT

This Bill of Sale (this "Bill of Sale"), is executed and delivered as of _____, 2024, by Perfection Global, LLC, an Illinois limited liability company (the "Seller"), to _____ a _____ (the "Purchaser").

WHEREAS, on the terms and subject to the conditions of the Sealed Bid Package for the Assets of Montana Gold Bullet, Inc. and that certain Sealed Bid Form submitted and executed by the Purchaser, Seller agreed to sell, convey, transfer, and assign to Purchaser the assets set forth on attached Exhibit A (the "Transferred Assets").

NOW, THEREFORE, for the consideration set forth in the Sealed Bid Form and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged:

Section 1. Defined Terms. All initially capitalized terms used but not defined herein have the meaning given them in the Sealed Bid Package.

Section 2. Transfer of Transferred Assets. On the terms and subject to the conditions set forth in the Sealed Bid Package, Seller hereby sells, conveys, transfers, and assigns to Purchaser, and Purchaser's successors and assigns, all of the right, title, and interest of Seller in and to the Transferred Assets.

Section 3. Binding on Successors; No Third Party Beneficiaries. This Bill of Sale shall be binding upon and inure to the benefit of the parties hereto and the successors in interest and permitted assigns of such parties. This Bill of Sale is not intended to confer any rights or remedies upon any person other than the parties hereto.

Section 4. Governing Law. THIS BILL OF SALE SHALL BE CONSTRUED AND ENFORCED IN ACCORDANCE WITH THE INTERNAL LAWS OF THE STATE OF ILLINOIS WITHOUT GIVING EFFECT TO RULES GOVERNING THE CONFLICT OF LAWS.

IN WITNESS WHEREOF, the undersigned hereby execute this Bill of Sale as of the day and year first above written.

SELLER:

MONTANA GOLD BULLET, INC.

By: _____
Name: _____
Its: _____

PERFECTION GLOBAL, LLC, an Illinois limited liability company

By: _____
Name: _____
Its: _____

EXHIBIT "A"

Transferred Machinery & Equipment Assets